For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

| Expected Spud Date September 12, 2007 | Spot ✓ East |
|---|--|
| month day year | NE _ SE _ Sec. 24 _ Twp. 27 _ S. R. 18 _ West |
| 33344 | 1980 feet from N / V S Line of Section |
| OPERATOR: License# 33344 Name: Quest Cherokee LLC | 660 feet from F / W Line of Section |
| Address: 9520 North May Avenue, Suite 300 | Is SECTION _✓ RegularIrregular? |
| | (Note: Locate well on the Section Plat on reverse side) |
| Oily/Otato/Zip. | County: Neosho |
| Contact Person: Richard Marlin Phone: (405) 463-6881 | Lease Name: Thompson, Wesley Well #: 24-1 |
| | Field Name: Cherokee Basin CBM |
| CONTRACTOR: License# Will be licensed by the KCC | |
| Name: Will advise on the ACO-1 | Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals Ves ✓ No. |
| Tullo. | Nearest Lease or unit boundary: 660 |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Elevation: 971 feet MSL |
| Oil Enh Rec / Infield / Mud Rotary | |
| Gas Storage Pool Ext. Air Rotary | |
| OWWO Disposal Wildcat Cable | |
| Seismic:# of Holes Other | Depth to bottom of fresh water: |
| ✓ Other Coalbed Methane | Depth to bottom of usable water: 200-150 |
| | Surface Pipe by Alternate: ☐ 1 |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 25 |
| Operator: | Length of Conductor Pipe required: |
| Well Name: | Projected Total Depth: 1300 Formation at Total Depth: Cherokee Coals |
| Original Completion Date:Original Total Depth: | 1 Gridation at 10th Departs |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No | Water Source for Drilling Operations: |
| | Well Farm Pond Other Air |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| KCC DKT #: | Will Cores be taken? Yes ✓ No |
| | |
| | If Yes, proposed zone: RECEIVED |
| AFF | IDAVIT KANSAS CORPORATION COMMISSION |
| AFF The undersigned hereby affirms that the drilling, completion and eventual p | IDAVIT KANSAS CORPORATION COMMISSION lugging of this well will comply with K.S.A. 55 et. sec. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: | IDAVIT KANSAS CORPORATION COMMISSION |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: | IDAVIT lugging of this well will comply with K.S.A. 55 pt per 6 2007 |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | IDAVIT RANSAS CORPORATION COMMISSION RUGging of this well will comply with K.S.A. 55 of Peo 6 2007 CONSERVATION DIVISION |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | IDAVIT RANSAS CORPORATION COMMISSION RUGging of this well will comply with K.S.A. 55 of Peo 6 2007 CONSERVATION DIVISION |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be su</i> through all unconsolidated materials plus a minimum of 20 feet into t | IDAVIT Ransas Corporation Commission lugging of this well will comply with K.S.A. 55 at Seq. 6 2007 Conservation Division wichita, ks with by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the contents of the surface price of | IDAVIT Ransas Corporation Commission Rugging of this well will comply with K.S.A. 55 at Seq. 6 2007 Conservation Division Wichita Ks If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ristrict office on plug length and placement is necessary prior to plugging; |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be su</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug | IDAVIT lugging of this well will comply with K.S.A. 55 et set SEP 0 6 2007 CONSERVATION DIVISION WICHITA, KS with the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be su</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or oursuant to Appendix "B" - Eastern Kansas surface casing order | IDAVIT lugging of this well will comply with K.S.A. 55 et SEP 0 6 2007 CONSERVATION DIVISION WICHITA KS WICHITA KS with by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be su</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or oursuant to Appendix "B" - Eastern Kansas surface casing order | IDAVIT lugging of this well will comply with K.S.A. 55 et set SEP 0 6 2007 CONSERVATION DIVISION WICHITA, KS with the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the december of the well is dry hole, an agreement between the operator and the control of the surface control of the surface will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be determined to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. | IDAVIT lugging of this well will comply with K.S.A. 55 et SEP 0 6 2007 CONSERVATION DIVISION WICHITA, KS with be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the statements. | IDAVIT lugging of this well will comply with K.S.A. 55 et set SEP 0 6 2007 CONSERVATION DIVISION WICHITA, KS with the underlying formation. district office on plug length and placement is necessary prior to plugging; gred or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the december of the well is dry hole, an agreement between the operator and the control of the surface control of the surface will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be determined to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. | IDAVIT lugging of this well will comply with K.S.A. 55 et SEP 0 6 2007 CONSERVATION DIVISION WICHITA, KS with be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the statements. | IDAVIT lugging of this well will comply with K.S.A. 55 of SEP 0 6 2007 CONSERVATION DIVISION WICHITA, KS with the underlying formation. district office on plug length and placement is necessary prior to plugging; gred or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. It is the control of the control |
| The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the december of the well is dry hole, an agreement between the operator and the construction of the state of the surface casing order of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the september 5, 2007 Signature of Operator or Agent: | IDAVIT lugging of this well will comply with K.S.A. 55 at SEP 0 6 2007 CONSERVATION DIVISION WICHITA, KS WICHITA, KS WICHITA, KS Set by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my_knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill: |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the second shall be suffaced by the second shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well, shall hereby certify that the statements made herein are true and to the best of the second shall be second shall b | IDAVIT lugging of this well will comply with K.S.A. 55 at SEP 0 6 2007 CONSERVATION DIVISION WICHITA, KS WICHITA, KS WICHITA, KS Set by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my_knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill: |
| The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be surfaced in the surface pipe as specified below shall be surfaced. 4. If the well is dry hole, an agreement between the operator and the confliction of the specified before well is either plugible. 5. The appropriate district office will be notified before well is either plugible. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well, shall hereby certify that the statements made herein are true and to the best of the september 5, 2007. Signature of Operator or Agent: For KCC Use ONLY API # 15 - (33 - 27/47 - 0000) | IDAVIT lugging of this well will comply with K.S.A. 55 of SEP 0 6 2007 CONSERVATION DIVISION WICHITA, KS with the underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. It is the complete of the control |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the second shall be sufficient to the shall be sufficient to the shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the second shall be sufficient shall be sufficient shall be sufficient shall be sufficient shall shal | IDAVIT lugging of this well will comply with K.S.A. 55 at SEP 0 6 2007 CONSERVATION DIVISION WICHITA, KS WICHITA, KS WICHITA, KS Set by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my_knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill: |
| The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be surfaced in the surface pipe as specified below shall be surfaced. 4. If the well is dry hole, an agreement between the operator and the confliction of the specified before well is either plugible. 5. The appropriate district office will be notified before well is either plugible. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well, shall hereby certify that the statements made herein are true and to the best of the september 5, 2007. Signature of Operator or Agent: For KCC Use ONLY API # 15 - (33 - 27/47 - 0000) | lugging of this well will comply with K.S.A. 55 et set SEP 0 6 2007 CONSERVATION DIVISION WICHITA, KS with the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my_knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the determinant of the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the surface propriate district office will be notified before well is either plus to the surface district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the september 5, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - (33 - 27/47 - 0000) Conductor pipe required None feet per Alt. (2) | IDAVIT Iugging of this well will comply with K.S.A. 55 et set set 6 2007 CONSERVATION DIVISION WICHITA, KS with by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my_knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the second shall be sufficient to the second shall be sufficient to the second shall be sufficient to the shall be operator and the constant of the shall be composed to the shall be composed to the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. 1. Hereby certify that the statements made herein are true and to the best of the spud shall be considered. 2. September 5, 2007 2. Signature of Operator or Agent: 3. The minimum surface pipe required feet per Alt. 4. If the well is dry hole, an agreement between the operator or Agent: 4. If the well is dry hole, an agreement between the operator or the process of the spud date or the well shall be completed within 30 days of the spud date or the well, shall be completed within 30 days of the spud date or the well, shall be completed within 30 days of the spud date or the well shall be completed. 2. Date: September 5, 2007 3. The minimum surface pipe required feet per Alt. 4. If the well is dry hole, an agreement between the operator or Agent: 4. If the well is dry hole, an agreement between the operator or Agent: 5. The appropriate district office will be notified before well is either but the statement of the process of the spud date or the well shall be set that the statement of the process of the spud date or the well shall be set that the statement of the spud date or the well shall be set that the statement of the spud date or the shall be set that the statement of the shall be set that the statement of the shall be set that the statemen | lugging of this well will comply with K.S.A. 55 et set SEP 0 6 2007 CONSERVATION DIVISION WICHITA KS WICHITA KS with the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my_knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the thing of the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the surface district office will be notified before well is either plus to the surface purpose and the specified below shall be cement. 5. The appropriate district office will be notified before well is either plus to the surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of the specified below shall be set on the specified below shall be so that the statements made herein are true and to the best of the specified below shall be set on the specified below shall be sufface proposed by: For KCC Use ONLY API # 15 - 133 - 27/47 - 0000 Conductor pipe required | IDAVIT lugging of this well will comply with K.S.A. 55 et set SEP 0 6 2007 CONSERVATION DIVISION WICHITA KS WICHITA KS with be underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my_knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the second shall be sufficient to the second shall be sufficient to the second shall be sufficient to the shall be operator and the constant of the shall be composed to the shall be composed to the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. 1. Hereby certify that the statements made herein are true and to the best of the spud shall be considered. 2. September 5, 2007 2. Signature of Operator or Agent: 3. The minimum surface pipe required feet per Alt. 4. If the well is dry hole, an agreement between the operator or Agent: 4. If the well is dry hole, an agreement between the operator or the process of the spud date or the well shall be completed within 30 days of the spud date or the well, shall be completed within 30 days of the spud date or the well, shall be completed within 30 days of the spud date or the well shall be completed. 2. Date: September 5, 2007 3. The minimum surface pipe required feet per Alt. 4. If the well is dry hole, an agreement between the operator or Agent: 4. If the well is dry hole, an agreement between the operator or Agent: 5. The appropriate district office will be notified before well is either but the statement of the process of the spud date or the well shall be set that the statement of the process of the spud date or the well shall be set that the statement of the spud date or the well shall be set that the statement of the spud date or the shall be set that the statement of the shall be set that the statement of the shall be set that the statemen | lugging of this well will comply with K.S.A. 55 et set SEP 0 6 2007 CONSERVATION DIVISION WICHITA KS WICHITA KS with the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my_knowledge and belief. Title: VP Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the thing of the well is dry hole, an agreement between the operator and the composition of the specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well, shall I hereby certify that the statements made herein are true and to the best of Date: September 5, 2007 Signature of Operator or Agent: Date: September 5, 2007 For KCC Use ONLY API # 15 - 133 - 27/47 - 0000 Conductor pipe required | IDAVIT Iugging of this well will comply with K.S.A. 55 et Sep 6 2007 CONSERVATION DIVISION WICHITA, KS In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my_knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the thing of the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the surface district office will be notified before well is either plus to the surface purpose and the specified below shall be cement. 5. The appropriate district office will be notified before well is either plus to the surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of the specified below shall be set on the specified below shall be so that the statements made herein are true and to the best of the specified below shall be set on the specified below shall be sufface proposed by: For KCC Use ONLY API # 15 - 133 - 27/47 - 0000 Conductor pipe required | IDAVIT Iugging of this well will comply with K.S.A. 55 et Sep 6 2007 CONSERVATION DIVISION WICHITA, KS In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my_knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 133-27147-0000 | Location of Well: County: Neosho |
|---------------------------------------|--|
| Operator: Quest Cherokee LLC | 1980feet from N / ✓ S Line of Section |
| Lease: Thompson, Wesley | 660 feet from Feet from E / W Line of Section |
| Well Number: 24-1 | Sec. 24 Twp. 27 S. R. 18 ✓ East Wes |
| Field: Cherokee Basin CBM | Is Section: 🗸 Regular or 📗 Irregular |
| Number of Acres attributable to well: | |
| QTR / QTR / QTR of acreage: NE SE | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| : : 24 : : : | EXAMPLE : 1980 |
|-----------------|---------------------|
| | 1980 10 3390' |
| | SEWARD CO. |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

SEP 0 6 2007

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

| Operator Name: Quest Cherokee LLC | | License Number: 33344 | | |
|---|--------------------------------|---|---|--|
| Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120 | | | | |
| Contact Person: Richard Marlin | | Phone Number: (405) 463 - 6881 | | |
| Lease Name & Well No.: Thompson, Wesley #24-1 | | 1 | Pit Location (QQQQ): | |
| Type of Pit: | Pit is: | | | |
| Emergency Pit Burn Pit | ✓ Proposed | | Sec. 24 Twp. 27 R. 18 | |
| Settling Pit | If Existing, date constructed: | | 1980 Feet from North / 🗸 South Line of Section | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 660 Feet from 🗸 East / 🗌 West Line of Section | |
| (If WP Supply API No. or Year Drilled) | 300 | (bbis) | Neosho County | |
| Is the pit located in a Sensitive Ground Water | Area? ☐ Yes 🗸 | No | Chloride concentration: mg/l | |
| is the bottom below ground level? | Artificial Liner? | | (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? | |
| Yes V No | Yes ✓ | No | now to the pit miles it a place mile to not assa. | |
| Pit dimensions (all but working pits): | SO Length (fe | et) 10 | Width (feet) N/A: Steel Pits | |
| | om ground level to de | | 40 | |
| If the pit is lined give a brief description of the | | | edures for periodic maintenance and determining | |
| | | Operation leating approx 3 days | | |
| Air Drilling | | Operation lasting approx 3 days | | |
| | | | | |
| Distance to nearest water well within one-mile of pit Depth to shallo | | west fresh waterfeet. | | |
| Source of info | | Source of infor | mation: | |
| Tieat Depth of water well reet 111ea | | | redwell owner electric log(t)_KDWR | |
| , , , , , , , , , , , , , , , , , , , | | | over and Haul-Off Pits ONLY: at utilized in drilling/workover: Air Drilled | |
| | | king pits to be utilized: One | | |
| | | procedure: Air Dry, Back Fill and Cover | | |
| Does the slope from the tank battery allow all spilled fluids to | | · | | |
| flow into the pit? Yes No Drill pits must | | pe closed within 365 days of spud date. | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | |
| \mathcal{L} | | | | |
| September 5, 2007 Date Signature of Applicant or Agent | | | ignature of Applicant or Agent | |
| | | | | |
| KCC OFFICE USE ONLY | | | | |
| Date Received: 9/6/07 Permit Number: Permit Date: 9/6/07 Lease Inspection: Yes k No | | | | |