For KCC Use: Effective Date:

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

	Spot 🗸 East
Expected Spud Date September 12, 2007 month day	year NE NE Sec. 25 Twp. 27 S. R. 18 West
OPERATOR: License# 33344	660feet from V N / S Line of Section
Name: Quest Cherokee LLC	660 feet from JE / W Line of Section
9520 North May Avenue, Suite 300	Is SECTION ✓ Regular Irregular?
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6881	Lease Name. Thompson, Wesley Well #: ²⁵⁻¹
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equi	inment: Nearest Lease or unit boundary: 660
	Ground Surface Elevation: 980feet MSL
	Water well within one-quarter mile: Yes ✓ No
	Public water supply well within one mile:
	Depth to bottom of fresh water:
Seismic;# of Holes ☐ Other Other Coalbed Methane	Depth to bottom of usable water:
▼ Offici	Surface Pipe by Alternate: 1 √ 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300 Cherokee Coals
Original Completion Date:Original Total Dep	th:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Yes ✓ No Well Farm Pond Other Air
,	Tallit one of the control of the con
If Yes, true vertical depth:	
Bottom Hole Location:	
KCC DKT #:	
	If Yes, proposed zone:
	AFFIDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion	and eventual plugging of this well will comply with K.S.A. 55 et. seq. CORPORATION COMMISSION
It is agreed that the following minimum requirements will be	met:
1. Notify the appropriate district office prior to spudding	of well; SEP 0 6 2007
2. A copy of the approved notice of intent to drill shall be	pe posted on each drilling rig;
	elow shall be set by circulating cement to the top; in all cases sunace supplies the set by circulating cement to the top; in all cases sunace supplies the set by circulating cement to the top; in all cases sunace supplies the set by circulating cement to the top; in all cases sundates the set by circulating cement to the top; in all cases sundates the set by circulating cement to the top; in all cases sundates the set by circulating cement to the top; in all cases sundates the set by circulating cement to the top; in all cases sundates the set by circulating cement to the top; in all cases sundates the set by circulating cement to the top; in all cases sundates the set by circulating cement to the top; in all cases sundates the set by circulating cement to the top; in all cases sundates the set by circulating the s
3. The minimum amount of surface pipe as specified be	WCHITA KE
through all unconsolidated materials plus a minimum	of 20 feet into the underlying formation.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the op-	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <i>prior to plugging;</i> rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; vell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum If the well is dry hole, an agreement between the ope The appropriate district office will be notified before we an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; velt is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; velt is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true and	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; vell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. and to the best of my knowledge and belief.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true and	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; velt is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. and to the best of my knowledge and belief.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true and	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; vell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. and to the best of my knowledge and belief.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true as Date: September 5, 2007 Signature of Operator or Ager For KCC Use ONLY	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; velt is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. and to the best of my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true as Date: September 5, 2007 Signature of Operator or Ager	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; velt is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. and to the best of my knowledge and belief. Title: Title: VP
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true as Date: September 5, 2007 Signature of Operator or Ager For KCC Use ONLY API # 15 - 133-27/48-0000	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; velt is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. and to the best of my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true as Date: September 5, 2007 Signature of Operator or Ager For KCC Use ONLY API # 15 - 133-27/48-000 feet	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date, be casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing, and to the best of my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true as Date: September 5, 2007 Signature of Operator or Ager For KCC Use ONLY API # 15 - 133-27/48-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. See casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. In the pest of my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true as Date: September 5, 2007 Signature of Operator or Ager For KCC Use ONLY API # 15 - 133-27/48-000 feet Minimum surface pipe required feet per Approved by: 144-6-07	reator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. The ce casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true as Date: September 5, 2007 Signature of Operator or Ager For KCC Use ONLY API # 15 - 133 - 27/48 - 000 feet Minimum surface pipe required feet Approved by: 144 9-6-07 This authorization expires: 3-6-08	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. See casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. In the pest of my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true as Date: September 5, 2007 Signature of Operator or Ager For KCC Use ONLY API # 15 - 133-27/48-000 feet Minimum surface pipe required feet per Approved by: 144-6-07	real of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. See casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing for the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. In the pest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true and Date: September 5, 2007 Signature of Operator or Ager For KCC Use ONLY API # 15 - 133-27/48-000 feet Minimum surface pipe required feet per Approved by: 19-6-07 This authorization expires: 3-6-08 (This authorization void if drilling not started within 6 months of a	of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. See casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. In the pest of my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before w 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of I hereby certify that the statements made herein are true as Date: September 5, 2007 Signature of Operator or Ager For KCC Use ONLY API # 15 - 133 - 27/48 - 000 feet Minimum surface pipe required None feet Approved by: 144 9-6-07 This authorization expires: 3-6-08	reator and the district office on plug length and placement is necessary prior to plugging; rell is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 days of spud date. See casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. In the pest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27148-0000	Location of Well: County: Neosho	
Operator: Quest Cherokee LLC	660 feet from VN / S Line of Section	
Lease: Thompson, Wesley	660 feet from 🗸 E / W Line of Section	
Well Number: 25-1	Sec25 Twp27 S. R18	
Field: Cherokee Basin CBM		
Number of Acres attributable to well:	Is Section: 📝 Regular or 📗 Irregular	
QTR / QTR / QTR of acreage: NE NE	If Section is Irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION D OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: Quest Cherokee LLC			License Number: 33344	
Operator Address: 9520 North May	y Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin			Phone Number: (405) 463 - 6881	
Lease Name & Well No.: Thompson, Wesley #25-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE</u> - <u>NE</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 25 Twp. 27 R. 18 ✓ East West	
Settling Pit	If Existing, date constructed:		660 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit		· · · · 	Feet from 📝 East / 🔲 West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		Neosho County	
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l	
is the pic located and continue ordered visite	is the pit located in a Sensitive Ground water Area? Yes		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes ✓ No	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth fr	rom ground level to de	· · ·		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.		
		Air Drilling Operation lasting approx 3 days		
Distance to nearest water well within one-mile of pit 4052 feet Depth of water well80feet		Depth to shallowest fresh water/ \overline{\delta} feet.		
		Source of information: measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Air Drilled		
Number of producing wells on lease:		Number of working pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		·		
		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
\mathcal{L}				
September 5, 2007 Date	V) 1	Mand s	ignature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: $\frac{9}{6}/67$ Permit Num	nber:	Perm	it Date: 9/6/07 Lease Inspection: Yes 1 No	