For KCC Use: Effective Date:
District #
SGA? Yes X No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date September 20 2007	Spot East East
	1118 feet from V N / S Line of Section
OPERATOR: License# 7311 V	2275 feet from VE / W Line of Section
Name: Shakespeare Oil Company, Inc.	Is SECTION ✓ Regularirregular?
Address: 202 West Main Street	<del></del>
Address:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Donald R. Williams	County: Logan
Phone: 618-548-1585	Lease Name: Glassman Well #: 2-22 Field Name: Stratford Southwest
CONTRACTOR: License# 30606	
Name: Murfin Drilling Co., Inc.	Is this a Prorated / Spaced Field?  Target Formation(s): LKC / Johnson Yes ✓ No
Name:	Nearest Lease or unit boundary: 1118'
Well Drilled For: Well Class: Type Equipment	Ground Surface Elevation: 2971feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage ✓ Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150'
Seismic;# of Holes Other	Depth to bottom of usable water: 1600'
Other	
	Surface Pipe by Alternate: 1 2 220'  Length of Surface Pipe Planned to be set: 220'  None
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 4700'
Well Name:	Formation at Total Depth: Miss.
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	No Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
HOROM Hole Location:	(Note: Apply for Permit with DWR)
	N       N   -
KCC DKT #:	Will Cores be taken?
The undersigned hereby affirms that the drilling, completion and a lit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSASSORPORATION COMMISSION  SEP 0 7 2007  Ited on each drilling rig;  Ited on each drilling rig;  Ited on each drilling rig;  Ited to each drilling rig;  Ited to each drilling rig;  Ited on each drilling rig;  Ite
The undersigned hereby affirms that the drilling, completion and of it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below as through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  RECEIVED  If Yes, proposed zone:  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RECEIVED  Received this well will comply with K.S.A. SANSASSORPORATION COMMISSION  Rell;  Received the set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circulating cement to the top; in all cases strong pipe shall be set by circu
The undersigned hereby affirms that the drilling, completion and a lit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall</i> be pos.  3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the line by certify that the statements made herein are true and to	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSASSORPORATION COMMISSION  SEP 0 7 2007  The set on each drilling rig;  Intel be set by circulating cement to the top; in all cases syntass single set feet into the underlying formation.  In with the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 days of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Vice President  Remember to:
The undersigned hereby affirms that the drilling, completion and a lit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> posts.  3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operators.  5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the lhereby certify that the statements made herein are true and to Date: 9/05/07  Signature of Operator or Agent:  Ext. KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSASSORPORATION COMMISSION  Received  SEP 0 7 2007  The set on each drilling rig;  Interval be set by circulating cement to the top; in all cases successory prior shall be set on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; one cemented from below any usable water to surface within 120 days of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and a lit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> posts.  3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operators.  5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the lhereby certify that the statements made herein are true and to Date: 9/05/07  Signature of Operator or Agent:  Ext. KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSASSORPORATION COMMISSION  Received  Received  SEP 0 7 2007  The set on each drilling rig;  Intel the set by circulating cement to the top; in all cases spokes pips shall be set of the underlying formation.  Intel the underlying formation.  Intel the plugged or production casing is cemented in; in the plugged or production casing is cemented in; in the plugged or production casing is cemented in; in the set of my below any usable water to surface within 120 days of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and the sagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of where 2. A copy of the approved notice of intent to drill <i>shall be</i> post through all unconsolidated materials plus a minimum of 20 described. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is described. If an ALTERNATE II COMPLETION, production pipe shall to pursuant to Appendix "B" - Eastern Kansas surface cannust be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to Date: 9/05/07  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSASSORPORATION COMMISSION  Received  SEP 0 7 2007  It is set by circulating cement to the top; in all cases spokes pips shall be set by circulating cement to the top; in all cases spokes pips shall be set into the underlying formation.  And the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and a lit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of w 2. A copy of the approved notice of intent to drill shall be pos 3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the I hereby certify that the statements made herein are true and to  Date: 9/05/07 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 109 - 20788-0000 feet	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSASSORPORATION COMMISSION  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSASSORPORATION COMMISSION  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSASSORPORATION COMMISSION  SEP 0 7 2007  It is separated to each drilling rig;  It is ted on each drilling rig;  It is eases by care proportion to mill;  It is necessary prior to plugging;  It is necessary prior to plugging.  It is necessary p
The undersigned hereby affirms that the drilling, completion and a lit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of w 2. A copy of the approved notice of intent to drill shall be pos 3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 4. It the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the I hereby certify that the statements made herein are true and to  Date: 9/05/07 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 109 - 20788-0000  Conductor pipe required feet per Alt.	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSASSORPORATION COMMISSION  RECEIVED  It is set by circulating cement to the top; in all cases sprace pipe shall be set by circulating cement to the top; in all cases sprace pipe shall be set by circulating cement to the top; in all cases sprace pipe shall be set by circulating cement to the top; in all cases sprace pipe shall be set by circulating cement to the top; in all cases sprace pipe shall be set by circulating cement to the top; in all cases sprace pipe shall be set by circulating cement to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and a lit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of w.  2. A copy of the approved notice of intent to drill shall be pos.  3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the linereby certify that the statements made herein are true and to Date:    Por KCC Use ONLY	If Yes, proposed zone:  AFFIDAVIT  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSASGORPORATION COMMISSION  SEP 0 7 2007  It do no each drilling rig;  It hall be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  AND
The undersigned hereby affirms that the drilling, completion and a lit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> pos.  3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is.  6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the.  I hereby certify that the statements made herein are true and to.  Date: 9/05/07 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 109 - 20788-0000  Conductor pipe required 1900 feet per Alt.  Approved by: 1049-707  This authorization expires: 3-7-08	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSABOORPORATION COMMISSION  SEP 0 7 2007  SEP 0 8 2007  SICHITA, KS  And Historical File of plugging;  Set the plugged or production casing is cemented in;  See cemented from below any usable water to surface within 120 days of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Vice President  Semember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and a lit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of w.  2. A copy of the approved notice of intent to drill shall be pos.  3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20.  4. If the well is dry hole, an agreement between the operator.  5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the linereby certify that the statements made herein are true and to Date: 9/05/07  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 20788-0000  Conductor pipe required 1900 feet per Alt. Approved by: 1000 feet per Alt. Approved by: 1000 feet per Alt.	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  RECEIVED  Inventual plugging of this well will comply with K.S.A. SANSAS CORPORATION COMMISSION  SEP 0 7 2007  SICHIE SEP 0 8 3 4 4 4 5 4 5 4 5 4 5 4 5 4 6 4 6 4 6 4 6

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 109- 20788-0000	Location of Well: County: Logan
Operator: Shakespeare Oll Company, Inc.	1118 feet from V N / S Line of Section
Lease: Glassman	2275 feet from 🗸 E / W Line of Section
Well Number: 2-22	Sec22Twp13 S. R32 East ✓ Wes
Field: Stratford Southwest	
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:	Is Section:  Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used:  NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

			1118			RECEIVED KANSAS CORPORATION COMMISS SEP 0 7 2007
		· ·	· · · · · :	2275		CONSERVATION DIVISION WICHITA, KS
· · · · · · · · · · · · · · · · · · ·	-	D. GLAS	2———	· ·	· ·	EXAMPLE
		·	·		·	1980
		· · · · · · · · · · · · · · · · · · ·	:	· · · · · · · · · · · · · · · · · · ·		3390
						SEWARD CO.

# NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



v082907-q


#### ROBINSON SERVICES

Oil Field & Construction Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499



Glassman #2-22 Shakespreare Oil Company, Inc LEASE NAME

OPERATOR Logan County, KS

1118' FNL - 2275' FEL

LOCATION SPOT

1" =1000' SCALE: Aug. 29th, 2007 DATE: Kent C. MEASURED BY Gabe Q. DRAWN BY: Don W. & Alex B. AUTHORIZED BY:

COUNTY


This drawing does not constitute a monumented survey or a land survey plat

This drawing is for construction purposes only

GR. ELEVATION: <u>2971.3</u>

**Directions:** From the South side of Oakley, Ks at the intersection of Hwy 83 South & Hwy 40 - Now go 14 miles South on Hwy 83 to the NE corner of section 22-13s-32w - Now go 0.1 mile on South to ingress stake West into - Now go 0.4 mile West on trail - Now go approx. 1120' South through pasture to crop change/electric fence - Now go 40' South through dry land milo into staked location.

Final ingress must be verified with land owner or Shakespeare Oil Company, Inc.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Shakespeare Oil Company, Inc.			License Number: 7311		
Operator Address: 202 West Main	St., Salem, II	L 62881			
Contact Person: Donald R. Williams			Phone Number: ( 618 ) 548 - 1585		
Lease Name & Well No.: Glassman #2-22			Pit Location (QQQQ):		
Type of Pit:	Pit is:		C _ SW _ NW _ NE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 22 Twp. 13S R. 32 ☐ East ✓ West		
Settling Pit	If Existing, date of	onstructed:	1118 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			2275		
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from Z East / West Line of Section		
	7000	(bbls)	Logan County		
Is the pit located in a Sensitive Ground Wate	r Area? 🗌 Yes 🗸	No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸	No	}		
Pit dimensions (all but working pits):	100 Length (fe	eet) 100	Width (feet) N/A: Steel Pits		
Depth t	from ground level to de	eepest point:	5 (feet)		
			CONSERVATION DIVISION WICHITA, KS		
Source		Source of infor	Depth to shallowest fresh water150/(red).  Source of information:		
3991 feet Depth of water well of leet		measured well owner electric log			
Emergency, Settling and Burn Pits ONLY:  Producing Formation:		Drilling, Workover and Haul-Off Pits ONLY:			
		Type of material utilized in drilling/workover: Fresh Water Mud			
			Number of working pits to be utilized: 1		
			Abandonment procedure: Ventilate pit walls to allow water to		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes  No		Abandonment procedure: Ventilate pit walls to allow water to  evaporate, backfill and smooth.  Drill pits must be closed within 365 days of spud date.  correct to the best of my knowledge and belief.			
I hereby certify that the above star	tements are true and	correct to the bes	t of my knowledge and belief.		
6105107		$\int_{\mathbb{R}^{n}} 01$	P(0.70)		
9/05/07 Date		Signature of Applicant or Agent			
	ксс	OFFICE USE O	NLY		
Date Received: $\frac{9}{7} \frac{7}{67}$ Permit Num	mber:	Perm	it Date: 9/7/c7 Lease Inspection: Yes ( No		