For KCC Use: 9-/2-07 Effective Date: 7 District # X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Contact Person: Klee R. Watchous Phone: (316) 799-1000 CONTRACTOR: License# 33350 Name: Southwind Drilling, Inc. Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary GMWD Disposal Wildcat Cable Other Other If OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Completion Date: Original Completion Date: Original Completion: Will Cores be taken? Will Cores be taken? Well #.1 Field Name: None (Wildcat) Is this a Prorated / Spaced Field? Target Formation(s): Mississisppian Nearest Lease or unit boundary: 330 + (unit) Ground Surface Elevation: 2486 Water well within one-quarter mile: Yes V No Water well within one mile: Yes V No Depth to bottom of fresh water: 50 Depth to bottom of usable water: 1140 Surface Pipe by Alternate: 1 V 2 Length of Conductor Pipe required: None Projected Total Depth: 4500 Formation at Total Depth: Mississisppian Water Source for Drilling Operations: Well V Farm Pond Other DWR Permit #: (Note: Apply for Permit with DWR VIII Cores be taken? If Yes, proposed zone:	Expected Spud Date October 8 2007 month day year	Spot 140 'S & 110 'E of East C
SECTION Regular Irregular Converted County Ness Ness County Ness County Ness County Ness	OPERATOR: License# 30742	feet fromN / ✓ S Line of Section
Address_D. Newton, Kansas 6714-8827 Contact Person. See R. Watchouse Ponce. \$319.791000 CONTRACTOR: Lecenser 33350 Name. Southwind Drilling, Inc. Well Drilled For: Well Class: Type Equipment: Oil	4004 OF 0411 O	
County Ness Prone. (316) 798-1000 CONTRACTOR: Licenser 33350 Name. Southwind Drilling, Inc. Well Drilled Far: Well Class: Type Equipment: Oil	Address: 4924 SE 6401 St.	•
Lease Name: Nordon-Stutz Well #:	City/State/Zip: Newton, Kansas 67114-6627	
Field Name: None (Wildcat) Special Field Name: None (Wildcat) State Portated / Special Field? Target Formation(s): Mississipplan West Class: Type Equipment: Mississipplan West Class: West Class: Wild Rotary Mid Rotary Growth State Seame: # of Holes Other	Contact Person: Klee R. Watchous	County: Ness
SOUTHACTOR: Lenease \$35350 Name. Southwind Drilling, Inc. Well Drilled For: Well Class: Type Equipment: Ground Surface Elevation: 2496 Gaa Storage Pool Ext. Alt Rotary Ground Surface Elevation: 2496 Ground Surface Ele	Phone: (316) 799-1000	Lease Name: Norton-Stutz Well #: 1
Name Well Drilled For Well Class: Type Equipment: Type E	22250	Field Name: None (Wildcat)
Well Drilled For Well Class: Type Equipment: Ground Surface Elevation: 2458 Section Se	CONTRACTOR: License# 33330	
Nearest Lease or unit boundary, 330 + (unit)	Name: Southwind Drilling, Inc.	Target Formation(s): Mississippian
Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: SEP 0 6 2007 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface Williams and the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office will be interested proportied district office will be notified before well is either plugged or production easing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and paleier. Pate: September 5, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - J 35 - 3 4 9 9 8 - 000 Approved by: Left 9.7-07 feet produced. Minimum surface pipe required feet within 6 months of effective date.) September to: - File Drill Pit Application (from CDP-1) with Intent to Drill: - File careage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting sall water. - If this permit has expired (See: authorized expiration date) please check the box below and ret	Gas Storage Pool Ext. Air Rotary OWWO Disposal Wildcat Cable Seismic; # of Holes Other Other Other Well Name: Original Completion Date: Oirectional, Deviated or Horizontal wellbore? Infield Mud Rotary Mud Rotary Mud Rotary Mud Rotary Mud Rotary Mud Rotary Air Rotary Cable Cable Orable Orable Orable Orable Orable Orable Ves No	Ground Surface Elevation: 2486 Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 50 Depth to bottom of usable water: 1140 Surface Pipe by Alternate: 1
Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: SEP 0 6 2007 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface Williams and the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office will be interested proportied district office will be notified before well is either plugged or production easing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and paleier. Pate: September 5, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - J 35 - 3 4 9 9 8 - 000 Approved by: Left 9.7-07 feet produced. Minimum surface pipe required feet within 6 months of effective date.) September to: - File Drill Pit Application (from CDP-1) with Intent to Drill: - File careage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting sall water. - If this permit has expired (See: authorized expiration date) please check the box below and ret		(Note: Apply for Permit with DWR
If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface with through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true aper to the best of my knowledge and felief. President For KCC Use ONLY API # 15 - 135 - 34698-2000 Conductor pipe required feet per Alt. Approved by P4 9-7-07 This authorization expires: 3-7-08 (This authorization expires: 3-7-08 (This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent: Agent: September of Operator or Agent: Submit plugging report (CP-4) after plugging is completed: Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expire		
RECEIVED KANSAS CORPORATION COMMISSION The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface withough all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production easing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true apd to the best of my knowledge and fellief. Pate: September 5, 2007 Signature of Operator or Agent: For KCC Use ONLY		
For KCC Use ONLY API # 15 - 135-24698-0000 Conductor pipe required	The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it	SEP 0 6 2007 Ch drilling rig; CONSERVATION DIVISION It by circulating cement to the top; in all cases surfact with the set in the underlying formation. Its istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
API # 15 - 135-24698-0000 Conductor pipe required		Remember to:
Spud date:Agent:Signature of Operator or Agent:	API # 15 - 135-24698-0000 Conductor pipe required Nork feet Minimum surface pipe required 200 feet per Alt. 2 Approved by: Put 9-7-07 This authorization expires: 3-7-08	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
Spud date:Agent:Signature of Operator or Agent:	(11115 authorization volu it drinking not started within 6 months of elective date.)	Well Not Drilled - Permit Expired
Opas and	Snud date: Agent:	<u> </u>

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 135-24698-0000	Location of Well: County: Ness		
Operator: Palomino Petroleum, Inc.			
Lease: Norton-Stutz	1430 feet from E / 🗸 W Line of Section		
Well Number:	Sec. 18 Twp. 17 S. R. 25 East ✓ West		
Field: None (Wildcat)			
Number of Acres attributable to well:	Is Section: Regular or 📝 Irregular		
QTR / QTR / QTR of acreage: C W/2	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE ✓ SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

			· · · · · · · · · · · · · · · · · · ·
	· · • • • · • • • • • • • • • • • • • •		
			· · · · · · · ·
			,
	· · · · · · · · · · · · · · · · · · ·	8 <u> </u>	· · ·
1430-	- <i>o</i>	· :	· · · · ·
			• • • • • • • • •
	25 <i>0</i> 0		
			· · · · · · · · · · · · · · · · · · ·
			•

RECEIVED KANSAS CORPORATION COMMISSION

SEP 0 6 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

NESS CO.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

15-135-24698-000

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Palomino Petroleum, Inc.		License Number: 30742			
Operator Address: 4924 SE 84th	St., Newtor	n, Kansas	67114-8827		
Contact Person: Klee R. Watchous			Phone Number: (316) 799 · 1000		
Lease Name & Well No.: Norton-Stu			Pit Location (QQQQ):		
Type of Pit:	Pit is: 140 '	S & 110' E	o <u>f C _ W/2</u>		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 18 _{Twp.} 17S _{R.} 25 ☐ East ✓ West		
Settling Pit	If Existing, date of	onstructed:	Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:	<u></u>	1430 Feet from East / 📝 West Line of Section		
(If WP Supply API No. or Year Drilled)	6800	(bbls)	County		
Is the pit located in a Sensitive Ground Water	Area? Yes √.	No	Chloride concentration: mg/l		
to the bottom below are and level 2	Artificial Liner?	<u>.</u>	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Is the bottom below ground level? Yes No	Yes ✓	No	Drlg. mud and shale from well bore.		
Pit dimensions (all but working pits):	l ength (fe	et) 80	Width (feet) N/A: Steel Pits		
	om ground level to de		3(feet)		
If the pit is lined give a brief description of the liner Describe proof		edures for periodic maintenance and determining national state of the commission of			
			SEP 0 6 2007		
			CONSERVATION DIVISION WICHITA, KS		
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh water <u>' ' 4'</u> feet.		
3950feet Depth of water well35feet		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: fresh			
Number of producing wells on lease:		Number of working pits to be utilized: 2			
Barrels of fluid produced daily: Abandonmen		Abandonment	procedure: evaporate and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must l	pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
September 5, 2007 Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 9/6/07 Permit Number: Permit Date: 9/6/07 Lease Inspection: Yes C No					