# For KCC Use: 9-/2-07 Effective Date: 9-/2-07 District # . SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

t he approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC	C five (5) days prior to commencing well
Expected Spud Date September 27 2007  month day year	Spot 110 ' N & 110 ' E of East C SE Sec. 13 Twp. 17 S. R. 26 West
30742	1430 feet from N / VS Line of Section
OPERATOR: License# 30742 Name: Palomino Petroleum, Inc.	1210feet from ✓ E / W Line of Section
Address: 4924 SE 84th St.	Is SECTION RegularIrregular?
Address: Newton, Kansas 67114-8827	
City/State/Zip: Kloo P. Watchous	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Klee R. Watchous	County: Ness
Phone: (316) 799-1000	Lease Name: Quenzer Well #: 4
CONTRACTOR: License# 33350	Field Name: Lazy 17
Name: Southwind Drilling, Inc.	Is this a Prorated / Spaced Field?
Trainer -	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1210
Oil Infield Mud Rotary	Ground Surface Elevation: 2486 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic; # of Holes Other	Depth to bottom of fresh water: 50
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 4500
Original Completion Date:Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	No Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	— Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and event	ual plugging of this well will comply with K.S.A. 55 et seg. RECEIVED KANSAS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	KANSAS CORPORATION COMMISSION
Notify the appropriate district office <i>prior</i> to spudding of well;	SED () 6 2007
	MACHITALICA
	the district office on plug length and placement is necessary british to blugging;
5. The appropriate district office will be notified before well is either	r plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing of	order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
I hereby certify that the statements made herein are true and to the book of t	$D \sim A  TI $
Date: September 5, 2007 Signature of Operator or Agent:	Title: President
	Remember to:
For KCC Use ONLY	File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 135-24699-000	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required Nonefeet	- File acreage attribution plat according to field proration orders;
Minimum surface pipe required 200 feet per Alt.	Notify appropriate district office 48 hours prior to workover or re-entry;     Submit plugging report (CP-4) after plugging is completed;
Approved by: \$\mu 9.7-07	Obtain written approval before disposing or injecting salt water.
1 7 <b>7 5</b> 11	- If this permit has expired (See: authorized expiration date) please
Trillo dedition expired	check the how below and return to the address below
(This authorization void if drilling not started within 6 months of effective date.	Well Not Drilled - Permit Expired
Spud date:Agent:	Signature of Operator or Agent:
,	Date:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 135-24699-0000	Location of Well: County: Ness
Operator: Palomino Petroleum, Inc.	
Lease: Quenzer	1430 feet from N / ✓ S Line of Section 1210 feet from ✓ E / W Line of Section
Well Number: 4	Sec13 Twp17 S. R26 East ✓ Wes
Field: Lazy 17  Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

· · ·	: : : : : : : : : : : : : : : : : : :		RECEIVED KANSAS CORPORATION COMMISS
			SEP 0 6 2807
			CONSERVATION DIVISION WICHITA, KS
	<u> </u>	3	EXAMPLE
	·		1980
	·	0-1210-	3390
• • • •	· · · · · · · · · · · · · · · · · · ·	1430	
	· · · · · ·		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.  $\ensuremath{\mathsf{NESS}}$  CO .

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Palomino Petroleum, Inc.		License Number: 30742		
Operator Address: 4924 SE 84th	St., Newto	n, Kansas	67114-8827	
Contact Person: Klee R. Watchous		Phone Number: ( 316 ) 799 · 1000		
Lease Name & Well No.: Quenzer #4		Pit Location (QQQQ):		
Type of Pit:	e of Pit: Pit is: 110 * N & 110 * E		of C _ SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 13 <sub>Twp.</sub> 17S <sub>R.</sub> 26 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		1430 Feet from North / ✓ South Line of Sec	ction
Workover Pit Haul-Off Pit	Pit capacity:		1210 Feet from 🗸 East / 🗍 West Line of Sec	ction
(If WP Supply API No. or Year Drilled)	6800	(bbls)	Ness	unty
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	 ∱No	Chloride concentration:m	.g/l
La the better below and burst	A 200 - 1 - 1 - 1 - 2 - 2 - 2		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  ✓ Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Drlg. mud and shale from well bot	ا م
Pit dimensions (all but working pits): 8	0	<sub>set)</sub> 80	<u> </u>	· E.
and the same of th			Width (feet) N/A: Steel Pits	
	om ground level to de	· · · · ·	(1001)	
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, in	dures for periodic maintenance and determatice IVED not under any special monitoring. KANSAS CORPORATION COMMI	SSION
			SEP 0 6 2007	
			<b>5</b> 5	Ī
			GUNSERVATION DIVISION	i
			CONSERVATION DIVISION WICHITA, KS	'   
Distance to nearest water well within one-mile	of pit	•	WICHITA, KS west fresh waterfeet.	
Distance to nearest water well within one-mile	of pit <u> </u>	Source of infor	WICHITA, KS west fresh waterfeet.	
		Source of infor	west fresh waterfeet. mation:	
2339 feet Depth of water well		Source of information measu	west fresh waterfeet. mation: red well owner electric log KDWR	
2339 feet Depth of water well	무슨 feet	Source of information measu  Drilling, Worker  Type of materia	west fresh water feet. mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY:	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:	feet	Source of information measu  Drilling, Worke Type of materia  Number of worl	west fresh water feet. mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	feet	Source of information measu  Drilling, Worke Type of materia  Number of work  Abandonment	west fresh water feet. mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh  king pits to be utilized: 2	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	feet spilled fluids to	Source of information measurement prilling, worker of material Number of work Abandonment prillipits must be	west fresh water feet. mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh  king pits to be utilized: 2  procedure: evaporate and backfill  oe closed within 365 days of spud date.	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	feet spilled fluids to	Source of information measurement prilling, worker of material Number of work Abandonment prillipits must be	west fresh water feet. mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh  king pits to be utilized: 2  procedure: evaporate and backfill  oe closed within 365 days of spud date.	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above states	feet spilled fluids to	Source of information measurement prilling, worker of material Number of work Abandonment prillipits must be	west fresh water feet. mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh  king pits to be utilized: 2  procedure: evaporate and backfill  oe closed within 365 days of spud date.	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	feet spilled fluids to	Source of information measu  Drilling, Worker  Type of material Number of work  Abandonment purill pits must be correct to the best	west fresh water feet. mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh  king pits to be utilized: 2  procedure: evaporate and backfill  oe closed within 365 days of spud date.	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above states  September 5, 2007	spilled fluids to	Source of information measu  Drilling, Worker  Type of material Number of work  Abandonment purill pits must be correct to the best	west fresh water feet. mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh king pits to be utilized: 2  procedure: evaporate and backfill  oe closed within 365 days of spud date.  of my knowledge and belief.  gnature of Applicant or Agent	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above states  September 5, 2007  Date	spilled fluids to	Source of informeasu  Drilling, Worke Type of materia Number of work Abandonment porill pits must be correct to the best	west fresh water feet. mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh king pits to be utilized: 2  procedure: evaporate and backfill  oe closed within 365 days of spud date.  of my knowledge and belief.  gnature of Applicant or Agent	