RECEIVED

For KCC Use: Effective Date: _ District # SGA? Yes X No

KANSAS CORPORATION COMMISSIONS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

SEP 07 2007

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	WICHITA, KS	
09/10/2007	Spot	✓ East
Expected Spud Date	NW NW SE Sec. 6 Twp. 14 S. R. 2	21 _ West
···· /		lne of Section
OPERATOR: License# 33741	2120 feet from _v E / W L	
	Is SECTION Regular Irregular?	
Name: Midwest Eries Plaza 1 Center, 7300 W. 110th Street, 7th Floor Address: Commerce Plaza 1 Center, 7300 W. 110th Street, 7th Floor		nido)
Address: Overland Park, KS 66210	(Note: Locate well on the Section Plat on reverse :	side)
Contact Person: Brad Kramer	County: Douglas Lease Name: ThorenWe	_{II #} , 45
Phone: 913.693.4605	Field Name: Little Wakarusa	·····
CONTRACTOR: License# 33557	Is this a Prorated / Spaced Field?	Yes V No
Name: Skyy Drilling, LLC	Target Formation(s): Squirrel	
Name: ————————————————————————————————————	Nearest Lease or unit boundary: 520'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: N/A	feet MSL
Oil Enh Rec Infield I Mud Rotary	Water well within one-quarter mile:	Yes V No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes No
ONWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic; # of Holes Other	Depth to bottom of usable water: 250+	
Other	Confine Dive by Alternator 1 2	
	Length of Surface Pipe Planned to be set: 40'	
If OWWO: old well information as follows:	Length of Conductor Pipe required: N/A	
Operator:	Projected Total Depth: 700'	
Well Name:	Formation at Total Depth: Squirrel	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes ✔ No
ROC DRI #.	If Yes, proposed zone:	
	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:		
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	t by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary <i>pri</i> ged or production casing is cemented in; and from below any usable water to surface within 120 days #133.891-C. which applies to the KCC District 3 area, alter	for to plugging; of spud date. rnate !! cementing
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the displant of the appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of 	the by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.	for to plugging; of spud date. rnate !! cementing
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be 	the by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief.	for to plugging; of spud date. rnate !! cementing
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the shall be centify that the statements made herein are true and to the best of 	r by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: Tycot Remember to:	for to plugging; of spud date. rnate !! cementing
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the shall be set through all unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall be composed in the shall be composed in the shall be composed within 30 days of the spud date or the well shall be shall be completed within 30 days of the spud date or the well shall be shall be composed in the shall be	r by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: Tycot Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	for to plugging; s of spud date. rnate I! cementing iny cementing.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: Y Signature of Operator or Agent: Por KCC Use ONLY Signature of Operator or Agent: Por KCC Use ONLY Signature of Operator or Agent: Por KCC Use ONLY Signature of Operator or Agent: Por KCC Use ONLY Signature of Operator or Agent: Por KCC Use ONLY Signature of Operator or Agent: Por KCC Use ONLY Signature of Operator or Agent: Por KCC Use ONLY Signature of Operator or Agent: Por KCC Use ONLY Signature of Operator or Agent: Por KCC Use ONLY Por KCC Use ONLY Signature of Operator or Agent: Por KCC Use ONLY P	r by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: **Title:** **Remember to:** - File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud days.	or to plugging; s of spud date. rnate I! cementing my cementing.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the second shall be posted on each and the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall be comprised. If an ALTERNATE II COMPLETION, production pipe shall be commuted or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be shall be completed within 30 days of the spud date or the well shall be shall be completed. I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - Algebra Algebra.	r by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: **Title:** **Remember to:** - File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud days o	or to plugging; s of spud date. rnate I! cementing iny cementing. ate; orders; er or re-entry;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the displayment of the set of th	r by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud days. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete.	or to plugging; s of spud date. rnate I! cementing iny cementing. ate; orders; er or re-entry; ed;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - USS - 21334-0000 Conductor pipe required feet Minimum surface pipe required feet feet per Alt.	r by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud defermed a careage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting sale	ate; or to plugging; sof spud date. rnate il cementing iny cementing. ate; orders; er or re-entry; ed; t water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved and the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: Y Signature of Operator or Agent: Por KCC Use ONLY	r by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud days. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting saft.	ate; or to plugging; sof spud date. rnate il cementing iny cementing. ate; orders; er or re-entry; ed; t water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved and the state of intent to drill shall be posted on each and the state of the well is dry hole, an agreement between the operator and the displant of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: Signatur	r by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; and from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud defermed a careage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting sale	ate; or to plugging; sof spud date. rnate il cementing iny cementing. ate; orders; er or re-entry; ed; t water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved and the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication. The appropriate district office will be notified before well is either plugication. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: Y Signature of Operator or Agent: Por KCC Use ONLY	r by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; ged from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud de File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting sal. If this permit has expired (See: authorized expiration date check the box below and return to the address below. Well Not Drilled - Permit Expired	ate; or re-entry; et water. e) please
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved and the state of intent to drill shall be posted on each and the state of the well is dry hole, an agreement between the operator and the displant of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: Signatur	r by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary priged or production casing is cemented in; deform below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Tittle: Tittle: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud day. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting sal. If this permit has expired (See: authorized expiration data check the box below and return to the address below.	ate; or to plugging; sof spud date. rnate il cementing iny cementing. ate; orders; er or re-entry; ed; t water.

SEP 0 7 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 045-21334-0000	Location of Well: County: Douglas
Operator: Midwest Energy, Inc.	2716 feet from VN / S Line of Section
Lease: Thoren	2120 feet from E / W Line of Section
Well Number: 45	Sec. 6 Twp, 14 S. R. 21 ✓ East Wes
Field: Little Wakarusa	
Number of Acres attributable to well: OTR (OTR (OTR of paragra) NW NW SE	Is Section: 🔽 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NW - NW - SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	• •		
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	7716 ENC
	•	· · · · · · · · · · · · · · · · · · ·	
		· · · · · · · · · · · · · · · · · · ·	
ļ			
			<u></u>
	•		= 2170, EET
			3170, EEC



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

SEP 07 2007

CONSERVATION DIVISION WICHITA, KS Submit in Duplicate

Operator Name: Midwest Energy, Inc.			License Number: 33741			
Operator Address: Commerce Plaza 1 Center, 7300 W. 110th St., 7th Floor, Overland Park, KS 66210						
Contact Person: Brad Kramer			Phone Number: (913) 693 - 4605			
Lease Name & Well No.: Thoren # 45		Pit Location (QQQQ):				
Type of Pit:	Pit is:		NE . NW . NW . SE			
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		Sec. 6 Twp. 14 R. 21			
Settling Pit Workover Pit Haul-Off Pit	if Existing, date constructed.		2120			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Douglas Feet from Feet from East / West Line of Section			
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? ✓ Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? Native Clay			
Pit dimensions (all but working pits): 30 Length (feet) 8 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 3 (feet)						
Distance to nearest water well within one-mil	e of pit	Depth to shall	pwest fresh waterfeet.			
		Source of info	rmation:			
N/A feet Depth of water well		 	ured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY			Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Native Mud			
- North-order		f working pits to be utilized: 2				
Number of producing wells on lease: N Barrels of fluid produced daily: A		Abandonment procedure: Air dry and backfill				
Does the slope from the tank battery allow all spilled fluids to		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
9 (5 (0) Date			Signature of Applicant or Agent			
KCC OFFICE USE ONLY						
Date Received: 9/7/67 Permit Nur	mber:	Perr	nit Date: 9/7/07 Lease Inspection: Yes (No			