

For KCC Use:	9-16-07
Effective Date:	7-16 UI
District #1	
SGA? XYes	No

KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

must be approved by NCC live	(5) days prior to commencing well		
Expected Spud Date: 09/10/2007	Spot Description: 139'S & 48'W of		
month day year	N2 _ SE _ NW _ Sec. 36 _ Twp. 27 _ S. R. 23 _ DE XW		
OPERATOR: License#	(0000) 1,789 feet from XN / S Line of Section		
Name: American Warrior, Inc.	1,932 feet from E / W Line of Section		
Address 1: PO BOX 399	Is SECTION: Regular Irregular?		
Address 2:	(Note: Locate well on the Section Plat on reverse side)		
City: GARDEN CITY State: KS Zip: 67846 + 0399	County: Ford		
Contact Person: Cecil O'Brate	Lease Name: HAGER Well #: 2-36		
Phone: 620-275-9231	Field Name: STEEL.		
CONTRACTOR: License# 5929	Is this a Prorated / Spaced Field?		
Name: _Duke Drilling Co., Inc.	Target Formation(s): Mississippi		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1789		
<u>~</u>	Ground Surface Elevation: 2411feet MSL		
XOII Enh Rec XInfield X Mud Rotary	Water well within one-quarter mile:		
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:		
Disposal Wildcat Cable Seismic: # of Holes Other	Depth to bottom of fresh water: 220		
Other:	Depth to bottom of usable water: 700		
Outer.	Surface Pipe by Alternate: I I II		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:		
Chamber	Length of Conductor Pipe (if any): 40		
Operator: Well Name:	Projected Total Depth: 5200		
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi		
Original Total Deptil.	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:		
if Yes, true vertical depth:	DWR Permit #:		
Bottom Hole Location:	(Note: Apply for Permit with DWR)		
KCC DKT #:	Will Cores be taken?		
	If Yes, proposed zone:		
AFF	IDAVIT		
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.		
It is agreed that the following minimum requirements will be met:			
1. Notify the appropriate district office prior to spudding of well;			
2. A copy of the approved notice of intent to drill shall be posted on each			
3. The minimum amount of surface pipe as specified below shall be set to	y circulating cement to the top; in all cases surface pipe shall be set		
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	underlying formation.		
The appropriate district office will be notified before well is either plugger	act office on plug length and placement is necessary prior to plugging; ad or production casing is camented in:		
If an ALTERNATE II COMPLETION, production pipe shall be cemented	from below any usable water to surface within 120 DAYS of soud date.		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1;	33,891-C, which applies to the KCC District 3 area, alternate II cementing		
must be completed within 30 days of the spud date or the well shall be			
I hereby certify that the statements made herein are true and to the best of m	y knowledge and belief.		
- alulo7 ob			
Date: 9 11 07 Signature of Operator or Agent: DE	Title:		
	V Remember to: ∪ ω		
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;		
API # 15 - 057-20589-00-00	- File Completion Form ACO-1 within 120 days of spud date;		
Conductor pipe requiredfeet	- File acreage attribution plat according to field proration orders;		
1 242	A1 177		
Minimum surface pipe required 240 feet per ALT [1] [X]u	 Notify appropriate district office 48 hours prior to workover or re-entry; 		
willindin surface pipe required	Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);		
Approved by: $\frac{1}{2}$	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. 		
Approved by: SB 9-11-07 This authorization expires: 3-11-08	Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);		
Approved by: $\frac{1}{2}$	Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		
Approved by: SB 9-11-07 This authorization expires: 3-11-08	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please 		



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - <u>057 - 20589 - 00 - 0</u> 0	
Operator: American Warrior, Inc.	Location of Well: County: Ford
Lease: HAGER	1,789 feet from N / S Line of Section
Well Number: 2-36	1,932 feet from E / X W Line of Section
Field: STEEL	Sec. 36 Twp. 27 S. R. 23 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _ N2 _ SE _ NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: in all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: American Warrior, Inc.			License Number: 4058	
Operator Address: PO BOX 399			GARDEN CITY KS 67846	
Contact Person: Cecil O'Brate		Phone Number: 620-275-9231		
Lease Name & Well No.: HAGER	2-	36	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SE</u> _ NW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 Twp. 27 R. 23 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		1,789 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	DV		1,932 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 4,800	(bbls)	Ford	
Is the pit located in a Sensitive Ground Water	Area? Ves		Chloride concentration: mg/l	
	/400. [A]103 L		Chioride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	la la	How is the pit lined if a plastic liner is not used?	
	Yes X	NO	Native Clays and Mud	
Pit dimensions (all but working pits): 100 Length (feet) 100 Width (feet) N/A: Steel Pits				
Depth fro	om ground level to d	eepest point:	4 (feet) No Pit	
If the pit is lined give a brief description of the	· · ·	Describe proce	dures for periodic maintenance and determining	
material, thickness and installation procedure.	•	liner integrity, in	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shallon		west fresh water 20 feet.		
2138 feet Depth of water well 36 feet		Source of inform		
Emergency, Settling and Burn Pits ONLY:	feet	Delline Wester	- Tooling - North	
			Drilling, Workover and Haul-Off Pits ONLY:	
Ministrative P. N. W. A.			Type of material utilized in drilling/workover: Fresh Number of working pits to be utilized: 3	
			ternos of working pilo to be dilized.	
		procedure: Dry up then backfill within 365 days		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
4/11/07 Solly & Dyero				
Signature of Applicant of Agent				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS RFAS				
Date Received: 9/11/07 Permit Number: Permit Date: 9/11/07 Lease Inspection: X Yes No				



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

September 10, 2007

Cecil O'Brate American Warrior, Inc. PO BOX 399 GARDEN CITY, KS67846-0399

Re: Drilling Pit Application HAGER Lease Well No. 2-36 NW/4 Sec.36-27S-23W Ford County, Kansas

Dear Cecil O'Brate:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.