For KCC Use: Effective Date: District # ... SGA? XYes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date 9/17/07	Spot
month day year	C-E/2 - SE - SE Sec. 21 Twp. 29 S. R. 14 West
OPERATOR: License# 33539	feet from N / V S Line of Section
Name: Cherokee Wells, LLC	660 feet from E / W Line of Section
Address: P.O. Box 296	is SECTION Regularirregular?
City/State/Zip: Fredonia, KS 66736	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tracy Miller	County: Wilson
Phone: 620-378-3650	Lease Name. McGinnis Woll #.A-5
	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Well Refined Drilling	Target Formation(s): Mississippian
	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: Unknown feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: est. 100+
Seismic; # of Holes Other	Depth to bottom of usable water: est. 200+
Other	Surface Pipe by Alternate: 1
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40 Minimum
Operator:	Length of Conductor Pipe required: N/A
Well Name:	Projected Total Depth: 1350'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
Original Completion DateOriginal Total Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond ✓ Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	
	Will Cores be taken? Yes ✓ No
	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
	If Yes, proposed zone: FIGURACIO COMPASSION
AFFI	If Yes, proposed zone: FRANKAS CORTION CONTRACTOR CONTRA
AFFI The undersigned hereby affirms that the drilling, completion and eventual pla	If Yes, proposed zone: FRANKAS CORECTED CONTROL CONTRO
AFFI The undersigned hereby affirms that the drilling, completion and eventual pla	If Yes, proposed zone: FRANKAS CORECTED CONTROL CONTRO
AFFI The undersigned hereby affirms that the drilling, completion and eventual ple It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 1 2007
AFFI The undersigned hereby affirms that the drilling, completion and eventual ple It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 1 2007 **ONCUMATION DIVISION OF BEING SERVICE OF BEING
AFFI The undersigned hereby affirms that the drilling, completion and eventual ple It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 1 2007 th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual ple It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 1 2007 th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the diffusion of the diffusion o	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 1 2007 th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. strict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent in the district office will be secutively all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interval of the interval of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in the surface of the complete of the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 1 2007 th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the interval of the provided here in the posted on the interval of the i	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the interval of the provided here in the posted on the interval of the i	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 1 2007 th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the difference of the special district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the plugger. If the shall be the statements made herein are true and to the best of the special plugger.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an adversary of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the strong of the second of the well is dry hole, an agreement between the operator and the difference of the second of the secon	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 1 2007 th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the difference of the special district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the plugger. It is the statements made herein are true and to the best of the special plugger.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the difference of the special district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the plugger. If the shall be the statements made herein are true and to the best of the special plugger.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugic 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plugic formulated that the statements made herein are true and to the best of Date: 9/10/07 Signature of Operator or Agent: For KCC Use ONLY	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 in drilling rig; if by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. 1. The appropriate district office will be notified before well is either pluging. 2. The appropriate district office will be notified before well is either pluging. 3. The minimum amount of surface pipe as specified below shall be seen that the state of the well is either pluging. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. 4. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 9/10/07 2. Signature of Operator or Agent: 1. Signature of Operat	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
AFFI The undersigned hereby affirms that the drilling, completion and eventual ple It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 9/10/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-27299-0000 Conductor pipe required Nowley feet	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the plugication of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the plugication of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the plugication of the plugication of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the plugication of the plugic	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugicated. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugicated. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order amust be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 9/10/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-27299-0000 Conductor pipe required	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugication or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the plugication of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the plugication of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the plugication of the plugication of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the plugication of the plugic	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant ### Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 9/10/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-27299-0000 Conductor pipe required	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; and trom below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an advantage of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugue. 5. The appropriate district office will be notified before well is either plugue. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 9/10/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-27299-0000 Conductor pipe required	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 th drilling rig; the proposed complete to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; at from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an advantage of the approved notice of intent to drill shall be posted on each as the posted on each and the district of the shall be posted on each and the district of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugue. 5. The appropriate district office will be notified before well is either plugue. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 9/10/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-27299-0000 Conductor pipe required	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. SEP 1 2007 th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; and trom below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27299-0000	Location of Well: County: Wilson
Operator: Cherokee Wells, LLC	330 feet from ☐ N / ✓ S Line of Section
Lease: McGinnis	660 feet from 🗸 E / W Line of Section
Well Number: A-5	Sec. 21 Twp. 29 S. R. 14 Ves
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: C-E/2 - SE - SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

				T								
	•	•	•		•	•	•					
						-						
1	•	•	•		•	•						
:	•	•	•		•	•	•					
			·				·					
:					•		•					
:		•				-						
	•	•	•		-	•	•					
			:		•	•		-	EXAMPLE	•	•	
				of a contrast subsequent		•		1	•	•	•	
	•	•	•		•	•	•		•	•	•	
			·		'							
										 	1980	
		•	•				•_ i		-			
•	•	*	•			TIMIL	9			-10		
						Will			•	339	o.	
					C.	<u>ላ</u> ነ	7			. 339	U .	
					\mathcal{M}		7 .					
			•		14.	, K	2.3	01				
						. '	72) FEL	•			
							3		•	•		64300H
-		•	-	'			0	Į	· · · · · · · · · · · · · · · · · · ·	جروب بيرس	2028638131802	\$3500
-					•		3		SEWARD CO.	Walterfaces	•	
				J			3				CEP 1 1 200	7
NOTE: In	all caca	e locata :	the spot o	of the ora	noeod dr	illina loo	aton				SEP 1 1 269	,

ALCHAY KA COMOTOMALION CIARIDY

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Cherokee Wells, LI	_C	License Number: 33539					
Operator Address: P.O. Box 296, Fredonia, KS 66736							
Contact Person: Tracy Miller			Phone Number: (620) 378 - 3650				
Lease Name & Well No.: McGinnis A-5			Pit Location (QQQQ):				
Type of Pit:	Pit is:		CSESE				
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 21 Twp. 29 R. 14				
Settling Pit	If Existing, date of	onstructed:	330 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		660 Feet from 🗸 East / West Line of Section				
(If WP Supply API No. or Year Drilled)	(If WP Supply API No. or Year Drilled) 800 (bbls)		Wilson				
Is the pit located in a Sensitive Ground Water Area?			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?				
✓ Yes No	Yes ✓		Natural Clay & Earth				
Pit dimensions (all but working pits):		_	Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	eepest point: D	(feet)				
If the pit is lined give a brief description of the liner Description of the liner material, thickness and installation procedure.			ncluding any special monitoring.				
i i			Depth to shallowest fresh waterfeet.				
N/A feet	feet	Source of information: measuredwell owner electric logKDWR					
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water					
Number of producing wells on lease:		Number of working pits to be utilized: One					
Barrels of fluid produced daily:		Abandonment procedure: Remove Fluids, Allow to Dry and Level Surface					
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
9/10/07 Date		Maç	M MULL SEP 17 2001 SEP 17 2001 AGE 100 100 100 100 100 100 100 100 100 10				
KCC OFFICE USE ONLY							
Date Received: 9/11/67 Permit Num	ber:	Perm	it Date: 9/11/67 Lease Inspection: Yes X No				