

For KCC Use:	9-18-07
Effective Date:	7-10-0
District #1	
SGA? Tyes	No

# Kansas Corporation Commission Oil & Gas Conservation Division

1011922

Form C-1 November 2005

Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC fi	ve (5) days prior to commencing well		
Expected Spud Date: 09/12/2007 month day year 33168	Spot Description: 90' N of S2 S2 SE  S2 S2 SE Sec. 12 Twp. 34 S. R. 12 $\square$ E $\square$ W  (2(2(2)(2)) 420 feet from $\square$ N / $\square$ S Line of Section		
OPERATOR: License#  Name: Woolsey Operating Company, LLC  Address 1: 125 N. MARKET, SUITE 1000	1.320 test from VE / W Line of Section		
Address 1: Address 2:	(Note: Locate well on the Section Plat on reverse side)		
City: WICHITA State: KS Zip: 67202 + 1775	County: Barber		
Contact Person: Dean Pattisson	Lease Name: DIEL B Well #; 2		
Phone: 316-267-4379	Field Name: RHODES SOUTH		
CONTRACTOR: License# 33843  Name: Terra Drilling, LLC	Is this a Prorated / Spaced Field?		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 420  Ground Surface Elevation: 1455 feet MSL		
	Water well within one-quarter mile:		
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:		
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180		
Other:	Depth to bottom of usable water:		
If OWWO: old well information as follows:	Surface Pipe by Alternate: XII		
	Length of Surface Pipe Planned to be set: 200  Length of Conductor Pipe (if any): 0		
Operator:	5200		
Well Name:Original Total Depth:Original Total Depth:	_		
<u> </u>	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: To be hauled		
If Yes, true vertical depth:	DWR Permit #:		
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR )		
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:		
The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be seen through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before	ch drilling rig;  the drilling rig;  the circulating cement to the top; in all cases surface pipe shall be set 2007  the underlying formation.  strict office on plug length and placement is necessary process.		
I hereby certify that the statements made herein are true and to the best of			
Date: 9/11/2007 Signature of Operator or Agent:	Operations Manager		
Dean P	attisson Remember to:		
For KCC Use ONLY	File Drill Pit Application (form CDP-1) with Intent to Drill;		
API#15. 007-23199-000	- File Completion Form ACO-1 within 120 days of spud date;		
Conductor pipe required feet	- File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;		
Minimum surface pipe required 200 feet per ALT. XI	Submit plugging report (CPA) after plugging is completed (within 60 days):		
Approved by: <b>Lift 9-13-</b> 07	Obtain written approval before disposing or injecting salt water.		
This authorization expires: 3-13-08	- If this permit has expired (See: authorized expiration date) please		
(This authorization void if drilling not started within 6 months of approval date.)	check the box below and return to the address below.		
Spud date: Agent:	Well Not Drilled - Permit Expired Date:		
	* `		



## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007 - 23199-0000	
Operator: Woolsey Operating Company, LLC	Location of Well: County: Barber
Lease: DIEL B	420 feet from N / X S Line of Section
Well Number: 2	1,320 feet from X E / W Line of Section
Field: RHODES SOUTH	Sec. 12 Twp. 34 S. R. 12 EXW
Number of Acres attributable to well:  QTP/QTP/QTP/QTR of acreage:  _ S2 _ SE _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



420 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



Kansas Corporation Commission Oil & Gas Conservation Division

1011922

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Woolsey Operating Company, LLC		License Number: 33168			
Operator Address: 125 N. MARKET, SUITE 1000			WICHITA KS 67202		
Contact Person: Dean Pattisson			Phone Number: 316-267-4379		
Lease Name & Well No.: DIEL B	2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>S2SE</u>		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 12 Twp. 34 R. 12 East West		
Settling Pit Drilling Pit	If Existing, date of	onstructed:	420 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,320 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	(If WP Supply API No. or Year Drilled) 4,800		Barber County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
		_	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used?  Clays from mud will provide sealer		
		400	-		
Pit dimensions (all but working pits). Length (reet) ———————————————————————————————————					
	om ground level to de	·	, ,		
If the pit is lined give a brief description of the liner Describe procedure.  Describe procedure.  Describe procedure.		rdures for periodic maintenance and determines ED notation any special monitoring.  KANSAS CORPORATION COMMISSION			
		Monitor until dry			
			SEP 1 3 2007		
			CONSERVATION DIVISION &		
			CONSERVATION DIVISION WICHTA, KS west fresh water4feet.		
3589feet Depth of water well40feet		Source of information:  measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of m		Type of materia	rilling, Workover and Haul-Off Pits ONLY:  pe of material utilized in drilling/workover: Fresh  umber of working pits to be utilized: 3		
		C			
Barrels of fluid produced daily: Al		Abandonment	procedure: When dry, backfill and restore location		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
9/11/2007 ====			gnature of Applicant or Agent		
Date Signatulie of Applicant of Agent					
KCC OFFICE USE ONLY Steel Pit ☐ RFAC X RFAS X					
Date Received: $\frac{9}{13}$ Permit Number: Permit Date: $\frac{9}{13}$ Lease Inspection: X Yes No					



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

September 10, 2007

Dean Pattisson Woolsey Operating Company, LLC 125 N. MARKET, SUITE 1000 WICHITA, KS67202-1775

Re: Drilling Pit Application DIEL B Lease Well No. 2 SE/4 Sec.12-34S-12W Barber County, Kansas

#### Dear Dean Pattisson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. **KEEP PITS on west side of stake. Keep pit away from pond**.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.