For KCC Use: 9-18-07
Effective Date: 2

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Ontahan 04, 2007	_
Expected Spud Date October 01, 2007	Spot
month day year	S/2 SW NE SW Sec. 26 Twp. 23 S. R. 4 West
OPERATOR: License# 4252	1485feet fromN / 🗸 S Line of Section
Name: Kahan & Associates, Inc.	1650feet from E / 🗸 W Line of Section
Address: P.O. Box 700780	Is SECTION Regular irregular?
City/State/Zip: Tulsa, OK 74170-0780	(Note: Locate well on the Section Plat on reverse side)
Contact Person: David M. Wilson	County: Reno
Phone: (918) 492-9797	Lease Name: Goering 'A' Weil #: 12
✓	Field Name: Burrton
CONTRACTOR: License#33724	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Warren Drilling LLC	Target Formation(s): Arbuckle
	Nearest Lease or unit boundary: 990'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1469 feet MSL
Oil Finh Rec I Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes VNo
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 240'
Seismic; # of Holes Other	Depth to bottom of usable water:240'
Other	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: 260 -
Well Name:	Projected Total Depth: 4000'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Weil ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🚺)
KCC DKT #:	Will Cores be taken? Yes ✓ No
f Conductor pipe required; minimum 12"diamete	f, If Yes, proposed zone:
	4 100 10 10 10 10 10 10 10 10 10 10 10 10
	IDAVIT RECEIVED
the undersigned hereby affirms that the criting, completion and eventual p	lugging of this well will comply with K.S.A. 55KANSAS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	0=0.0
 Notify the appropriate district office prior to spudding of well; 	SEP 0 6 2007
2. A copy of the approved notice of intent to drill shall be posted on ear	
through all unconsolidated materials plus a minimum of 20 feet into the	car drilling rig, et by circulating cement to the top; in all cases surface cine shall be set the underlying formation.
4. If the well is dry hole, an agreement between the operator and the o	district office on plug length and placement is necessary prior to plugging;
The appropriate district office will be notified before well is either plug	gged or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cement	ted from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
	<i></i>
I hereby certify that the statements made herein are true and to the best of	i my knowiedge and binier
Date: 09/04/07 Signature of Operator or Agent:	Title: Chief Operating Officer
Tieto Valvatur Signature of Cherator or Adent:	
Date: 09/04/07 Signature of Operator or Agent:	
Date. Signature of Operation of Again.	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
For KCC Use ONLY API # 15 - 155-21523-000 Conductor pipe required 260' of 12" or greater feet	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
For KCC Use ONLY API # 15 - 155-21523-000 Conductor pipe required 260' of 12" or greater Minimum surface pipe required 260 feet per Alt. (1)	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY API # 15 - 155-21523-000 Conductor pipe required 260' of 12" or greater Minimum surface pipe required 360 feet per Alt. (1) Approved by: 12-07	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
For KCC Use ONLY API # 15 - 155-21523-000 Conductor pipe required 260' of 12" or greater Minimum surface pipe required 360 feet per Alt. (1) Approved by: 13-07 This authorization expires: 3-13-08	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
For KCC Use ONLY API # 15 - 155-21523-000 Conductor pipe required 260 of 12" or 9" feet Minimum surface pipe required 360 feet per Alt. (1) Approved by: 12-07	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
For KCC Use ONLY API # 15 - 155-21523-000 Conductor pipe required 260' of 12" or 9" feet Minimum surface pipe required 360 feet per Alt. (1) Approved by: 13-07 This authorization expires: 3-13-08	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - /S	75-21523-0000	Location of Well: County: Reno				
Operator:		1485 feet from N / 🗸 S Line of Section				
Lease:	Goering 'A'	1650 feet from E / V W Line of Section				
	12	Sec. 26 Twp. 23 S. R. 4 East √ W				
Field:	Burrton					
Number of Acres attributable to well:		Is Section: 📝 Regular or 📋 Irregular				
QTR / QTR / QTR of acreage:		If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NE SE SW				

PL AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· .			
1			• • • • • •	• • • • • • • • • • • • • • • • • • • •
	• •	•	•	· · · · · · · · · · · · · · · · · · ·
		-		
	•			
	· · · · · · · · · · · · · · · · · · ·	. '	•	· · · · · · ·
ŀ		•	•	
	·			·
				· · · · · · · · · · · · · · · · · · ·
	· .		•	
	· · · · · ·		• • • • • • • • •	· · · · · · · · · · · · · · · · · · ·
	 		• •	• - • • •



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

SEP 0 6 2007

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: Kahan & As	Kahan & Associates, Inc.			4252	
Operator Address: P.O. Box 700780 Tulsa, OK 74170-0780					
Contact Person: David M. W	David M. Wilson		Phone Number: (918) 492 - 9797		
Lease Name & Well No.: Goering 'A	' #12		Pit Location (QQQQ):		
Type of Pit:	Pit is:		S/2 _ SW/4 _ NE/4 _ SW/4		
Emergency Pit Bum Pit	Proposed Existing		Sec26_ _{Twp.} _23S_ _{R4}		
Settling Pit	If Existing, date constructed:		1485' Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ☐ East / ✓ West Line of Section		
(if WP Supply API No. or Year Drilled)			Rer	Ounty County	
Is the pit located in a Sensitive Ground Water	Area? //Yes] No	Chloride concentration:	2500 mg/l	
La Aba badana balan arawad laus 12	Artificial Liner?	*****	1 - 1	Pits and Settling Pits only)	
Is the bottom below ground level? ✓ Yes No	Yes 🗸	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	75 Length (fe	_{eet)} 75	Width (feet)	N/A: Steel Pits	
Depth fr	om ground level to de	epest point:	5(feet)		
If the pit is lined give a brief description of the			edures for periodic maintenance	-	
material, thickness and installation procedure	3.				
		enstant level monitoring d area monitoring for leaks			
ai di			a area memering re-		
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh water	feet.	
	•	Source of infor	mation:	\sim	
1754 feet Depth of water well			eredwell owner	·	
Emergency, Settling and Burn Pits ONLY:			Hing, Workover and Haul-Off Pits ONLY: of material utilized in drilling/workover. Fresh Bentonite Mud		
			pe of material diffized in diffilling/workover.		
			working pits to be utilized:		
Barrels of fluid produced daily: Abandonment		procedure.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		Drill pits must l	t be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
1/-1/0					
09/04/07 / Me					
Date	<u> </u>		ignature of Applicant or Agent		
KCC OFFICE USE ONLY RFA5 → 72					
Date Received: 9/6/c7 Permit Num	nber:	Perm	it Date: 9 3 01 Leas	se Inspection: 1 Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT (FORM CDP-1)

Instructions

General Instructions.

- All Notices of Intent to Drill must include an Application for Surface Pit, even if steel pits will be used.
- Operators need to submit two copies of all CDP-1s.
- 3. Form must be typed.

Section 1: Operator Information.

- Operator Name. Enter the operator's full name as it appears on operator's license.
- License Number. Enter the operator's license number. To verify KCC operator license information check the Commission's website at http://www.kcc.state.ks.us/conservation/oil_license.cg or contact the Conservation Division's Licensing Department at (316) 337-6194.
- 1c. Operator Address. Enter the operator's mailing address.
- 1d. Contact Person. Enter the name of the individual who will be the operator's contact person for this Application for Surface Pit, should Conservation Division Staff need to contact the operator about the Application for Surface Pit. The contact person may be the operator or the operator's agent.
- Phone Number. Enter the phone number of the contact person, so that Conservation Division Staff may easily reach the contact person if necessary.

Section 2: Lease/Well/Pit Information.

- Lease Name & Well No. Enter the name of the lease, and if applicable the well number, at which the pit is or will be located.
- 2b. Type of Pit. Mark the appropriate box to indicate the type of pit. Note—if the pit is a workover pit, the operator must enter the API No. or Year Drilled of the well which is to be worked over.
- Proposed or Existing Pit. Operator should mark the appropriate box to indicate if the pit is proposed or already exists.
 - Existing Pits. The operator should provide the date pit
 was constructed.
 - 2c(2). Proposed and Existing Pits. The operator must provide the pit capacity.
- 2d. Pit Location.
 - 2d(1). ¼ ¼ ¼ ¼ Section. The operator should list the location of the pit by ¼ ¼ ¼ ¼ Section.
 - 2d(2). Sec., Twp., and R. The operator should enter the Section, Township and Range Number in which the pit is located, and should mark either the "East" or "West" box to indicate if the Range # is East or West.
 - 2d(3). Footage Location. This is where the operator reports the location of the pit from the North or South section line and the East or West section line. Enter in the blank provide the number of feet the pit is or will be from the North or South section line and then mark the appropriate box for the measurement to indicate if the footage is from the North or South section line. Follow the same procedure with respect to the location of the pit from the East or West section line.
 - 2d(4). County. Enter the county in which the pit is or will be located.
- 2e. Sensitive Groundwater Area. Mark the appropriate box as to whether or not the pit is located in a Sensitive Groundwater Area. Operators may find a listing of Sensitive Groundwater Areas in Table III of the Conservation Division's Rules and Regulations. The Commission's rules and regulations for the conservation of oil and gas, including Table III, are available in an Adobe pdf file from the Conservation Division's website at http://www.kcc.state.ks.us/conservation/index.htm.
- 2f. Chloride Concentration (for emergency and settling pits only). Indicate the chloride concentration level of fluids which the pit is or will be used to contain. A sample should be taken from the salt water tank. This information is needed to determine the potential for contamination should the salt water tank discharge into the emergency pit.

- 2g. Below Ground Level. Mark the appropriate box to indicate whether the bottom of the pit is below ground level.
- Artificial Liner. Mark the appropriate box to indicate whether the pit is or will be constructed with an artificial liner.
- Other Liner. Explain how the pit is constructed if a plastic liner is not used.
- 2j. Pit Dimensions (all but working pits). For all but steel pits, enter the length, width, and depth (from ground level to the deepest point) in feet of the pit. If the pit is a steel pit, the operator only needs to mark the "steel pits" blank.

Section 3: Description of Liner.

If the pit is lined, enter a brief description of the liner material, thickness, and installation procedure.

Section 4: Description of Maintenance.

Enter a brief description of the procedures used for periodic maintenance and determining liner integrity, including any special monitoring.

Section 5: Distance to Nearest Water Well Within One Mile of Pit.

Enter the distance to the nearest water well within one mile of the pit location and the total depth of the water well. If there are not any water wells within a one-mile radius of the pit location, the space should be left blank. Water well information is available from the Kansas Geological Survey's website, at http://www.kgs.ku.edu/Magellan/WaterWell/index.html.

Section 6: Shallowest Freshwater Depth.

Enter the depth to the shallowest fresh water in the area of the pit and mark the appropriate box as the source of the freshwater information

Section 7: Emergency, Settling, and Burn Pits ONLY.

Enter the formation from which wells on the lease are producing, the number of producing wells on the lease, and the number of barrels of fluids produced daily on the lease. The operator should also mark the appropriate box to indicate if the slope of the tank battery allows all spilled fluids to flow in the pit.

Section 8: Drilling, Workover, and Haul-Off Pits ONLY.

Enter the type of material utilized in the drilling or workover of the well, the number of working pits to be utilized, and the procedure to be used for abandoning the pits after work at the well is complete.

Section 9: Affidavit.

Date and sign the certification that the above statements are true and correct to the best of the signee's knowledge and belief.



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkíns, Commissioner

September 13, 2007

Mr. David M. Wilson Kahan & Associates, Inc. PO Box 700780 Tulsa, OK 74170-0780

Re: Drilling Pit Application

Goering A Lease Well No. 12 SW/4 Sec. 26-23S-04W Reno County, Kansas

Dear Mr. Wilson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Katle Harres

Environmental Protection and Remediation Department

cc: File