For KCC Use: Effective Date: _ District #__ SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

5 20 2007	Spot Eas
Expected Spud Date	NE. NE. NE. Sec. 24 Twp. 33 S. R. 11 V Wes
5000	foot from VINV / S Line of Section
OPERATOR: License# 5822	feet from VV/ S Line of Section feet from V E / V Line of Section
Name: VAL Energy Inc.	Is SECTION Regular Irregular?
Address: 200 West Douglas #520	
City/State/Zip: Wichita, Kansas 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: K. Todd Allam	County: Barber
Phone: 316-263-6688	Lease Name: Sam Well #: V1-24
CONTRACTOR: License# 5822	Field Name: Traffis South
Name: VAL Energy Inc.	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Nearest Lease or unit boundary: 330 per oper
Well Drilled For: Well Class: Type Equipment:	Trouted Education States
Oil / Enh Rec / Infield / Mud Rotary	Ground Surface Elevation:feet MS
✓ Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water: 150
Other Other	Depth to bottom of usable water: 180
	Surface Pipe by Alternate: 1 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 4850
Original Completion Date:Original Total Depth:	Formation at total Depth: 771731331771
Division Division of Manager Charles	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	
NOV PIXEBL	Will Cores be taken?
	Will Cores be taken?Yes V
	If Yes, proposed zone:
	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual	If Yes, proposed zone:
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: FIDAVIT RECEIVED plugging of this well will comply with K.S.A. 56AMSAS CORPORATION COMMISSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of the drilling.	If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55AMS AS CORPORATION COMMISSIO SEP 1 0 2007
AFF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of intent to drill shall be posted on each of the drilling.	If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55AMS AS CORPORATION COMMISSIO SEP 1 0 2007
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et 3. The minimum approved of surface pipe as specified below <i>shall be</i> s	FIDAVIT Plugging of this well will comply with K.S.A. 564AS AS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55ANSAS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary processory pro
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus	If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 56ANSAS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary processory program; agged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of th	FIDAVIT plugging of this well will comply with K.S.A. 56446 CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 56ANSAS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary processory program; agged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	FIDAVIT plugging of this well will comply with K.S.A. 56ANSAS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date. in #133,891-C, which applies to the KCC District 3 area, alternate !! cementing is plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the prior of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu if an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT plugging of this well will comply with K.S.A. 56446 CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing to my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eta. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	FIDAVIT plugging of this well will comply with K.S.A. 56ANSAS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date. in #133,891-C, which applies to the KCC District 3 area, alternate !! cementing is plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the prior of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu if an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT plugging of this well will comply with K.S.A. 56446 Sector Poration Commission SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent:	FIDAVIT plugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district offlice on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: President Remember to:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent:	FIDAVIT plugging of this well will comply with K.S.A. SEANS AS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig: set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> such through all unconsolidated materials plus a minimum of 20 feet into the second of the surface pipe as specified below <i>shall be</i> such through all unconsolidated materials plus a minimum of 20 feet into the second of the surface of the second of the surface casing order must be completed within 30 days of the spud date or the well shall be the second of the spud date or the shall be second of the spud date or the well shall be second of the spud date or the spud da	FIDAVIT plugging of this well will comply with K.S.A. SEANS AS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig: set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 23195-OOO Conductor pipe required Now feet	FIDAVIT plugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 23195-OOO	FIDAVIT plugging of this well will comply with K.S.A. 56446545 CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and formation with the set of the plugging or production casing is cemented in; and formation are #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 23195-OOO Conductor pipe required feet Minimum surface pipe required feet	FIDAVIT plugging of this well will comply with K.S.A. 56ANS AS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; ach dri
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best bate: Por KCC Use ONLY	FIDAVIT plugging of this well will comply with K.S.A. 55ANSAS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; ach dril
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 23195-OOO Conductor pipe required	FIDAVIT plugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; ach dril
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best bate: Por KCC Use ONLY	FIDAVIT plugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In the plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 23195-OOO Conductor pipe required	FIDAVIT plugging of this well will comply with K.S.A. 56ANS AS CORPORATION COMMISSIO SEP 1 0 2007 ach drilling rig; ach dri

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 00	7-23195	-au		Location of Well: C	County: Barber	· · · · · · · · · · · · · · · · · · ·		
Operator: VAL Energ	gy Inc.			330	feet fro	m 🔽 N / 🗌 S Line of S	Section	
Lease: Sam				Sec. 24 Twp. 33 S. R. 11 East ✓ West				
Well Number: V1-24								
Field: Traffis South								
Number of Acres at	tributable to well:_			Is Section: 🗸 R	tegular or 🔲 Iri	regular		
QTR / QTR / QTR o	of acreage:			If Section is Irregi	ular, locate well f	rom nearest corner bour	ıdary.	
				Section corner used	d: NE NW	/ SE Sw		
	(Show lo			able acreage for prora lease or unit boundar		elis.)		
	· .	· .	· .		130	RECEIVED		
		·				KANSAS CORPORATION C	NICHERINA	
						SEP 1 0 20	17	
	•					027 . 0 20	,,	
						CONSERVATION DIV	ISION	
						MILHITA KS		
	•							
	;	. 011			EXAMPLE			
		. 77						
		•						
					:	1980		
				•				
		:	•					
					:	3390'		
,					,			
,					:			
	•	1	•		1			

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

SEWARD CO.

2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: VAL Energy Inc.			License Number: 5822			
Operator Address: 200 W. Douglas	s #520 Wichit	a, Ks. 672	202			
Contact Person: K. Todd Allam			Phone Number: (316) 263 - 6688			
Lease Name & Well No.: Sam V1-24			Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE. NE. NE.			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 24 Twp. 33 R. 11 ☐ East ✓ West			
Settling Pit	If Existing, date constructed:					
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	3000	(bbls)	Parhor			
Is the pit located in a Sensitive Ground Water	Area? Yes	Νο	Chloride concentration:mg/l			
	T	-	(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Ves No	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used? Clay bottom			
Pit dimensions (all but working pits):	rom ground level to de					
material, thickness and installation procedure	э.	liner integrity, i	SEP 1 0 2007 CONSERVATION DIVISION WICHITA, KS			
· · · · · · · · · · · · · · · · · · ·			lowest fresh waterfeet.			
		Source of information: measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation: Type		Type of materia	Type of material utilized in drilling/workover: Fresh mud			
Number of producing wells on lease:		Number of working pits to be utilized: 1-steel				
Barrels of fluid produced daily:		Abandonment procedure: pull fluids & cover				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
9/10/07 Date		K	Signature of Applicant or Agent			
KCC OFFICE USE ONLY Pitaway From north side of Stalke						
Date Received: 9/6/07 Permit Nun	nber:	Perm	nit Date: 9 12 07 Lease Inspection: X Yes No			



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

September 13, 2007

Mr. K. Todd Allam Val Energy, Inc. 200 W Douglas #520 Wichita, KS 67202

RE: Drilling Pit Application Sam Lease Well No. V1-24 NE/4 Sec. 24-33S-11W Barber County, Kansas

Dear Mr. Allam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. **Keep pits** <u>away</u> from the north side of the stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File