KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM

Form ACO-1 September 1999 Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASE

	ORIGINAL
Operator: License # 6766	API No. 15 - 037-21590 OUD UNIVAL
Name: N & W Enterprises, Inc	County: Crawford
Address: 1111 S. Margrave	SW_NW_NE_SE Sec. 33 Twp. 28 S. R. 22 V East West
City/State/Zip: Fort Scott, KS 66701	2145 feet from (S) / N (circle one) Line of Section
Purchaser: Crude Marketing	1155 teet from E)/ W (circle one) Line of Section
Operator Contact Person: Thomas L. Norris	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 223-6559 RECEIVED	(circle one) NE SE NW SW
Contractor: Name: McGown Drilling Inc	Lease Name: Meyers Well #: 4
License: 5786 SEP 7 2003	Field Name: Walnut SE
Wellsite Geologist: KCC WICHITA	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: N/A Kelly Bushing: N/A
✓ New Well Re-Entry Workover	Total Depth: 420 Plug Back Total Depth: 417.2
✓ OilSWDTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20ft Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 420
Operator:	feet depth to TOP w/ 45 sx cmt.
Well Name:	
Original Comp. Date:Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	4-25-07
Plug Back Plug Back Total Depth	7 4
Commingled Docket No	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
8 - 19 - 2003 8 - 20 - 2003 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove information of side two of this form will be held confidential for a period of t	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, or or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature Momas & Mon	KCC Office Use ONLY
Title: f.c	Letter of Confidentiality Attached
Subscribed and sworn to before me this 5 day of Alplemil	er, If Denied, Yes Date:
203.	Wireline Log Received
Notary Buthlion VIA MALIA	Geologist Report Received
Notary Public: 1 (1911)	UIC Distribution
Date Commission Expires: 3 30 503	

ORIGINAL

S. R. 22	✓ East	Lease N				Well #: 4			
and there are a second as the second									
and closed, flowing overy, and flow rate		, whether shut along with fina	-in pres	ssure reached	static level, hydr	ostatic pressu	res, botton	n hole	
•	☐ Yes ✓ No		√ Lo	g Format	ion (Top), Depth	and Datum	S	Sample	
Cores Taken Yes VN		Nan		me		Тор		Datum	
		The second second	Bartlesville		382			398	
		i ∏No		RECEIVED					
					KCC W	ICHITA			
-					stion, etc.				
Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./P	L.	Setting Depth	Type of Cement	# Sacjs Usad		and Percent	
10"	8"	6.5lbs		20ft	Portland	5	N/A		
6 1/2	2 7/8 - 8 Rd	6.5lbs		417ft	Portland	45	N/A		
	ADDITIONA	L CEMENTING	i/SQU	EEZE RECORI)		abaylaya ara ara ay	vi teknomen en e	
Depth Top Bottom	Type of Cement	#Sacks Us	sedi		Type and	Percent Additive	s		
PERFORATION RECORD - Bridge Plugs Set/Type Specify Englance of Each Internal Declarated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
384 - 394 w/ 1 11/16 Aluminum Shots								384-394	
	1								
Size 2 7/8	Set At 417.2ft	Packer At N/A	A STATE OF THE STA	Liner Run	Yes V No)	e a company	W. W. C.	
Production, SWD or E	inhr. Producing Me	_	Claude	(m				No.	
Oil	Bbls. Gae						er (Explain)	A -	
1/2	None			6			20	Gravity 9.3	
METHOD OF COMPLETION				Production interval					
	Size Hole Drilled 10" 6 1/2 Depth Top Bottom PERFORATI Specity 384 - 394 w/ 1 1 Size 2 7/8 Production, SWD or E	Surveyed. Attach final geological well site	Size Hole Size Casing Weight Drilled Set (In O.D.) Lbs. / R ADDITIONAL CEMENTING Depth Top Bottom Type of Cement #Sacks Us PERFORATION RECORD - Bridge Plugs Set/Type Specify Foolage of Each Interval Perforated 384 - 394 w/ 1 11/16 Aluminum Shots Size Set At Packer At N/A Production, SWD or Enhr. Producing Method	Surveyed. Attach final geological well site report. Ves	Stree Set At Packer At Liner Run (Attach final geological well site report. Yes No	Size Hole Size Casing RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Size Hole Size Casing Weight Setting Depth Cement Use of Cement Only Use of Cement Use of Cement Only Use of Cement Only Use of Cement Only Use of Cement Only Use of Cement Use of Only Only Only Only Only Only Only Only	Size Hole Stack (in O.D.) List (in O.D.) List (in O.D.) Depth and Disturn Name Top CASING RECORD New Used RECEIVED SEP 1 7 2003 KCC WICHITA CASING RECORD New Used Recommit Used Depth Cement Used Used Of 1/2 2 7/8 - 8 Rd 6.5 lbs 417ft Portland 45 ADDITIONAL CEMENTING / SQUEEZE RECORD Depth Top Bottom Type of Cement #Sacks Used Type and Percent Additive Percented (Arround and Kind of Material Used) 384 - 394 w/ 1 11/16 Aluminum Shots 25 Sack Sand Frac Size Sat At Packer At Uner Fluin Ves New Case Oil Recommit One None None None None None None None No	Ves No Name Top Depth and Datum Streets Name Top Depth SEP 1 7 2003 RECEIVED SEP 1 7 2003 RECEIVED SEP 1 7 2003 RECEIVED Size Hole	

Coment For Mayor haves

the 12 23

Cleaver Farm & Home 2103 S. Santa Fe

> Chanute, KS 66720 Phone: (620) 431-6070 Fax: (620) 431-7341

SOLD TO

SHIP 10

RECEIVED

OCT 0 8 2003

NORRIS WELDING SVCS 1111 S, MARGRAVE

NORRIS WELDING SVCS 1111 S, MARGRAVE

KCC WICHITA

FORT SCOTT, KS 66701-2834

FORT SCOTT, KS 66701-2834

ACCT#	CUSTOMER P.O.	ļ T		TERMS	ORDER#	ORDER DATE	SLSMIN	INVOICE#	INVOICE DATE
N1341 ORDERED	BACK ORDERED		****************	тн	12267	07/22/03	GJ PRICE	42747	07/23/03 AMOUNT
(180	0	180	EA CI	EMENT STA	NDARD TYPI	E 1 94LB	5.0		1008.00
60	0	60	FT C		ASTIC 12"		6.2 4.5 5.5	500	270.00
5	0	5	FT C		ROUND 5/8	1.04	0.4	180	2.40
6	0	6		ALLET BLO	CKS & QUII	K-CRETE	12.0 12.0		72.00
					•				
SEP 23,	2003 7:	45:46	OT:	*	1/ 1	1	MERCHANDIS	E	1352.40
	*****				SHIP VIA		OTHER	heraens, reigiger trikyligi (Jakis en in Berklinyla misske	0.00
* INVOICE * ***********************************						rax 		0.00	
							REIGHT		0.00
A	LL OUT OF		LIVERI UEL CH		BE SUBJECT		TOTAL		1352.40

Cleaver's Darm Supply, Inc.

Chanute, Kansas 66720

ARM & HOME

GLEAVER 620-431-6070

☐ DELIVERY

CUSTOMER TAKING

Filled by

Checked by

Driver

Time _____

SOLD TO

TORRES WILDING BUID. 1 1 B. MORISCOF

TORE SCOTE KE (66 TOLESCA

of Circles non-stool Sept. RECEIVED BY X

TENN SELEVENTES AND

• Feed

- Deck Materials
- Doors
- Electrical
- Fencina
- Hardware
- · Cement
- Insulation
- Kitchen Cabinets
- Lawn & Garden
- Lumber
- Paints

FREIGHT

- * Mem 2166
- . Diumbian
- Plywood
- Rooling
- * Siding
- Storm Door:
- Storm Windo
- Tools
- Vanities
- Rental Equip
- Windows
- Paneling

SHIP TO

NURRIC WELDING BOCS

CONTRACTOR SEVENIES.

Cleaver's Tarm Supply, Inc

Chanute, Kansas 66720

☐ DELIVERY

CI CUSTOMER TAKING

Filled by Checked by

Driver

Time

SOLD TO

111 S. WORGRAVE

Sos SANIA

620-431-6070

- FeedDeck Materials
- Doors
- Electrical
- Fencing
- Hardware
- Cement
- * Insulation
- Kitchen Cabinets
- Lawn & Garden
- Lumber
- Paints

- New Stee
- PlumbingPlywood
- Rooting
- Siding
- Storm Doors
- Storm Windo
- Tools
- Vanities
- Rental Equipm
- Windows
- Paneling

ALEXAGEN TO A AREL DE LA CONTRACTOR DE L	FIG. 12 (1997) 122	The second secon	7	
ACCOUNT# CUSTOMER P.O.#	TERMS	ORDER# ORDER DATE	SLSMN INVOICE #	INVOICE DATE
	and the second of the second o		To the second	
ORDERED BACKOHOCHED SHIPPED	U/M DE	SCRIPTION	PRICE	AMOUNT
		TIPE 1		17/616
			51	
		Δ_{m}		
		Jy Pulling		\sim $^{\prime}$
	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	71	//, ($\mathbf{Y}_{\mathcal{I}}$
			11116	
		$\sim \sim 10^{-1}$ M $_{\odot}$.	$G: \mathcal{M} \times$	
	~ \~\ ~ \~\\	TIN WITH		
	$\mathcal{L}_{\mathcal{M}}$	WOLUN		
	N/11 (1/1/11 1/1/1/1/1/1/1/1/1/1/1/1/1/1/	$_{0}$ // $^{\prime\prime}$	$W = \{O_i\}_{i=1}^n$	
	111 /2 11 12	\mathcal{N}_{M}	///×	
		\mathcal{C}		
	$\mathcal{L}(\mathcal{A}, \mathcal{A})$			
	IVV			
	Account due 10th of month follow month added for an annual percen	(ins purchase 10.2% Interest ser	MERCHANDISE	Section of the second
	incliffication for an amusi percen	dage rate of 18%,		
REYURN FOLICY - within 30 days Only - merchandise must be in salestyle of hillion and accompanied by			TAX	
Prodoc - No refurits on Special Order non-stock ligner (F	ECEIVED BY A		FREIGHT	
ALL OUT OF TOWN DE				