

CONFIDENTIAL

ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 5447  
Name: OXY USA Inc.  
Address: P.O. Box 2528  
City/State/Zip: Liberal, KS 67905  
Purchaser: ONEOK  
Operator Contact Person: Vicki Carder  
Phone: (620) 629-4200  
Contractor: Name: Murfin Drilling Co., Inc.  
License: 30606  
Wellsite Geologist: Marvin T. Harvey, Jr.

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl, Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. To Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_  
12/13/05 12/29/05 01/16/06  
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - 175-22015-00-00  
County: Seward  
C - SW - NW Sec 17 Twp. 34 S. R. 33W  
1980 feet from S  (circle one) Line of Section  
660 feet from E  (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE  NW SW  
Lease Name: Brown C Well #: 6  
Field Name: Salley Chester  
Producing Formation: Morrow  
Elevation: Ground: 2884 Kelly Bushing: 2895  
Total Depth: 6558 Plug Back Total Depth: 6512  
Amount of Surface Pipe Set and Cemented at 1710 feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set 3077  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan ALT I WITHIN 5-22-07  
(Data must be collected from the Reserve Pit)  
Chloride content 1580 mg/l ppm Fluid volume 1600 bbls  
Dewatering method used Evaporation  
Location of fluid disposal if hauled offsite:  
Operator Name: RECEIVED  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. MAR 30 2006  East  West  
County: KCC WICHITA Docket No.: \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 6702, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Vicki Carder  
Title: Capital Project Date 03/29/06  
Subscribed and sworn to before me this 29 day of Mar  
20 06  
Notary Public: Anita Peterson  
Date Commission Expires: Oct. 1, 2009

KCC Office Use Only  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

CONFIDENTIAL  
MAR 28 2006  
KCC

ANITA PETERSON  
Notary Public - State of Kansas  
My Appt. Expires October 1, 2009

**ORIGINAL**

Operator Name: OXY USA Inc. Lease Name: Brown C  
 Sec. 17 Twp. 34 S. R. 33W  East  West County: Seward

**Instructions:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

|   |  |
|---|--|
| Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No<br><i>(Attach Additional Sheets)</i> | <input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample |
| Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No                           | Name <span style="float: right;">Top Datum</span>  |
| Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No   | Krider <span style="float: right;">2689 206</span>   |
| Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No<br><i>(Submit Copy)</i>                    | Winfield <span style="float: right;">2747 148</span>   |
| List All E. Logs Run: Neutron Induction   | Council Grove <span style="float: right;">3016 -121</span>   |
| Sonic Microlog CBL  | Heebner <span style="float: right;">4348 -1453</span>  |
| Geological Report   | Toronto <span style="float: right;">4365 -1470</span>  |
|   | Lansing <span style="float: right;">4475 -1580</span>  |
|   | Cherokee <span style="float: right;">5450 -2555</span>   |
|   | (See Side Three)   |

| CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used |                   |                           |                 |               |                |              |                            |
|---|-------------------|---------------------------|-----------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc.           |                   |                           |                 |               |                |              |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set(in. O.D.) | Weight Lbs./ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Conductor   |                   |                           |                 |               | C              |              |                            |
| Surface   | 12 1/4            | 8 5/8                     | 24              | 1710          | C              | 580          | 35/65 Litepoz              |
|   |                   |                           |                 |               | C              | 195          | Class C                    |
| Production  | 7 7/8             | 5 1/2                     | 17              | 6557          | H              | 230          | 50/50 Poz                  |

| ADDITIONAL CEMENTING / SQUEEZE RECORD              |                  |                |             |                            |
|--|------------------|----------------|-------------|----------------------------|
| Purpose:   | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate                 |                  |                |             |                            |
| <input checked="" type="checkbox"/> Protect Casing | ~1373-3077       | H              | 300         | 50/50 Lite (Port Collar)   |
| <input type="checkbox"/> Plug Back TD              |                  |                |             |                            |
| <input type="checkbox"/> Plug off Zone             |                  |                |             |                            |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | Depth |
|----------------|--|--|-------|
| 4              | 6059-6072  | Acidize-36bbbls 7.5% HCL-FE  |       |
| 4              | 6072-6082  | Acidize-64 bbbls 7.5% HCL-FE   |       |
|                |  | Frac-90,472 gls 30# gel, 70QN2 and   |       |
|                |  | 170,987# 20/40 Sand. Flushed-165 bbbls   |       |
|                |  | foamed 53QN2   |       |

|               |         |        |           |   |
|---------------|---------|--------|-----------|---|
| TUBING RECORD | Size NA | Set At | Packer At | Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
|---------------|---------|--------|-----------|---|

|   |  |
|---|--|
| Date of First, Resumed Production, SWD or Enhr.<br>01/25/06 | Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) |
|---|--|

|                                   |               |                 |                  |               |         |
|-----------------------------------|---------------|-----------------|------------------|---------------|---------|
| Estimated Production Per 24 Hours | Oil BBLs<br>1 | Gas Mcf<br>1173 | Water Bbbls<br>0 | Gas-Oil Ratio | Gravity |
|-----------------------------------|---------------|-----------------|------------------|---------------|---------|

|  |  |                     |
|--|--|---------------------|
| Disposition of Gas   | METHOD OF COMPLETION   | Production Interval |
| <input type="checkbox"/> Vented <input checked="" type="checkbox"/> Sold <input type="checkbox"/> Used on Lease<br><i>(If vented, Submit ACO-18)</i> | <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled<br><input type="checkbox"/> Other (Specify) _____ | _____               |

Side Three

Operator Name: OXY USA Inc. Lease Name: Brown C Well #: 6

Sec. 17 Twp. 34 S. R. 33W  East  West County: Seward

| Name          | Top  | Datum |
|---------------|------|-------|
| Atoka         | 5636 | -2741 |
| Morrow        | 5828 | -2933 |
| Chester       | 6100 | -3205 |
| St. Genevieve | 6438 | -3543 |

CONFIDENTIAL  
MAR 28 2005  
KCC

RECEIVED  
MAR 30 2006  
KCC WICHITA

|  |  |  |   |   |                         |                           |                                |   |                     |
|--|--|--|---|---|-------------------------|---------------------------|--------------------------------|---|---------------------|
| Customer<br>OXY USA, INC.  |  |  |   | Job Number<br>2205548996  |                         |                           |                                |   |                     |
| Well<br>BROWN C-6  |  | Location (legal)<br>Sec 17-T34S-R33W   |   | Schlumberger Location<br>Perryton, TX   |                         | Job Start<br>2005-Dec-14  |                                |   |                     |
| Field<br>SALLY   |  | Formation Name/Type<br>Clean-Sandstone |   | Deviation<br>°  | Bit Size<br>12.3 in     | Well MD<br>1,710 ft       | Well TVD<br>1,710 ft           |   |                     |
| County<br>SEWARD   |  | State/Province<br>KANSAS               |   | BHP<br>psi  | BHST<br>98 °F           | BHCT<br>°F                | Pore Press. Gradient<br>psi/ft |   |                     |
| Well Master:<br>0630758808   |  | API / UWI:                             |   | Casing/Liner  |                         |                           |                                |   |                     |
| Rig Name<br>MURFIN 20  | Drilled For<br>Oil & Gas                   | Service Via<br>Land                    | Depth, ft<br>1710   | Size, in<br>8.63  | Weight, lb/ft<br>24     | Grade<br>K55              | Thread<br>8RD                  |   |                     |
| Offshore Zone  | Well Class<br>New                          | Well Type<br>Development               | Tubing/Drill Pipe   |   |                         |                           |                                |   |                     |
| Drilling Fluid Type<br>Bentonite   | Max. Density<br>9.6 lb/gal                 | Plastic Viscosity<br>45 cp             | Depth,  | Size, in  | Weight, lb/ft           | Grade                     | Thread                         |   |                     |
| Service Line<br>Cementing  | Job Type<br>Cem Surface Casing             | Perforations/Open Hole                 |   |   |                         |                           |                                |   |                     |
| Max. Allowed Tubing Pressure<br>1500 psi   | Max. Allowed Ann. Pressure<br>psi          | Wellhead Connection<br>8 5/8" H&SM     | Top, ft   | Bottom, ft  | spf                     | No. of Shots              | Total Interval<br>ft           |   |                     |
| Service Instructions<br>CEMENT 8 5/8" SURFACE CASING WITH:<br>10 BBL FRESH WATER<br>605 SK 35:65 POZ C + 6% D020 + 2% S001 + 0.5 pps D029<br>195 SK CLASS C + 2% S001 + 0.25 pps D029<br>DISPLACE WITH FRESH WATER |  |  | Diameter<br>in  | Treat Down<br>Casing  | Displacement<br>106 bbl | Packer Type               | Packer Depth<br>ft             |   |                     |
|  |  |  | Tubing Vol.<br>bbl  | Casing Vol.<br>109 bbl  | Annular Vol.<br>75 bbl  | Open Hole Vol.<br>201 bbl |                                |   |                     |
|  |  |  | Casing/Tubing Secured <input checked="" type="checkbox"/> | 1 Hole Volume Circulated prior to Cementing <input checked="" type="checkbox"/> | Casing Tools            |                           | Squeeze Job                    |   |                     |
|  |  |  | Lift Pressure:<br>psi                                     | Shoe Type:<br>Guide   | Squeeze Type            |                           |                                |   |                     |
| Pipe Rotated <input type="checkbox"/>  | Pipe Reciprocated <input type="checkbox"/> | Shoe Depth:<br>ft                      | Tool Type:  |   |                         |                           |                                |   |                     |
| No. Centralizers:<br>5   | Top Plugs:<br>1                            | Bottom Plugs:                          | Stage Tool Type:  | Tool Depth:<br>ft   |                         |                           |                                |   |                     |
| Cement Head Type:<br>Single  | Stage Tool Depth:<br>ft                    | Tall Pipe Size:<br>in                  |   |   |                         |                           |                                |   |                     |
| Job Scheduled For:<br>2005-Dec-14 17:45  | Arrived on Location:                       | Leave Location:<br>2005-Dec-14 22:00   | Collar Type:<br>Insert                                    | Tall Pipe Depth:<br>ft  |                         |                           |                                |   |                     |
| Collar Depth:<br>1664 ft   | Sqz Total Vol:<br>bbl                      |  |   |   |                         |                           |                                |   |                     |
| Date   | Time                                       | Treating Pressure<br>psi               | Flow Rate<br>bbl/min                                      | Density<br>lb/gal   | CMT STG VOL<br>bbl      | CMT VOL<br>bbl            | 0                              | 0 | Message             |
| 2005-Dec-14  | 19:10                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:10                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:10                                      |  |   |   |                         |                           |                                |   | Start Job           |
| 2005-Dec-14  | 19:10                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 | Pressure Test Lines |
| 2005-Dec-14  | 19:11                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:11                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:12                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:12                                      | 22                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:13                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:13                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:14                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:14                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:15                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:15                                      | 17                                     | 0.0   | 0.01  | 0.0                     | 0.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:16                                      | 17                                     | 1.1   | 8.00  | 0.4                     | 0.4                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:16                                      | 17                                     | 5.5   | 8.29  | 2.5                     | 2.5                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:17                                      | 17                                     | 3.1   | 8.35  | 4.1                     | 4.1                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:17                                      | 17                                     | 3.9   | 8.35  | 6.0                     | 6.0                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:18                                      | 17                                     | 6.5   | 8.32  | 8.9                     | 8.9                       | 0                              | 0 |                     |
| 2005-Dec-14  | 19:18                                      | 17                                     | 6.6   | 7.45  | 12.2                    | 12.2                      | 0                              | 0 |                     |
| 2005-Dec-14  | 19:19                                      | 17                                     | 6.6   | 8.33  | 15.5                    | 15.5                      | 0                              | 0 |                     |

**CONFIDENTIAL**  
 MAR 28 2006

**KCC**  
**RECEIVED**  
 MAR 30 2006  
**KCC WICHITA**

| Well        |             | Field             |           |         | Service Date |         | Customer      |   | Job Number                  |
|-------------|-------------|-------------------|-----------|---------|--------------|---------|---------------|---|-----------------------------|
| BROWN #C-6  |             | SALLY             |           |         | 05348-Dec-14 |         | OXY USA, INC. |   | 2205548996                  |
| Date        | Time        | Treating Pressure | Flow Rate | Density | CMT STG VOL  | CMT VOL | 0             | 0 | Message                     |
|             | 24 hr clock | psi               | bbbl/min  | lb/gal  | bbbl         | bbbl    | 0             | 0 |                             |
| 2005-Dec-14 | 19:19       | 17                | 6.6       | 8.35    | 18.8         | 18.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:19       |                   |           |         |              |         |               |   |                             |
| 2005-Dec-14 | 19:19       | 22                | 0.0       | 8.35    | 0.1          | 19.8    | 0             | 0 | Start Water Spacer          |
| 2005-Dec-14 | 19:20       | 17                | 0.0       | 8.35    | 0.0          | 19.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:20       | 17                | 0.0       | 8.35    | 0.0          | 19.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:21       | 17                | 0.0       | 8.35    | 0.0          | 19.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:21       | 27                | 0.0       | 8.35    | 0.0          | 19.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:22       | 40                | 0.0       | 8.35    | 0.0          | 19.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:22       | 31                | 0.0       | 8.35    | 0.0          | 19.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:23       | 1139              | 0.0       | 8.35    | 0.0          | 19.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:23       | 1967              | 0.0       | 8.35    | 0.0          | 19.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:24       | 27                | 0.0       | 8.35    | 0.0          | 19.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:24       | 27                | 0.0       | 8.35    | 0.0          | 19.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:25       | 22                | 0.6       | 8.35    | 0.0          | 19.9    | 0             | 0 |                             |
| 2005-Dec-14 | 19:25       | 265               | 5.5       | 8.33    | 2.5          | 22.3    | 0             | 0 |                             |
| 2005-Dec-14 | 19:26       | 260               | 5.5       | 8.33    | 5.2          | 25.0    | 0             | 0 |                             |
| 2005-Dec-14 | 19:26       | 255               | 5.5       | 8.33    | 8.0          | 27.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:26       | 255               | 5.5       | 9.04    | 10.0         | 29.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:26       |                   |           |         |              |         |               |   |                             |
| 2005-Dec-14 | 19:27       | 255               | 5.5       | 9.63    | 0.7          | 30.5    | 0             | 0 | Reset Total, Vol = 9.96 bbl |
| 2005-Dec-14 | 19:27       | 278               | 5.5       | 11.21   | 3.3          | 33.1    | 0             | 0 |                             |
| 2005-Dec-14 | 19:27       |                   |           |         |              |         |               |   |                             |
| 2005-Dec-14 | 19:27       | 278               | 5.5       | 11.31   | 3.5          | 33.3    | 0             | 0 | Start Lead Slurry           |
| 2005-Dec-14 | 19:28       | 278               | 5.5       | 12.31   | 6.2          | 36.0    | 0             | 0 |                             |
| 2005-Dec-14 | 19:32       | 178               | 4.0       | 11.76   | 9.0          | 38.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:33       | 242               | 5.5       | 12.93   | 11.4         | 41.2    | 0             | 0 |                             |
| 2005-Dec-14 | 19:33       | 205               | 5.5       | 11.02   | 14.2         | 44.0    | 0             | 0 |                             |
| 2005-Dec-14 | 19:34       | 205               | 5.5       | 11.85   | 16.9         | 46.7    | 0             | 0 |                             |
| 2005-Dec-14 | 19:34       | 214               | 5.5       | 12.14   | 19.7         | 49.5    | 0             | 0 |                             |
| 2005-Dec-14 | 19:35       | 210               | 5.5       | 12.12   | 22.4         | 52.2    | 0             | 0 |                             |
| 2005-Dec-14 | 19:35       | 200               | 5.5       | 11.95   | 25.1         | 54.9    | 0             | 0 |                             |
| 2005-Dec-14 | 19:36       | 210               | 5.5       | 12.29   | 27.9         | 57.7    | 0             | 0 |                             |
| 2005-Dec-14 | 19:36       | 200               | 5.5       | 12.14   | 30.6         | 60.4    | 0             | 0 |                             |
| 2005-Dec-14 | 19:37       | 205               | 5.5       | 12.16   | 33.5         | 63.3    | 0             | 0 |                             |
| 2005-Dec-14 | 19:37       | 196               | 5.5       | 12.02   | 36.2         | 66.0    | 0             | 0 |                             |
| 2005-Dec-14 | 19:38       | 196               | 5.5       | 11.97   | 39.0         | 68.8    | 0             | 0 |                             |
| 2005-Dec-14 | 19:38       | 196               | 5.5       | 12.64   | 41.7         | 71.5    | 0             | 0 |                             |
| 2005-Dec-14 | 19:39       | 168               | 5.5       | 11.31   | 44.4         | 74.2    | 0             | 0 |                             |
| 2005-Dec-14 | 19:39       | 196               | 5.5       | 12.13   | 47.2         | 77.0    | 0             | 0 |                             |
| 2005-Dec-14 | 19:40       | 191               | 5.5       | 12.16   | 49.9         | 79.7    | 0             | 0 |                             |
| 2005-Dec-14 | 19:40       | 187               | 5.5       | 12.14   | 52.7         | 82.5    | 0             | 0 |                             |
| 2005-Dec-14 | 19:41       | 187               | 5.5       | 12.12   | 55.4         | 85.2    | 0             | 0 |                             |
| 2005-Dec-14 | 19:41       | 178               | 5.5       | 11.83   | 58.2         | 88.0    | 0             | 0 |                             |
| 2005-Dec-14 | 19:42       | 178               | 5.5       | 12.07   | 60.9         | 90.7    | 0             | 0 |                             |
| 2005-Dec-14 | 19:42       | 187               | 5.5       | 12.06   | 63.6         | 93.4    | 0             | 0 |                             |
| 2005-Dec-14 | 19:43       | 187               | 5.5       | 12.08   | 66.4         | 96.2    | 0             | 0 |                             |
| 2005-Dec-14 | 19:43       | 191               | 5.5       | 12.11   | 69.1         | 98.9    | 0             | 0 |                             |
| 2005-Dec-14 | 19:44       | 196               | 5.5       | 12.34   | 71.9         | 101.7   | 0             | 0 |                             |
| 2005-Dec-14 | 19:44       | 187               | 5.5       | 12.34   | 74.6         | 104.4   | 0             | 0 |                             |
| 2005-Dec-14 | 19:45       | 196               | 5.5       | 11.98   | 77.4         | 107.2   | 0             | 0 |                             |
| 2005-Dec-14 | 19:45       | 182               | 5.5       | 12.03   | 80.1         | 109.9   | 0             | 0 |                             |
| 2005-Dec-14 | 19:46       | 200               | 5.5       | 12.54   | 82.9         | 112.7   | 0             | 0 |                             |
| 2005-Dec-14 | 19:46       | 196               | 5.5       | 12.52   | 85.6         | 115.4   | 0             | 0 |                             |
| 2005-Dec-14 | 19:47       | 191               | 5.5       | 12.19   | 88.3         | 118.1   | 0             | 0 |                             |

**CONFIDENTIAL**  
**MAR 28 2006**  
**KCC**

| Well        |             | Field             |           |         | Service Date |         | Customer      |   | Job Number                              |
|-------------|-------------|-------------------|-----------|---------|--------------|---------|---------------|---|---|
| BROWN #C-6  |             | SALLY             |           |         | 05348-Dec-14 |         | OXY USA, INC. |   | 2205548996                              |
| Date        | Time        | Treating Pressure | Flow Rate | Density | CMT STG VOL  | CMT VOL | 0             | 0 | Message                                 |
|             | 24 hr clock | psi               | bbbl/min  | lb/gal  | bbbl         | bbbl    | 0             | 0 |   |
| 2005-Dec-14 | 19:47       | 182               | 5.5       | 11.92   | 91.1         | 120.9   | 0             | 0 |   |
| 2005-Dec-14 | 19:48       | 178               | 5.5       | 12.22   | 93.8         | 123.6   | 0             | 0 |   |
| 2005-Dec-14 | 19:48       | 187               | 5.5       | 12.12   | 96.7         | 126.5   | 0             | 0 |   |
| 2005-Dec-14 | 19:49       | 182               | 5.5       | 12.22   | 99.4         | 129.2   | 0             | 0 |   |
| 2005-Dec-14 | 19:49       | 187               | 5.5       | 12.40   | 102.2        | 132.0   | 0             | 0 |   |
| 2005-Dec-14 | 19:50       | 187               | 5.5       | 12.30   | 104.9        | 134.7   | 0             | 0 |   |
| 2005-Dec-14 | 19:50       | 187               | 5.5       | 12.19   | 107.6        | 137.4   | 0             | 0 |   |
| 2005-Dec-14 | 19:51       | 182               | 5.5       | 12.18   | 110.4        | 140.2   | 0             | 0 |   |
| 2005-Dec-14 | 19:51       | 182               | 5.5       | 12.19   | 113.1        | 142.9   | 0             | 0 |   |
| 2005-Dec-14 | 19:52       | 178               | 5.5       | 11.95   | 115.9        | 145.7   | 0             | 0 |   |
| 2005-Dec-14 | 19:52       | 173               | 5.5       | 12.40   | 118.6        | 148.4   | 0             | 0 |   |
| 2005-Dec-14 | 19:53       | 173               | 5.5       | 11.40   | 121.4        | 151.2   | 0             | 0 |   |
| 2005-Dec-14 | 19:53       | 173               | 5.5       | 11.98   | 124.1        | 153.9   | 0             | 0 |   |
| 2005-Dec-14 | 19:54       | 173               | 5.5       | 12.18   | 126.9        | 156.7   | 0             | 0 |   |
| 2005-Dec-14 | 19:54       | 178               | 5.5       | 11.89   | 129.6        | 159.4   | 0             | 0 |   |
| 2005-Dec-14 | 19:55       | 173               | 5.5       | 12.18   | 132.3        | 162.1   | 0             | 0 |   |
| 2005-Dec-14 | 19:55       | 173               | 5.5       | 11.89   | 135.1        | 164.9   | 0             | 0 |   |
| 2005-Dec-14 | 19:56       | 173               | 5.5       | 11.86   | 137.8        | 167.6   | 0             | 0 |   |
| 2005-Dec-14 | 19:56       | 178               | 5.5       | 12.18   | 140.6        | 170.4   | 0             | 0 |   |
| 2005-Dec-14 | 19:57       | 187               | 5.5       | 12.21   | 143.3        | 173.1   | 0             | 0 |   |
| 2005-Dec-14 | 19:57       | 182               | 5.5       | 12.17   | 146.1        | 175.9   | 0             | 0 |   |
| 2005-Dec-14 | 19:58       | 182               | 5.5       | 12.27   | 148.8        | 178.6   | 0             | 0 |   |
| 2005-Dec-14 | 19:58       | 187               | 5.5       | 12.37   | 151.5        | 181.3   | 0             | 0 |   |
| 2005-Dec-14 | 19:59       | 187               | 5.5       | 12.21   | 154.3        | 184.1   | 0             | 0 |   |
| 2005-Dec-14 | 19:59       | 182               | 5.5       | 12.08   | 157.0        | 186.8   | 0             | 0 |   |
| 2005-Dec-14 | 20:00       | 182               | 5.5       | 12.14   | 159.9        | 189.7   | 0             | 0 |   |
| 2005-Dec-14 | 20:00       | 178               | 5.5       | 12.18   | 162.6        | 192.4   | 0             | 0 |   |
| 2005-Dec-14 | 20:01       | 178               | 5.5       | 12.17   | 165.4        | 195.2   | 0             | 0 |   |
| 2005-Dec-14 | 20:01       | 182               | 5.5       | 12.15   | 168.1        | 197.9   | 0             | 0 |   |
| 2005-Dec-14 | 20:02       | 178               | 5.5       | 12.10   | 170.8        | 200.6   | 0             | 0 |   |
| 2005-Dec-14 | 20:02       | 178               | 5.5       | 11.99   | 173.6        | 203.4   | 0             | 0 |   |
| 2005-Dec-14 | 20:03       | 187               | 0.0       | 12.34   | 175.4        | 205.2   | 0             | 0 |   |
| 2005-Dec-14 | 20:03       | 159               | 0.5       | 11.74   | 175.6        | 205.4   | 0             | 0 |   |
| 2005-Dec-14 | 20:04       | 178               | 0.3       | 11.85   | 175.8        | 205.6   | 0             | 0 |   |
| 2005-Dec-14 | 20:04       | 182               | 0.8       | 12.40   | 176.1        | 205.9   | 0             | 0 |   |
| 2005-Dec-14 | 20:05       | 187               | 5.2       | 12.17   | 177.6        | 207.4   | 0             | 0 |   |
| 2005-Dec-14 | 20:05       | 187               | 5.5       | 12.46   | 180.3        | 210.1   | 0             | 0 |   |
| 2005-Dec-14 | 20:06       | 191               | 5.5       | 12.39   | 183.1        | 212.9   | 0             | 0 |   |
| 2005-Dec-14 | 20:06       | 182               | 5.5       | 12.11   | 185.8        | 215.6   | 0             | 0 |   |
| 2005-Dec-14 | 20:07       | 200               | 5.5       | 12.63   | 188.6        | 218.4   | 0             | 0 |   |
| 2005-Dec-14 | 20:07       | 178               | 5.5       | 11.54   | 191.3        | 221.1   | 0             | 0 |   |
| 2005-Dec-14 | 20:08       | 196               | 5.5       | 12.68   | 194.1        | 223.9   | 0             | 0 |   |
| 2005-Dec-14 | 20:08       | 191               | 5.5       | 12.57   | 196.8        | 226.6   | 0             | 0 |   |
| 2005-Dec-14 | 20:09       | 233               | 5.5       | 13.69   | 199.6        | 229.4   | 0             | 0 |   |
| 2005-Dec-14 | 20:09       | 237               | 5.5       | 13.74   | 199.7        | 229.5   | 0             | 0 |   |
| 2005-Dec-14 | 20:09       |                   |           |         |              |         |               |   | Reset Total, Vol = 227 bbl By the truck |
| 2005-Dec-14 | 20:09       | 251               | 5.5       | 14.07   | 2.2          | 231.7   | 0             | 0 |   |
| 2005-Dec-14 | 20:09       |                   |           |         |              |         |               |   | Start Tail Slurry                       |
| 2005-Dec-14 | 20:09       | 251               | 5.5       | 14.11   | 2.6          | 232.1   | 0             | 0 |   |
| 2005-Dec-14 | 20:10       | 260               | 5.5       | 14.43   | 5.3          | 234.8   | 0             | 0 |   |
| 2005-Dec-14 | 20:10       | 265               | 5.5       | 14.60   | 8.0          | 237.6   | 0             | 0 |   |
| 2005-Dec-14 | 20:11       | 265               | 5.5       | 14.74   | 10.8         | 240.3   | 0             | 0 |   |
| 2005-Dec-14 | 20:11       | 269               | 5.5       | 14.47   | 13.6         | 243.2   | 0             | 0 |   |

| Well        |             | Field             |           |         | Service Date |         | Customer      |   | Job Number                   |
|-------------|-------------|-------------------|-----------|---------|--------------|---------|---------------|---|------------------------------|
| BROWN #C-6  |             | SALLY             |           |         | 05348-Dec-14 |         | OXY USA, INC. |   | 2205548996                   |
| Date        | Time        | Treating Pressure | Flow Rate | Density | CMT STG VOL  | CMT VOL | 0             | 0 | Message                      |
|             | 24 hr clock | psi               | bbf/min   | lb/gal  | bbf          | bbf     | 0             | 0 |                              |
| 2005-Dec-14 | 20:12       | 242               | 5.5       | 13.95   | 16.4         | 245.9   | 0             | 0 |                              |
| 2005-Dec-14 | 20:12       | 246               | 5.5       | 14.52   | 19.1         | 248.7   | 0             | 0 |                              |
| 2005-Dec-14 | 20:13       | 265               | 5.5       | 14.88   | 21.9         | 251.4   | 0             | 0 |                              |
| 2005-Dec-14 | 20:13       | 260               | 5.5       | 14.80   | 24.6         | 254.1   | 0             | 0 |                              |
| 2005-Dec-14 | 20:14       | 251               | 5.5       | 14.52   | 27.4         | 256.9   | 0             | 0 |                              |
| 2005-Dec-14 | 20:14       | 237               | 5.5       | 14.26   | 30.1         | 259.6   | 0             | 0 |                              |
| 2005-Dec-14 | 20:15       | 233               | 5.5       | 14.34   | 32.8         | 262.4   | 0             | 0 |                              |
| 2005-Dec-14 | 20:15       | 237               | 5.5       | 14.57   | 35.6         | 265.1   | 0             | 0 |                              |
| 2005-Dec-14 | 20:16       | 242               | 5.5       | 14.79   | 38.3         | 267.9   | 0             | 0 |                              |
| 2005-Dec-14 | 20:16       | 237               | 5.5       | 14.63   | 41.1         | 270.6   | 0             | 0 |                              |
| 2005-Dec-14 | 20:17       | 219               | 0.0       | 14.17   | 41.4         | 271.0   | 0             | 0 |                              |
| 2005-Dec-14 | 20:17       | 164               | 1.7       | 12.96   | 41.5         | 271.0   | 0             | 0 |                              |
| 2005-Dec-14 | 20:18       | 36                | 0.0       | 8.47    | 42.1         | 271.6   | 0             | 0 |                              |
| 2005-Dec-14 | 20:18       | 31                | 0.0       | 9.03    | 42.1         | 271.6   | 0             | 0 |                              |
| 2005-Dec-14 | 20:18       |                   |           |         |              |         |               |   | Reset Total, Vol = 42.07 bbl |
| 2005-Dec-14 | 20:18       | 31                | 0.0       | 9.09    | 0.0          | 271.6   | 0             | 0 |                              |
| 2005-Dec-14 | 20:18       |                   |           |         |              |         |               |   | SDDP                         |
| 2005-Dec-14 | 20:18       |                   |           |         |              |         |               |   | Start Displacement           |
| 2005-Dec-14 | 20:18       | 31                | 0.0       | 9.12    | 0.0          | 271.6   | 0             | 0 |                              |
| 2005-Dec-14 | 20:19       | 27                | 0.0       | 8.71    | 0.0          | 271.6   | 0             | 0 |                              |
| 2005-Dec-14 | 20:19       | 27                | 0.0       | 8.73    | 0.0          | 271.6   | 0             | 0 |                              |
| 2005-Dec-14 | 20:20       | 27                | 0.0       | 8.76    | 0.0          | 271.6   | 0             | 0 |                              |
| 2005-Dec-14 | 20:20       | 49                | 0.0       | 11.74   | 0.0          | 271.6   | 0             | 0 |                              |
| 2005-Dec-14 | 20:21       | 118               | 5.5       | 8.49    | 1.3          | 272.9   | 0             | 0 |                              |
| 2005-Dec-14 | 20:21       | 118               | 5.5       | 8.20    | 4.0          | 275.6   | 0             | 0 |                              |
| 2005-Dec-14 | 20:22       | 114               | 5.5       | 8.31    | 6.8          | 278.4   | 0             | 0 |                              |
| 2005-Dec-14 | 20:22       | 127               | 5.5       | 8.26    | 9.5          | 281.1   | 0             | 0 |                              |
| 2005-Dec-14 | 20:23       | 146               | 5.5       | 8.25    | 12.4         | 284.0   | 0             | 0 |                              |
| 2005-Dec-14 | 20:23       | 114               | 5.5       | 8.28    | 15.1         | 286.7   | 0             | 0 |                              |
| 2005-Dec-14 | 20:24       | 155               | 5.5       | 8.27    | 17.9         | 289.5   | 0             | 0 |                              |
| 2005-Dec-14 | 20:24       | 164               | 5.5       | 8.28    | 19.6         | 291.2   | 0             | 0 |                              |
| 2005-Dec-14 | 20:24       |                   |           |         |              |         |               |   | Cement on the surface        |
| 2005-Dec-14 | 20:24       | 164               | 5.5       | 8.29    | 20.6         | 292.2   | 0             | 0 |                              |
| 2005-Dec-14 | 20:25       | 178               | 5.5       | 8.30    | 23.3         | 294.9   | 0             | 0 |                              |
| 2005-Dec-14 | 20:25       | 182               | 5.5       | 8.31    | 26.1         | 297.7   | 0             | 0 |                              |
| 2005-Dec-14 | 20:26       | 196               | 5.5       | 8.28    | 28.8         | 300.4   | 0             | 0 |                              |
| 2005-Dec-14 | 20:26       | 191               | 5.5       | 8.43    | 31.6         | 303.2   | 0             | 0 |                              |
| 2005-Dec-14 | 20:27       | 210               | 5.5       | 8.31    | 34.3         | 305.9   | 0             | 0 |                              |
| 2005-Dec-14 | 20:27       | 210               | 5.5       | 8.33    | 37.1         | 308.7   | 0             | 0 |                              |
| 2005-Dec-14 | 20:28       | 219               | 5.5       | 8.33    | 39.8         | 311.4   | 0             | 0 |                              |
| 2005-Dec-14 | 20:28       | 242               | 5.5       | 8.36    | 42.5         | 314.2   | 0             | 0 |                              |
| 2005-Dec-14 | 20:29       | 251               | 5.5       | 8.35    | 45.3         | 316.9   | 0             | 0 |                              |
| 2005-Dec-14 | 20:29       | 269               | 5.7       | 8.35    | 47.9         | 319.5   | 0             | 0 |                              |
| 2005-Dec-14 | 20:30       | 278               | 5.8       | 8.35    | 50.8         | 322.4   | 0             | 0 |                              |
| 2005-Dec-14 | 20:30       | 283               | 5.7       | 8.34    | 53.7         | 325.3   | 0             | 0 |                              |
| 2005-Dec-14 | 20:31       | 278               | 5.6       | 8.34    | 56.5         | 328.1   | 0             | 0 |                              |
| 2005-Dec-14 | 20:31       | 315               | 5.7       | 8.35    | 59.4         | 331.0   | 0             | 0 |                              |
| 2005-Dec-14 | 20:32       | 347               | 5.7       | 8.35    | 62.2         | 333.8   | 0             | 0 |                              |
| 2005-Dec-14 | 20:32       | 361               | 5.7       | 8.35    | 65.1         | 336.7   | 0             | 0 |                              |
| 2005-Dec-14 | 20:33       | 374               | 5.7       | 8.35    | 67.9         | 339.5   | 0             | 0 |                              |
| 2005-Dec-14 | 20:33       | 379               | 5.7       | 8.35    | 70.8         | 342.4   | 0             | 0 |                              |
| 2005-Dec-14 | 20:34       | 393               | 5.7       | 8.35    | 73.7         | 345.3   | 0             | 0 |                              |
| 2005-Dec-14 | 20:34       | 425               | 5.7       | 8.35    | 76.6         | 348.2   | 0             | 0 |                              |
| 2005-Dec-14 | 20:35       | 443               | 5.7       | 8.35    | 79.4         | 351.0   | 0             | 0 |                              |

CONFIDENTIAL  
MAR 28 2006  
KCC

| Well        |             | Field             |           |         | Service Date |         | Customer      |   | Job Number                    |
|-------------|-------------|-------------------|-----------|---------|--------------|---------|---------------|---|-------------------------------|
| BROWN #C-6  |             | SALLY             |           |         | 05348-Dec-14 |         | OXY USA, INC. |   | 2205548996                    |
| Date        | Time        | Treating Pressure | Flow Rate | Density | CMT STG VOL  | CMT VOL | 0             | 0 | Message                       |
|             | 24 hr clock | psi               | bbl/min   | lb/gal  | bbl          | bbl     | 0             | 0 |                               |
| 2005-Dec-14 | 20:35       | 461               | 5.7       | 8.35    | 82.3         | 353.9   | 0             | 0 |                               |
| 2005-Dec-14 | 20:36       | 466               | 5.7       | 8.35    | 85.1         | 356.7   | 0             | 0 |                               |
| 2005-Dec-14 | 20:36       | 466               | 5.7       | 8.35    | 88.0         | 359.6   | 0             | 0 |                               |
| 2005-Dec-14 | 20:37       | 503               | 5.7       | 8.35    | 90.8         | 362.4   | 0             | 0 |                               |
| 2005-Dec-14 | 20:37       | 548               | 5.7       | 8.35    | 93.7         | 365.3   | 0             | 0 |                               |
| 2005-Dec-14 | 20:38       | 548               | 5.7       | 8.35    | 96.6         | 368.2   | 0             | 0 |                               |
| 2005-Dec-14 | 20:38       | 448               | 2.5       | 8.35    | 98.5         | 370.1   | 0             | 0 |                               |
| 2005-Dec-14 | 20:39       | 434               | 2.5       | 8.35    | 99.7         | 371.3   | 0             | 0 |                               |
| 2005-Dec-14 | 20:39       | 466               | 2.5       | 8.35    | 100.9        | 372.5   | 0             | 0 |                               |
| 2005-Dec-14 | 20:40       | 475               | 2.5       | 8.35    | 102.2        | 373.8   | 0             | 0 |                               |
| 2005-Dec-14 | 20:40       | 484               | 2.5       | 8.35    | 103.4        | 375.0   | 0             | 0 |                               |
| 2005-Dec-14 | 20:41       | 484               | 2.5       | 8.35    | 104.6        | 376.3   | 0             | 0 |                               |
| 2005-Dec-14 | 20:41       | 484               | 2.5       | 8.35    | 105.9        | 377.5   | 0             | 0 |                               |
| 2005-Dec-14 | 20:42       | 503               | 2.5       | 8.35    | 107.1        | 378.7   | 0             | 0 |                               |
| 2005-Dec-14 | 20:42       | 937               | 2.5       | 8.35    | 108.4        | 380.0   | 0             | 0 |                               |
| 2005-Dec-14 | 20:43       | 1075              | 0.0       | 8.35    | 108.4        | 380.0   | 0             | 0 |                               |
| 2005-Dec-14 | 20:43       | 571               | 0.0       | 8.35    | 108.4        | 380.0   | 0             | 0 |                               |
| 2005-Dec-14 | 20:44       | 40                | 0.0       | 8.35    | 108.4        | 380.0   | 0             | 0 |                               |
| 2005-Dec-14 | 20:44       | 40                | 0.0       | 8.35    | 108.4        | 380.0   | 0             | 0 |                               |
| 2005-Dec-14 | 20:44       |                   |           |         |              |         |               |   | Reset Total, Vol = 108.43 bbl |
| 2005-Dec-14 | 20:44       | 36                | 0.0       | 8.35    | 0.0          | 380.0   | 0             | 0 |                               |
| 2005-Dec-14 | 20:44       | 36                | 0.0       | 8.35    | 0.0          | 380.0   | 0             | 0 |                               |
| 2005-Dec-14 | 20:44       |                   |           |         |              |         |               |   | End Displacement              |
| 2005-Dec-14 | 20:45       | 36                | 0.0       | 8.35    | 0.0          | 380.0   | 0             | 0 |                               |
| 2005-Dec-14 | 20:45       |                   |           |         |              |         |               |   | End Job                       |
| 2005-Dec-14 | 20:45       | 36                | 0.0       | 8.35    | 0.0          | 380.0   | 0             | 0 |                               |

**CONFIDENTIAL**  
**MA?**  
**KCC**

**Post Job Summary**

|                                       |                        |         |                         |                               |   |         |    |
|---------------------------------------|------------------------|---------|-------------------------|-------------------------------|---|---------|----|
| Average Pump Rates, bpm               |                        |         |                         | Volume of Fluid Injected, bbl |   |         |    |
| Slurry                                | N2                     | Mud     | Maximum Rate            | Total Slurry                  | Mud   | Spacer  | N2 |
| 5                                     |                        |         | 6                       | 269                           |   | 10      |    |
| Treating Pressure Summary, psi        |                        |         |                         | Breakdown Fluid               |   |         |    |
| Maximum                               | Final                  | Average | Bump Plug to            | Breakdown                     | Volume  | Density |    |
| 500                                   |                        | 200     |                         |                               | bbl   | lb/gal  |    |
| Avg. N2 Percent                       | Designed Slurry Volume |         | Displacement            | Mix Water Temp                | <input checked="" type="checkbox"/> Cement Circulated to Surface? Volume 80 bbl<br><input type="checkbox"/> Washed Thru Perfs To ft |         |    |
| %                                     | 271 bbl                |         | 106 bbl                 | 50 °F                         |   |         |    |
| Customer or Authorized Representative |                        |         | Schlumberger Supervisor |                               | <input type="checkbox"/> CirculationLost <input checked="" type="checkbox"/> Job Completed  |         |    |
| Fillpot, Gregg                        |                        |         | Grigoriev, Valeriy      |                               |   |         |    |



**CONFIDENTIAL**



## Cementing Service Report

| Customer<br><b>OXY USA, INC.</b>   |      |  |   |  |   | Job Number<br><b>2205550192</b>              |                                  |                                       |                                 |                               |                    |  |  |  |  |
|--|------|--|---|--|---|--|----------------------------------|---------------------------------------|---------------------------------|-------------------------------|--------------------|--|--|--|--|
| Well<br><b>BROWN C-6</b>   |      |  | Location (legal)<br><b>Sec 17-T34S-R33W</b> |  |   | Schlumberger Location<br><b>Perryton, TX</b> |                                  |                                       | Job Start<br><b>2005-Dec-31</b> |                               |                    |  |  |  |  |
| Field<br><b>SALLY</b>  |      | Formation Name/Type                              |   |  | Deviation<br><b>°</b>                                 |  | Bit Size<br><b>7.75 in</b>       | Well MD<br><b>6,558 ft</b>            | Well TVD<br><b>6,558 ft</b>     |                               |                    |  |  |  |  |
| County<br><b>SEWARD</b>  |      | State/Province<br><b>KANSAS</b>                  |   |  | BHP<br><b>psi</b>                                     | BHST<br><b>146 °F</b>                        | BHCT<br><b>°F</b>                | Pore Press. Gradient<br><b>psi/ft</b> |                                 |                               |                    |  |  |  |  |
| Well Master:<br><b>0630758808</b>  |      | API / UWI:                                       |   |  | <b>Casing/Liner</b>                                   |  |                                  |                                       |                                 |                               |                    |  |  |  |  |
| Rig Name<br><b>MURFIN 20</b>   |      | Drilled For<br><b>Oil &amp; Gas</b>              |   | Service Via<br><b>Land</b>                     |   | Depth, ft<br><b>6563</b>                     | Size, in<br><b>5.5</b>           | Weight, lb/ft<br><b>17</b>            | Grade                           | Thread                        |                    |  |  |  |  |
| Offshore Zone  |      | Well Class<br><b>New</b>                         |   | Well Type<br><b>Development</b>                |   | <b>Tubing/Drill Pipe</b>                     |                                  |                                       |                                 |                               |                    |  |  |  |  |
| Drilling Fluid Type  |      | Max. Density<br><b>lb/gal</b>                    |   | Plastic Viscosity<br><b>cp</b>                 |   | Depth,                                       | Size, in                         | Weight, lb/ft                         | Grade                           | Thread                        |                    |  |  |  |  |
| Service Line<br><b>Cementing</b>   |      | Job Type<br><b>Cem Prod Casing</b>               |   |  |   | <b>Perforations/Open Hole</b>                |                                  |                                       |                                 |                               |                    |  |  |  |  |
| Max. Allowed Tubing Pressure<br><b>2000 psi</b>  |      | Max. Allowed Ann. Pressure<br><b>psi</b>         |   | Wellhead Connection<br><b>5 1/2" H&amp;S M</b> |   | Top, ft                                      | Bottom, ft                       | spf                                   | No. of Shots                    | Total Interval<br><b>ft</b>   |                    |  |  |  |  |
| Service Instructions<br><b>CEMENT 5 1/2" PRODUCTION CASING WITH:<br/>20 BBL CW100<br/>TAIL 255 SKS 50/50 Poz:H+2%D20+3%M117+ 5 PPS D42+5 PPS<br/>D53+0.25 %D112+ 0.25 %D65 + 0.25%D46 (THIS INCLUDES 25 SKS<br/>FOR MOUSE AND RAT HOLE</b> |      |  |   |  |   | Treat Down<br><b>Casing</b>                  | Displacement<br><b>151.2 bbl</b> | Packer Type                           | Packer Depth<br><b>ft</b>       |                               |                    |  |  |  |  |
|  |      |  |   |  |   | Tubing Vol.<br><b>bbl</b>                    | Casing Vol.<br><b>152 bbl</b>    | Annular Vol.<br><b>203 bbl</b>        | Open Hole Vol<br><b>355 bbl</b> |                               |                    |  |  |  |  |
|  |      |  |   |  |   | <b>Casing/Tools</b>                          |                                  |                                       |                                 |                               | <b>Squeeze Job</b> |  |  |  |  |
|  |      |  |   |  |   | Lift Pressure:<br><b>700 psi</b>             |                                  |                                       |                                 |                               | Shoe Type:         |  |  |  |  |
| Pipe Rotated <input type="checkbox"/>  |      |  |   |  | Pipe Reciprocated <input checked="" type="checkbox"/> |  |                                  |                                       |                                 | Shoe Depth:<br><b>6563 ft</b> | Squeeze Type       |  |  |  |  |
| No. Centralizers:  |      | Top Plugs:<br><b>1</b>                           |   | Bottom Plugs:<br><b>1</b>                      |   | Stage Tool Type:                             |                                  | Tool Depth:<br><b>ft</b>              |                                 |                               |                    |  |  |  |  |
| Cement Head Type:<br><b>Single</b>   |      |  |   |  | Stage Tool Depth:<br><b>ft</b>                        |  | Tail Pipe Size:<br><b>in</b>     |                                       |                                 |                               |                    |  |  |  |  |
| Job Scheduled For:   |      | Arrived on Location:<br><b>2005-Dec-30 22:30</b> |   | Leave Location:<br><b>2005-Dec-31 2:30</b>     |   | Collar Type:                                 |                                  | Tail Pipe Depth:<br><b>ft</b>         |                                 |                               |                    |  |  |  |  |
|  |      |  |   |  | Collar Depth:<br><b>6518 ft</b>                       |  | Sqz Total Vol:<br><b>bbl</b>     |                                       |                                 |                               |                    |  |  |  |  |
| Date   | Time | Treating Pressure<br>24 hr clock<br>psi          | Flow Rate<br>bbl/min                        | CMT VOL<br>bbl                                 | CMT DENS<br>lb/gal                                    | Flowmeter Rate<br>bbl/min                    | Flowmeter Tot<br>bbl             | Message                               |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:15 | -5   | 0.0   | 0.0  | 8.38  | 0.0  | 0.0                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:15 |  |   |  |   |  |                                  | Start Job                             |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:16 | 32   | 0.0   | 0.0  | 8.38  | 0.0  | 0.0                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:16 | 92   | 0.0   | 0.0  | 8.42  | 3.2  | 0.3                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:16 | 2609   | 0.2   | 0.1  | 8.40  | 0.0  | 0.5                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:16 |  |   |  |   |  |                                  | Pressure Test Lines                   |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:16 | 2884   | 0.0   | 0.1  | 8.40  | 0.0  | 0.5                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:17 | 2705   | 0.0   | 0.1  | 8.39  | 0.0  | 0.5                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:17 | 2586   | 0.0   | 0.1  | 8.40  | 0.0  | 0.5                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:18 | 0  | 0.0   | 0.1  | 8.40  | 0.0  | 0.5                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:18 | 73   | 0.0   | 0.1  | 8.41  | 1.3  | 0.5                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:19 | 188  | 3.3   | 1.0  | 8.38  | 2.9  | 1.4                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:19 | 238  | 4.4   | 3.1  | 8.39  | 4.4  | 3.3                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:19 |  |   |  |   |  |                                  | Start Pumping Wash                    |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:19 | 233  | 4.3   | 3.5  | 8.39  | 4.4  | 3.8                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:20 | 229  | 4.4   | 5.3  | 8.39  | 4.5  | 5.6                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:20 | 233  | 4.6   | 7.5  | 8.38  | 4.6  | 7.8                              | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:21 | 238  | 4.7   | 9.8  | 8.38  | 4.7  | 10.1                             | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:21 | 243  | 4.4   | 12.2   | 8.38  | 4.5  | 12.6                             | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:22 | 224  | 4.4   | 14.4   | 8.38  | 4.5  | 14.8                             | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:22 | 229  | 4.5   | 16.7   | 8.38  | 4.7  | 17.1                             | 0                                     |                                 |                               |                    |  |  |  |  |
| 2005-Dec-31  | 0:23 | 233  | 4.6   | 18.9   | 8.37  | 4.8  | 19.5                             | 0                                     |                                 |                               |                    |  |  |  |  |

**RECEIVED**  
**MAR 30 2006**  
**KCC WICHITA**

**CONFIDENTIAL**  
**MAR 28 2006**  
**KCC**

| Well        |             | Field             |           |         | Service Date |                | Customer      |   | Job Number                   |
|-------------|-------------|-------------------|-----------|---------|--------------|----------------|---------------|---|------------------------------|
| BROWN #C-6  |             | SALLY             |           |         | 05365-Dec-31 |                | OXY USA, INC. |   | 2205550192                   |
| Date        | Time        | Treating Pressure | Flow Rate | CMT VOL | CMT DENS     | Flowmeter Rate | Flowmeter Tot | 0 | Message                      |
|             | 24 hr clock | psi               | bbf/min   | bbf     | lb/gal       | bbf/min        | bbf           | 0 |                              |
| 2005-Dec-31 | 0:23        | 243               | 4.6       | 21.2    | 8.35         | 4.8            | 21.9          | 0 |                              |
| 2005-Dec-31 | 0:23        | 27                | 0.0       | 22.0    | 8.33         | 4.1            | 22.7          | 0 |                              |
| 2005-Dec-31 | 0:23        |                   |           |         |              |                |               |   | End Wash                     |
| 2005-Dec-31 | 0:24        |                   |           |         |              |                |               |   | Reset Total, Vol = 22.00 bbl |
| 2005-Dec-31 | 0:24        | 18                | 0.0       | 22.0    | 8.33         | 1.3            | 22.9          | 0 |                              |
| 2005-Dec-31 | 0:24        | 5                 | 0.0       | 0.0     | 8.38         | 0.0            | 0.0           | 0 |                              |
| 2005-Dec-31 | 0:24        | -5                | 0.0       | 0.0     | 8.39         | 2.9            | 0.2           | 0 |                              |
| 2005-Dec-31 | 0:25        | 0                 | 0.0       | 0.0     | 8.33         | 2.9            | 1.7           | 0 |                              |
| 2005-Dec-31 | 0:25        | 0                 | 0.0       | 0.0     | 9.32         | 2.9            | 3.1           | 0 |                              |
| 2005-Dec-31 | 0:26        | 0                 | 0.0       | 0.0     | 10.53        | 2.8            | 4.5           | 0 |                              |
| 2005-Dec-31 | 0:26        | 0                 | 0.0       | 0.0     | 12.61        | 3.1            | 6.0           | 0 |                              |
| 2005-Dec-31 | 0:27        | 0                 | 0.0       | 0.0     | 13.50        | 3.2            | 7.5           | 0 |                              |
| 2005-Dec-31 | 0:27        | 0                 | 0.0       | 0.0     | 13.49        | 3.5            | 9.1           | 0 |                              |
| 2005-Dec-31 | 0:28        | 64                | 0.0       | 0.0     | 13.52        | 3.1            | 9.6           | 0 |                              |
| 2005-Dec-31 | 0:28        | 64                | 0.0       | 0.0     | 13.49        | 2.4            | 10.9          | 0 |                              |
| 2005-Dec-31 | 0:29        | 64                | 0.0       | 0.0     | 13.49        | 2.4            | 12.1          | 0 |                              |
| 2005-Dec-31 | 0:29        | -5                | 0.0       | 0.0     | 13.57        | 0.0            | 12.6          | 0 |                              |
| 2005-Dec-31 | 0:30        | 0                 | 0.0       | 0.0     | 7.81         | 25.0           | 20.0          | 0 |                              |
| 2005-Dec-31 | 0:30        | -5                | 0.0       | 0.0     | 13.67        | 2.5            | 23.1          | 0 |                              |
| 2005-Dec-31 | 0:31        | -5                | 0.0       | 0.0     | 14.30        | 2.9            | 24.4          | 0 |                              |
| 2005-Dec-31 | 0:31        | -5                | 0.0       | 0.0     | 13.69        | 3.3            | 25.9          | 0 |                              |
| 2005-Dec-31 | 0:32        | 50                | 0.0       | 0.0     | 13.71        | 2.1            | 26.6          | 0 |                              |
| 2005-Dec-31 | 0:32        | 69                | 0.0       | 0.0     | 13.69        | 2.4            | 27.8          | 0 |                              |
| 2005-Dec-31 | 0:33        | 69                | 0.0       | 0.0     | 13.69        | 2.4            | 29.0          | 0 |                              |
| 2005-Dec-31 | 0:33        | -5                | 0.0       | 0.0     | 13.71        | 0.0            | 29.4          | 0 |                              |
| 2005-Dec-31 | 0:34        | -5                | 0.0       | 0.0     | 11.65        | 2.8            | 30.4          | 0 |                              |
| 2005-Dec-31 | 0:34        | -5                | 0.0       | 0.0     | 11.55        | 2.4            | 31.7          | 0 |                              |
| 2005-Dec-31 | 0:35        | -5                | 0.0       | 0.0     | 13.01        | 2.8            | 33.0          | 0 |                              |
| 2005-Dec-31 | 0:35        | -5                | 0.0       | 0.0     | 14.04        | 3.0            | 34.5          | 0 |                              |
| 2005-Dec-31 | 0:36        | 105               | 2.6       | 0.1     | 13.95        | 3.3            | 36.0          | 0 |                              |
| 2005-Dec-31 | 0:36        | 330               | 4.0       | 0.9     | 13.94        | 2.7            | 36.4          | 0 |                              |
| 2005-Dec-31 | 0:36        |                   |           |         |              |                |               |   | Reset Total, Vol = 0.88 bbl  |
| 2005-Dec-31 | 0:36        | 375               | 4.1       | 0.2     | 13.93        | 3.7            | 0.2           | 0 |                              |
| 2005-Dec-31 | 0:36        |                   |           |         |              |                |               |   | Start Cement Slurry          |
| 2005-Dec-31 | 0:36        | 320               | 4.4       | 1.0     | 13.94        | 4.5            | 0.9           | 0 |                              |
| 2005-Dec-31 | 0:37        | 375               | 5.5       | 3.7     | 13.78        | 5.6            | 3.6           | 0 |                              |
| 2005-Dec-31 | 0:37        | 325               | 5.6       | 6.5     | 14.06        | 5.8            | 6.5           | 0 |                              |
| 2005-Dec-31 | 0:38        | 275               | 5.6       | 9.3     | 14.07        | 5.7            | 9.3           | 0 |                              |
| 2005-Dec-31 | 0:38        | 293               | 5.8       | 12.1    | 14.21        | 6.0            | 12.3          | 0 |                              |
| 2005-Dec-31 | 0:39        | 238               | 5.9       | 15.1    | 13.91        | 6.1            | 15.3          | 0 |                              |
| 2005-Dec-31 | 0:39        | 247               | 6.1       | 18.1    | 13.90        | 6.2            | 18.4          | 0 |                              |
| 2005-Dec-31 | 0:40        | 252               | 6.2       | 21.2    | 13.84        | 6.4            | 21.5          | 0 |                              |
| 2005-Dec-31 | 0:40        | 224               | 6.0       | 24.2    | 13.43        | 6.2            | 24.6          | 0 |                              |
| 2005-Dec-31 | 0:41        | 101               | 4.3       | 26.5    | 13.55        | 4.4            | 27.0          | 0 |                              |
| 2005-Dec-31 | 0:41        | 215               | 5.8       | 29.0    | 13.76        | 5.9            | 29.5          | 0 |                              |
| 2005-Dec-31 | 0:42        | 220               | 5.8       | 31.9    | 13.97        | 5.9            | 32.5          | 0 |                              |
| 2005-Dec-31 | 0:42        | 233               | 5.8       | 34.9    | 14.07        | 5.9            | 35.5          | 0 |                              |
| 2005-Dec-31 | 0:43        | 238               | 5.9       | 37.8    | 14.01        | 6.0            | 38.5          | 0 |                              |
| 2005-Dec-31 | 0:43        | 220               | 5.8       | 40.8    | 13.79        | 6.0            | 41.5          | 0 |                              |
| 2005-Dec-31 | 0:44        | 220               | 5.8       | 43.6    | 13.91        | 5.9            | 44.5          | 0 |                              |
| 2005-Dec-31 | 0:44        | 243               | 5.9       | 46.6    | 13.98        | 6.0            | 47.4          | 0 |                              |
| 2005-Dec-31 | 0:45        | 224               | 5.8       | 49.4    | 14.00        | 6.0            | 50.4          | 0 |                              |
| 2005-Dec-31 | 0:45        | 243               | 6.0       | 52.4    | 13.93        | 6.1            | 53.4          | 0 |                              |
| 2005-Dec-31 | 0:46        | 243               | 6.0       | 55.4    | 13.95        | 6.1            | 56.5          | 0 |                              |

**CONFIDENTIAL**  
**MAR 28 2006**  
**KCC**

| Well        |             | Field             |           |         | Service Date |                | Customer      |   | Job Number                   |
|-------------|-------------|-------------------|-----------|---------|--------------|----------------|---------------|---|------------------------------|
| BROWN #C-6  |             | SALLY             |           |         | 05365-Dec-31 |                | OXY USA, INC. |   | 2205550192                   |
| Date        | Time        | Treating Pressure | Flow Rate | CMT VOL | CMT DENS     | Flowmeter Rate | Flowmeter Tot | 0 | Message                      |
|             | 24 hr clock | psi               | bbbl/min  | bbbl    | lb/gal       | bbbl/min       | bbbl          | 0 |                              |
| 2005-Dec-31 | 0:46        | 119               | 3.0       | 57.6    | 14.11        | 3.9            | 59.0          | 0 |                              |
| 2005-Dec-31 | 0:47        | 114               | 3.0       | 59.1    | 14.11        | 4.2            | 61.1          | 0 |                              |
| 2005-Dec-31 | 0:47        | -18               | 0.0       | 60.4    | 12.80        | 1.7            | 63.2          | 0 |                              |
| 2005-Dec-31 | 0:47        | -9                | 0.0       | 60.4    | 12.75        | 1.1            | 63.2          | 0 |                              |
| 2005-Dec-31 | 0:47        |                   |           |         |              |                |               |   | End Cement Slurry            |
| 2005-Dec-31 | 0:47        |                   |           |         |              |                |               |   | Reset Total, Vol = 60.44 bbl |
| 2005-Dec-31 | 0:47        | -14               | 0.0       | 60.4    | 12.73        | 0.1            | 63.2          | 0 |                              |
| 2005-Dec-31 | 0:48        | -14               | 0.0       | 0.0     | 9.69         | 3.3            | 0.9           | 0 |                              |
| 2005-Dec-31 | 0:48        | -14               | 0.0       | 0.0     | 9.38         | 3.3            | 2.6           | 0 |                              |
| 2005-Dec-31 | 0:49        | -5                | 0.0       | 0.0     | 9.35         | 3.2            | 4.2           | 0 |                              |
| 2005-Dec-31 | 0:49        | 320               | 6.4       | 0.0     | 9.02         | 6.7            | 6.4           | 0 |                              |
| 2005-Dec-31 | 0:50        | 375               | 7.8       | 0.0     | 8.44         | 8.5            | 10.2          | 0 |                              |
| 2005-Dec-31 | 0:50        | 435               | 7.7       | 0.0     | 8.37         | 8.1            | 14.3          | 0 |                              |
| 2005-Dec-31 | 0:51        | 229               | 5.6       | 0.0     | 8.38         | 5.7            | 17.9          | 0 |                              |
| 2005-Dec-31 | 0:51        | 0                 | 0.0       | 0.0     | 8.25         | 3.4            | 20.2          | 0 |                              |
| 2005-Dec-31 | 0:52        | -5                | 0.0       | 0.0     | 8.38         | 0.0            | 20.9          | 0 |                              |
| 2005-Dec-31 | 0:52        | 179               | 7.9       | 2.1     | 8.38         | 7.9            | 23.0          | 0 |                              |
| 2005-Dec-31 | 0:53        | 114               | 6.2       | 5.9     | 8.36         | 6.7            | 26.9          | 0 |                              |
| 2005-Dec-31 | 0:53        | 101               | 6.2       | 9.0     | 8.38         | 6.4            | 30.1          | 0 |                              |
| 2005-Dec-31 | 0:54        | 101               | 6.2       | 12.1    | 8.38         | 6.4            | 33.3          | 0 |                              |
| 2005-Dec-31 | 0:54        | 101               | 6.2       | 15.2    | 8.38         | 6.4            | 36.5          | 0 |                              |
| 2005-Dec-31 | 0:54        |                   |           |         |              |                |               |   | Drop Top Plug                |
| 2005-Dec-31 | 0:54        | 101               | 6.2       | 15.7    | 8.38         | 6.4            | 37.1          | 0 |                              |
| 2005-Dec-31 | 0:54        |                   |           |         |              |                |               |   | Start Displacement           |
| 2005-Dec-31 | 0:55        | 101               | 6.2       | 18.3    | 8.38         | 6.4            | 18.2          | 0 |                              |
| 2005-Dec-31 | 0:55        | 101               | 6.3       | 21.4    | 8.38         | 6.6            | 21.4          | 0 |                              |
| 2005-Dec-31 | 0:56        | 101               | 6.3       | 24.5    | 8.38         | 6.6            | 24.6          | 0 |                              |
| 2005-Dec-31 | 0:56        | 110               | 6.3       | 27.7    | 8.38         | 6.5            | 27.9          | 0 |                              |
| 2005-Dec-31 | 0:57        | 96                | 6.3       | 30.8    | 8.38         | 6.5            | 31.1          | 0 |                              |
| 2005-Dec-31 | 0:57        | 101               | 6.3       | 34.0    | 8.38         | 6.6            | 34.4          | 0 |                              |
| 2005-Dec-31 | 0:58        | 101               | 6.4       | 37.1    | 8.38         | 6.6            | 37.7          | 0 |                              |
| 2005-Dec-31 | 0:58        | 105               | 6.4       | 40.3    | 8.38         | 6.6            | 41.0          | 0 |                              |
| 2005-Dec-31 | 0:59        | 105               | 6.4       | 43.5    | 8.38         | 6.7            | 44.4          | 0 |                              |
| 2005-Dec-31 | 0:59        | 101               | 6.4       | 46.7    | 8.38         | 6.7            | 47.7          | 0 |                              |
| 2005-Dec-31 | 1:00        | 105               | 6.4       | 49.9    | 8.38         | 6.7            | 51.0          | 0 |                              |
| 2005-Dec-31 | 1:00        | 105               | 6.5       | 53.2    | 8.38         | 6.7            | 54.3          | 0 |                              |
| 2005-Dec-31 | 1:01        | 110               | 6.5       | 56.4    | 8.38         | 6.7            | 57.6          | 0 |                              |
| 2005-Dec-31 | 1:01        | 105               | 6.5       | 59.6    | 8.38         | 6.7            | 61.0          | 0 |                              |
| 2005-Dec-31 | 1:02        | 105               | 6.5       | 62.9    | 8.38         | 6.7            | 64.4          | 0 |                              |
| 2005-Dec-31 | 1:02        | 105               | 6.5       | 66.1    | 8.38         | 6.8            | 67.7          | 0 |                              |
| 2005-Dec-31 | 1:03        | 101               | 6.5       | 69.4    | 8.38         | 6.6            | 71.1          | 0 |                              |
| 2005-Dec-31 | 1:03        | 105               | 6.5       | 72.8    | 8.38         | 6.8            | 74.5          | 0 |                              |
| 2005-Dec-31 | 1:04        | 110               | 6.6       | 76.0    | 8.38         | 6.8            | 77.9          | 0 |                              |
| 2005-Dec-31 | 1:04        | 105               | 6.7       | 79.3    | 8.38         | 6.9            | 81.3          | 0 |                              |
| 2005-Dec-31 | 1:05        | 101               | 6.5       | 82.6    | 8.38         | 6.8            | 84.7          | 0 |                              |
| 2005-Dec-31 | 1:05        | 101               | 6.5       | 85.8    | 8.38         | 6.6            | 88.0          | 0 |                              |
| 2005-Dec-31 | 1:06        | 69                | 4.1       | 88.8    | 8.38         | 5.4            | 91.2          | 0 |                              |
| 2005-Dec-31 | 1:06        | 69                | 4.1       | 90.8    | 8.38         | 5.6            | 93.9          | 0 |                              |
| 2005-Dec-31 | 1:07        | 64                | 4.1       | 92.9    | 8.38         | 5.6            | 96.7          | 0 |                              |
| 2005-Dec-31 | 1:07        | 64                | 4.1       | 94.9    | 8.38         | 5.5            | 99.5          | 0 |                              |
| 2005-Dec-31 | 1:08        | 64                | 4.1       | 97.0    | 8.38         | 5.5            | 102.3         | 0 |                              |
| 2005-Dec-31 | 1:08        | 69                | 4.1       | 99.0    | 8.38         | 5.6            | 105.1         | 0 |                              |
| 2005-Dec-31 | 1:09        | 92                | 6.0       | 101.3   | 8.38         | 5.7            | 107.8         | 0 |                              |
| 2005-Dec-31 | 1:09        | 256               | 6.2       | 104.4   | 8.38         | 6.2            | 111.0         | 0 |                              |

**CONFIDENTIAL**  
MAR 28 2006  
KCC

| Well                                  |             | Field                  |           |                         | Service Date                  |   | Customer      |   | Job Number                    |  |
|---------------------------------------|-------------|------------------------|-----------|-------------------------|-------------------------------|---|---------------|---|-------------------------------|--|
| BROWN #C-6                            |             | SALLY                  |           |                         | 05365-Dec-31                  |   | OXY USA, INC. |   | 2205550192                    |  |
| Date                                  | Time        | Treating Pressure      | Flow Rate | CMT VOL                 | CMT DENS                      | Flowmeter Rate  | Flowmeter Tot | 0   | Message                       |  |
|                                       | 24 hr clock | psi                    | bbbl/min  | bbbl                    | lb/gal                        | bbbl/min  | bbbl          | 0   |                               |  |
| 2005-Dec-31                           | 1:10        | 215                    | 6.2       | 111.5                   | 8.38                          | 6.3   | 114.1         | 0   |                               |  |
| 2005-Dec-31                           | 1:10        | 293                    | 6.2       | 114.6                   | 8.38                          | 6.2   | 117.2         | 0   |                               |  |
| 2005-Dec-31                           | 1:11        | 330                    | 6.3       | 117.7                   | 8.38                          | 6.2   | 120.3         | 0   |                               |  |
| 2005-Dec-31                           | 1:11        | 385                    | 6.3       | 120.8                   | 8.38                          | 6.3   | 123.5         | 0   |                               |  |
| 2005-Dec-31                           | 1:12        | 330                    | 4.6       | 123.5                   | 8.38                          | 4.4   | 126.3         | 0   |                               |  |
| 2005-Dec-31                           | 1:12        | 375                    | 4.9       | 125.9                   | 8.38                          | 4.9   | 128.7         | 0   |                               |  |
| 2005-Dec-31                           | 1:13        | 430                    | 4.9       | 128.4                   | 8.38                          | 4.9   | 131.2         | 0   |                               |  |
| 2005-Dec-31                           | 1:13        | 449                    | 4.8       | 130.8                   | 8.38                          | 4.8   | 133.6         | 0   |                               |  |
| 2005-Dec-31                           | 1:14        | 499                    | 4.9       | 133.3                   | 8.38                          | 5.0   | 136.1         | 0   |                               |  |
| 2005-Dec-31                           | 1:14        | 540                    | 4.9       | 135.7                   | 8.38                          | 4.9   | 138.6         | 0   |                               |  |
| 2005-Dec-31                           | 1:15        | 586                    | 4.9       | 138.2                   | 8.38                          | 4.9   | 141.1         | 0   |                               |  |
| 2005-Dec-31                           | 1:15        | 568                    | 2.6       | 140.4                   | 8.38                          | 2.7   | 143.3         | 0   |                               |  |
| 2005-Dec-31                           | 1:16        | 563                    | 2.6       | 141.7                   | 8.38                          | 2.6   | 144.7         | 0   |                               |  |
| 2005-Dec-31                           | 1:16        | 586                    | 2.7       | 143.0                   | 8.38                          | 2.6   | 146.0         | 0   |                               |  |
| 2005-Dec-31                           | 1:17        | 623                    | 2.6       | 144.3                   | 8.38                          | 2.7   | 147.3         | 0   |                               |  |
| 2005-Dec-31                           | 1:17        | 641                    | 2.7       | 145.6                   | 8.38                          | 2.7   | 148.7         | 0   |                               |  |
| 2005-Dec-31                           | 1:18        | 655                    | 2.6       | 147.0                   | 8.38                          | 2.6   | 150.0         | 0   |                               |  |
| 2005-Dec-31                           | 1:18        | 975                    | 2.6       | 148.3                   | 8.38                          | 2.6   | 151.3         | 0   |                               |  |
| 2005-Dec-31                           | 1:19        | 1126                   | 0.0       | 148.4                   | 8.38                          | 0.0   | 151.5         | 0   |                               |  |
| 2005-Dec-31                           | 1:19        | 1140                   | 0.0       | 148.4                   | 8.38                          | 0.0   | 151.5         | 0   |                               |  |
| 2005-Dec-31                           | 1:19        |                        |           |                         |                               |   |               |   | Bump Top Plug                 |  |
| 2005-Dec-31                           | 1:19        |                        |           |                         |                               |   |               |   | End Displacement              |  |
| 2005-Dec-31                           | 1:19        | 1089                   | 0.0       | 148.4                   | 8.38                          | 0.0   | 151.5         | 0   |                               |  |
| 2005-Dec-31                           | 1:19        | 1144                   | 0.0       | 148.4                   | 8.38                          | 0.0   | 151.5         | 0   |                               |  |
| 2005-Dec-31                           | 1:19        |                        |           |                         |                               |   |               |   | Reset Total, Vol = 148.36 bbl |  |
| 2005-Dec-31                           | 1:19        | 1126                   | 0.0       | 0.0                     | 8.38                          | 0.0   | 0.0           | 0   |                               |  |
| 2005-Dec-31                           | 1:20        | 920                    | 0.0       | 0.0                     | 8.38                          | 0.0   | 0.0           | 0   |                               |  |
| 2005-Dec-31                           | 1:20        | 371                    | 0.0       | 0.0                     | 8.38                          | 0.0   | 0.0           | 0   |                               |  |
| 2005-Dec-31                           | 1:21        | -18                    | 0.0       | 0.0                     | 8.38                          | 0.0   | 0.0           | 0   |                               |  |
| 2005-Dec-31                           | 1:21        |                        |           |                         |                               |   |               |   | End Job                       |  |
| 2005-Dec-31                           | 1:21        | -18                    | 0.0       | 0.0                     | 8.38                          | 0.0   | 0.0           | 0   |                               |  |
| Post Job Summary                      |             |                        |           |                         |                               |   |               |   |                               |  |
| Average Pump Rates, bpm               |             |                        |           |                         | Volume of Fluid Injected, bbl |   |               |   |                               |  |
| Slurry                                | N2          |                        | Mud       | Maximum Rate            | Total Slurry                  | Mud   | Spacer        | N2  |                               |  |
| 5                                     |             |                        |           | 6                       | 63                            | 0   | 20            |   |                               |  |
| Treating Pressure Summary, psi        |             |                        |           |                         | Breakdown Fluid               |   |               |   |                               |  |
| Maximum                               | Final       | Average                |           | Bump Plug to            | Breakdown                     | Volume  |               | Density   |                               |  |
|                                       |             |                        |           | 1125                    |                               |   |               | lb/gal  |                               |  |
| Avg. N2 Percent                       |             | Designed Slurry Volume |           | Displacement            | Mix Water Temp                | Cement Circulated to Surface? Volume  |               | bbl   |                               |  |
| %                                     |             | 63 bbl                 |           | 151.2 bbl               | 50 °F                         | <input type="checkbox"/> Cement Circulated to Surface? Volume<br><input type="checkbox"/> Washed Thru Perfs To ft |               |   |                               |  |
| Customer or Authorized Representative |             |                        |           | Schlumberger Supervisor |                               |   |               | <input type="checkbox"/> CirculationLost<br><input checked="" type="checkbox"/> Job Completed |                               |  |
| Willimon, Wes                         |             |                        |           | Ahrends, Timothy        |                               |   |               |   |                               |  |

**CONFIDENTIAL**  
MAR 29 2006  
KCC

**CONFIDENTIAL**



## Cementing Service Report

|   |  |   |                                      |  |                          |                                       |                                |                      |                           |
|---|--|---|--------------------------------------|--|--------------------------|---------------------------------------|--------------------------------|----------------------|---------------------------|
| Customer<br>OXY USA, INC.   |  |   |                                      |  |                          | Job Number<br>2205550194              |                                |                      |                           |
| Well<br>BROWN C-6   |  |   | Location (legal)<br>Sec 17-T34S-R33W |  |                          | Schlumberger Location<br>Perryton, TX |                                |                      | Job Start<br>2006-Jan-04  |
| Field<br>SALLY  |  | Formation Name/Type                       |                                      | Deviation                                  | Bit Size<br>7.88 in      | Well MD<br>6,558 ft                   |                                | Well TVD<br>6,558 ft |                           |
| County<br>SEWARD  |  | State/Province<br>KANSAS                  |                                      | BHP<br>psi                                 | BHST<br>111 °F           | BHCT<br>°F                            | Pore Press. Gradient<br>psi/ft |                      |                           |
| Well Master:<br>0630758808  |  | API / UWI:                                |                                      | Casing/Liner                               |                          |                                       |                                |                      |                           |
| Rig Name<br>Service Unit  | Drilled For<br>Oil & Gas   | Service Via<br>Land                       |                                      | Depth, ft<br>6563                          | Size, in<br>5.5          | Weight, lb/ft<br>17                   | Grade<br>N80                   | Thread<br>8RD        |                           |
| Offshore Zone   | Well Class<br>New  | Well Type<br>Development                  |                                      | Tubing/Drill Pipe                          |                          |                                       |                                |                      |                           |
| Drilling Fluid Type   |  | Max. Density<br>lb/gal                    | Plastic V: cp                        | Depth,<br>3077                             | Size, in<br>2.375        | Weight, lb/ft<br>4.7                  | Grade<br>N80                   | Thread<br>8RD        |                           |
| Service Line<br>Cementing   |  | Job Type<br>BlkSqz Rpr Prod. Casing       |                                      | Perforations/Open Hole                     |                          |                                       |                                |                      |                           |
| Max. Allowed Tubing Pressure<br>1500 psi  | Max. Allowed Ann. Pressure<br>psi                                    | WellHead Connection<br>2 3/8 & 2" REG     |                                      | Top, ft                                    | Bottom, ft               | spf                                   | No. of Shots                   | Total Interval<br>ft |                           |
| Service Instructions<br>CEMENT 5 1/2" PRODUCTION CASING/ PORT COLLAR WITH:<br>20 BBL CW100<br>300 SKS 50/50 Poz:H+2%D20+3%M117+ 5 PPS D42<br>+ 5 PPS D53+0.6 %D112+ 0.25 %D65 + 0.25%D46<br>DISPLACE WITH FRESH WATER |  |   |                                      | Treat Down<br>Tubing                       | Displacement<br>11.5 bbl | Packer Type                           | Packer Depth<br>ft             | Diameter<br>in       |                           |
| Casing/Tubing Secured <input checked="" type="checkbox"/>   | 1 Hole Volume Circulated prior to Cementing <input type="checkbox"/> | Casing Tools                              |                                      | Squeeze Job                                |                          |                                       |                                |                      |                           |
| Lift Pressure:<br>1300 psi  |  | Pipe Rotated <input type="checkbox"/>     |                                      | Pipe Reciprocated <input type="checkbox"/> |                          | Shoe Type:                            | Squeeze Type                   |                      |                           |
| No. Centralizers:   |  | Top Plugs:                                | Bottom Plugs:                        |  | Shoe Depth:<br>ft        | Tool Type:                            |                                |                      |                           |
| Cement Head Type:   |  |   |                                      | Stage Tool Type:                           |                          | Tool Depth:<br>ft                     |                                |                      |                           |
| Job Scheduled For:<br>1/4/2006 13:30  |  | Arrived on Location:<br>2006-Jan-04 13:30 |                                      | Leave Location:<br>2006-Jan-04 17:30       |                          | Stage Tool Depth:<br>ft               | Tail Pipe Size:<br>in          |                      |                           |
| Collar Type:  |  | Collar Depth:<br>ft                       |                                      | Tail Pipe Depth:<br>ft                     |                          | Sqz Total Vol:<br>bbl                 |                                |                      |                           |
| Date  | Time   | Treating Pressure<br>psi                  | Flow Rate<br>bbl/min                 | Density<br>lb/gal                          | Volume<br>bbl            | 0                                     | 0                              | 0                    | Message                   |
| 2006-Jan-04   | 15:23  | 0   | 0.0                                  | 8.30                                       | 0.0                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:23  |   |                                      |  |                          |                                       |                                |                      | Pressure Test Lines       |
| 2006-Jan-04   | 15:23  | 0   | 0.0                                  | 8.30                                       | 0.0                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:23  | 0   | 0.0                                  | 8.30                                       | 0.0                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:23  | 0   | 0.0                                  | 8.30                                       | 0.0                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:24  | 0   | 0.0                                  | 8.30                                       | 0.0                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:24  | 0   | 0.0                                  | 8.30                                       | 0.0                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:24  | 64  | 0.0                                  | 8.31                                       | 0.0                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:25  | 2385                                      | 0.0                                  | 8.30                                       | 0.1                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:25  | 2188                                      | 0.0                                  | 8.30                                       | 0.1                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:25  | 2147                                      | 0.0                                  | 8.28                                       | 0.1                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:26  | 23  | 0.0                                  | 8.30                                       | 0.1                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:26  | 64  | 0.0                                  | 8.31                                       | 0.1                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:26  | 60  | 0.4                                  | 8.29                                       | 0.1                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:26  |   |                                      |  |                          |                                       |                                |                      | Pressure Test Port Collar |
| 2006-Jan-04   | 15:26  | 87  | 0.4                                  | 8.28                                       | 0.2                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:27  | 266                                       | 0.5                                  | 8.28                                       | 0.4                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:27  | 591                                       | 0.5                                  | 8.28                                       | 0.5                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:27  | 957                                       | 0.6                                  | 8.28                                       | 0.7                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:28  | 1309                                      | 0.6                                  | 8.28                                       | 0.9                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:28  | 1456                                      | 0.0                                  | 8.30                                       | 1.0                      | 0                                     | 0                              | 0                    |                           |
| 2006-Jan-04   | 15:28  | 1433                                      | 0.0                                  | 8.30                                       | 1.0                      | 0                                     | 0                              | 0                    |                           |

RECEIVED  
MAR 30 2006  
KCC WICHITA

CONFIDENTIAL  
MAR 28 2006  
KCC

| Well        |             |                   | Field     |         | Service Date |   | Customer      |   |                              | Job Number |
|-------------|-------------|-------------------|-----------|---------|--------------|---|---------------|---|------------------------------|------------|
| BROWN #C-6  |             |                   | SALLY     |         | 064-Jan-04   |   | OXY USA, INC. |   |                              | 2205550194 |
| Date        | Time        | Treating Pressure | Flow Rate | Density | Volume       | 0 | 0             | 0 | Message                      |            |
|             | 24 hr clock | psi               | bbl/min   | lb/gal  | bbl          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:29       | 1447              | 0.0       | 8.30    | 1.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:29       | 1447              | 0.0       | 8.30    | 1.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:29       | 829               | 0.0       | 8.30    | 1.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:30       | 348               | 0.0       | 8.30    | 1.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:30       | 220               | 0.0       | 8.30    | 1.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:30       |                   |           |         |              |   |               |   | Reset Total, Vol = 1.03 bbl  |            |
| 2006-Jan-04 | 15:30       | 192               | 0.0       | 8.30    | 1.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:30       |                   |           |         |              |   |               |   | Open Port Collar             |            |
| 2006-Jan-04 | 15:30       | 197               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:31       | 183               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:31       | 183               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:31       | 183               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:32       | 183               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:32       | 23                | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:32       | 0                 | 0.0       | 8.31    | 0.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:33       | 0                 | 0.0       | 8.31    | 0.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:33       |                   |           |         |              |   |               |   | Start Pumping Water          |            |
| 2006-Jan-04 | 15:33       | 55                | 0.0       | 8.31    | 0.0          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:33       | 169               | 2.3       | 8.28    | 0.2          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:33       | 298               | 3.0       | 8.28    | 1.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:34       | 311               | 3.0       | 8.30    | 2.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:34       | 316               | 3.0       | 8.30    | 3.2          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:34       | 325               | 3.0       | 8.30    | 4.2          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:35       | 343               | 3.0       | 8.30    | 5.2          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:35       | 339               | 3.0       | 8.30    | 6.2          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:35       | 339               | 3.0       | 8.30    | 7.2          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:36       | 343               | 3.0       | 8.30    | 8.2          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:36       | 362               | 3.0       | 8.30    | 9.2          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:36       |                   |           |         |              |   |               |   | Reset Total, Vol = 10.07 bbl |            |
| 2006-Jan-04 | 15:36       | 348               | 3.0       | 8.30    | 10.1         | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:36       | 357               | 3.0       | 8.30    | 0.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:36       |                   |           |         |              |   |               |   | Start Pumping Wash           |            |
| 2006-Jan-04 | 15:36       | 348               | 3.0       | 8.30    | 0.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:37       | 366               | 3.0       | 8.31    | 1.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:37       | 385               | 3.0       | 8.31    | 2.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:37       | 375               | 3.0       | 8.31    | 3.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:38       | 398               | 3.0       | 8.31    | 4.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:38       | 417               | 3.0       | 8.31    | 5.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:38       | 421               | 3.0       | 8.30    | 6.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:39       | 435               | 3.0       | 8.30    | 7.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:39       | 439               | 3.0       | 8.30    | 8.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:39       | 449               | 3.0       | 8.29    | 9.1          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:40       | 444               | 3.0       | 8.30    | 10.1         | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:40       |                   |           |         |              |   |               |   | Reset Total, Vol = 10.40 bbl |            |
| 2006-Jan-04 | 15:40       | 467               | 3.0       | 8.30    | 10.4         | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:40       | 471               | 3.0       | 8.30    | 0.3          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:40       |                   |           |         |              |   |               |   | Start Pumping Water          |            |
| 2006-Jan-04 | 15:40       | 462               | 3.0       | 8.31    | 0.7          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:40       | 471               | 3.0       | 8.30    | 1.7          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:41       | 513               | 3.0       | 8.28    | 2.7          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:41       | 499               | 3.0       | 8.30    | 3.7          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:41       | 494               | 3.0       | 8.33    | 4.7          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:42       | 467               | 3.0       | 8.89    | 5.7          | 0 | 0             | 0 |                              |            |
| 2006-Jan-04 | 15:42       | 476               | 3.0       | 9.07    | 5.8          | 0 | 0             | 0 |                              |            |

**CONFIDENTIAL**  
**MAR 28 2006**  
**KCC**

| Well        |             | Field             |           |         | Service Date |   | Customer      |   | Job Number                  |
|-------------|-------------|-------------------|-----------|---------|--------------|---|---------------|---|-----------------------------|
| BROWN #C-6  |             | SALLY             |           |         | 064-Jan-04   |   | OXY USA, INC. |   | 2205550194                  |
| Date        | Time        | Treating Pressure | Flow Rate | Density | Volume       | 0 | 0             | 0 | Message                     |
|             | 24 hr clock | psi               | bbl/min   | lb/gal  | bbl          | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:42       |                   |           |         |              |   |               |   | Reset Total, Vol = 5.78 bbl |
| 2006-Jan-04 | 15:42       |                   |           |         |              |   |               |   | Start Cement Slurry         |
| 2006-Jan-04 | 15:42       | 444               | 3.0       | 9.34    | 0.1          | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:42       | 403               | 3.0       | 10.26   | 0.8          | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:42       | 417               | 3.0       | 11.04   | 1.8          | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:43       | 426               | 3.0       | 11.59   | 2.8          | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:43       | 604               | 3.7       | 12.11   | 3.9          | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:43       | 526               | 3.6       | 12.54   | 5.2          | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:44       | 572               | 3.6       | 13.62   | 6.3          | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:44       | 664               | 3.6       | 14.29   | 7.5          | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:44       | 719               | 3.6       | 14.30   | 8.7          | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:45       | 728               | 3.6       | 14.27   | 9.9          | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:45       | 700               | 3.6       | 13.85   | 11.1         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:45       | 728               | 3.6       | 13.71   | 12.3         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:46       | 774               | 3.6       | 13.60   | 13.5         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:46       | 783               | 3.6       | 13.61   | 14.6         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:46       | 829               | 3.6       | 13.83   | 15.8         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:47       | 902               | 3.6       | 13.95   | 17.0         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:47       | 916               | 3.6       | 13.99   | 18.2         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:47       | 1053              | 3.6       | 13.99   | 19.4         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:48       | 989               | 3.6       | 14.00   | 20.6         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:48       | 1099              | 3.6       | 13.98   | 21.8         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:48       | 1094              | 3.6       | 13.96   | 23.0         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:49       | 1089              | 3.6       | 13.88   | 24.2         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:49       | 1108              | 3.6       | 13.78   | 25.4         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:49       | 1099              | 3.6       | 13.69   | 26.6         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:50       | 1131              | 3.6       | 13.66   | 27.8         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:50       | 1140              | 3.6       | 13.65   | 28.9         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:50       | 1154              | 3.6       | 13.72   | 30.1         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:51       | 1144              | 3.6       | 13.77   | 31.3         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:51       | 1122              | 3.6       | 13.82   | 32.5         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:51       | 1112              | 3.6       | 13.85   | 33.7         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:52       | 1144              | 3.6       | 13.89   | 34.9         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:52       | 1131              | 3.6       | 13.91   | 36.1         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:52       | 1117              | 3.6       | 13.91   | 37.3         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:53       | 1144              | 3.6       | 13.86   | 38.5         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:53       | 1122              | 3.6       | 13.77   | 39.7         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:53       | 1140              | 3.6       | 13.67   | 40.9         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:54       | 1131              | 3.6       | 13.84   | 42.1         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:54       | 1131              | 3.6       | 13.91   | 43.3         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:54       | 1140              | 3.6       | 13.91   | 44.5         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:55       | 1186              | 3.6       | 13.96   | 45.7         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:55       | 1131              | 3.6       | 14.00   | 46.9         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:55       | 1181              | 3.6       | 14.11   | 48.1         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:56       | 1208              | 3.6       | 14.16   | 49.2         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:56       | 1195              | 3.5       | 14.37   | 50.4         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:56       | 1199              | 3.6       | 13.58   | 51.6         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:57       | 1231              | 3.6       | 13.98   | 52.8         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:57       | 1236              | 3.5       | 14.07   | 54.0         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:57       | 1236              | 3.6       | 14.11   | 55.2         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:58       | 1254              | 3.6       | 13.96   | 56.4         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:58       | 1259              | 3.6       | 13.80   | 57.5         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:58       | 1231              | 3.6       | 13.52   | 58.7         | 0 | 0             | 0 |                             |
| 2006-Jan-04 | 15:59       | 1241              | 3.6       | 13.84   | 59.9         | 0 | 0             | 0 |                             |

**CONFIDENTIAL**  
**MAR 28 2006**  
**KCC**

| Well        |             | Field             |           |         | Service Date |   | Customer      |   | Job Number                   |
|-------------|-------------|-------------------|-----------|---------|--------------|---|---------------|---|------------------------------|
| BROWN #C-6  |             | SALLY             |           |         | 064-Jan-04   |   | OXY USA, INC. |   | 2205550194                   |
| Date        | Time        | Treating Pressure | Flow Rate | Density | Volume       | 0 | 0             | 0 | Message                      |
|             | 24 hr clock | psi               | bbl/min   | lb/gal  | bbl          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 15:59       | 1231              | 3.6       | 13.81   | 61.1         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 15:59       | 1245              | 3.6       | 13.82   | 62.3         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:00       | 1213              | 3.6       | 13.81   | 63.5         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:00       | 1227              | 3.6       | 13.80   | 64.7         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:00       | 1227              | 3.6       | 13.80   | 65.9         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:01       | 1213              | 3.6       | 13.79   | 67.1         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:01       | 1208              | 3.6       | 13.69   | 68.3         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:01       | 1204              | 3.6       | 13.63   | 69.5         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:02       | 1218              | 3.6       | 13.69   | 70.7         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:02       | 1222              | 3.6       | 13.88   | 71.9         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:02       | 1208              | 3.6       | 14.02   | 73.0         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:03       | 1250              | 3.6       | 13.99   | 74.2         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:03       | 1218              | 3.5       | 13.93   | 75.4         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:03       | 1291              | 3.5       | 13.89   | 76.6         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:04       | 1314              | 3.5       | 13.86   | 77.8         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:04       | 1309              | 3.5       | 13.97   | 79.0         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:04       | 1341              | 3.5       | 14.04   | 80.1         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:05       | 1369              | 3.5       | 13.85   | 81.3         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:05       | 1392              | 3.5       | 13.81   | 82.4         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:05       | 1369              | 3.4       | 13.88   | 83.6         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:06       | 467               | 3.0       | 13.88   | 84.5         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:06       | 760               | 2.9       | 13.88   | 85.5         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:06       | 810               | 2.9       | 13.88   | 86.5         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:07       | 856               | 2.9       | 13.86   | 87.4         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:07       |                   |           |         |              |   |               |   | Reset Total, Vol = 88.22 bbl |
| 2006-Jan-04 | 16:07       | 764               | 2.9       | 11.97   | 88.2         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:07       | 792               | 2.9       | 9.56    | 0.2          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:07       |                   |           |         |              |   |               |   | Start Displacement           |
| 2006-Jan-04 | 16:07       | 897               | 2.9       | 8.51    | 1.2          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:08       | 916               | 2.9       | 8.38    | 2.2          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:08       | 961               | 2.9       | 8.34    | 3.2          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:08       | 1002              | 2.9       | 8.34    | 4.1          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:09       | 1025              | 2.9       | 8.31    | 5.1          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:09       | 1012              | 2.9       | 8.31    | 6.1          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:09       | 980               | 2.9       | 8.31    | 7.1          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:10       | 980               | 2.9       | 8.31    | 8.0          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:10       | 998               | 2.9       | 8.31    | 9.0          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:10       | 1016              | 2.9       | 8.30    | 10.0         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:11       | 998               | 2.9       | 8.30    | 10.9         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:11       | 279               | 0.0       | 8.30    | 11.7         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:11       |                   |           |         |              |   |               |   | Reset Total, Vol = 11.73 bbl |
| 2006-Jan-04 | 16:11       | 504               | 0.0       | 8.30    | 11.7         | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:11       | 490               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:12       |                   |           |         |              |   |               |   | Close Port Collar            |
| 2006-Jan-04 | 16:12       | 499               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:12       | 490               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:12       |                   |           |         |              |   |               |   | Pressure Test Port Collar    |
| 2006-Jan-04 | 16:12       | 494               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:12       | 494               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:12       | 494               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:13       | 494               | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:13       | 1071              | 1.0       | 8.31    | 0.2          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:13       | 1465              | 0.0       | 8.30    | 0.5          | 0 | 0             | 0 |                              |
| 2006-Jan-04 | 16:14       | 1442              | 0.0       | 8.30    | 0.5          | 0 | 0             | 0 |                              |

**CONFIDENTIAL**  
**MAR 28 2006**  
**KCC**



| Well        |             |                   | Field     |         | Service Date |   | Customer      |   | Job Number          |
|-------------|-------------|-------------------|-----------|---------|--------------|---|---------------|---|---------------------|
| BROWN #C-6  |             |                   | SALLY     |         | 064-Jan-04   |   | OXY USA, INC. |   | 2205550194          |
| Date        | Time        | Treating Pressure | Flow Rate | Density | Volume       | 0 | 0             | 0 | Message             |
|             | 24 hr clock | psi               | bbl/min   | lb/gal  | bbl          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:14       | 1437              | 0.0       | 8.31    | 0.5          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:14       | 1433              | 0.0       | 8.31    | 0.5          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:15       | 1433              | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:15       | 1437              | 0.0       | 8.31    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:15       | 819               | 0.0       | 8.31    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:16       | 78                | 0.0       | 8.31    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:16       |                   |           |         |              |   |               |   | TIH 4 Joints        |
| 2006-Jan-04 | 16:16       | 5                 | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:16       | 5                 | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:16       |                   |           |         |              |   |               |   | Wash Pump and Lines |
| 2006-Jan-04 | 16:16       | 5                 | 0.0       | 8.31    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:17       | 5                 | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:17       | 9                 | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:17       | 5                 | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:18       | 5                 | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:18       | 5                 | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:18       | 5                 | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:19       | 5                 | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:19       | 5                 | 0.0       | 8.29    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:19       | 5                 | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:20       | 5                 | 0.0       | 8.30    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:20       | 64                | 0.0       | 8.44    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:20       | 73                | 5.6       | 8.36    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:21       | 105               | 6.4       | 8.34    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:21       | 87                | 6.1       | 8.36    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:21       | 64                | 6.1       | 8.84    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:22       | 64                | 6.1       | 8.96    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:22       | 41                | 3.0       | 8.39    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:22       | 41                | 3.0       | 8.36    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:23       | 41                | 3.0       | 8.37    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:23       | 60                | 3.0       | 8.34    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:23       | 64                | 3.0       | 8.31    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:24       | 23                | 3.0       | 9.02    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:24       | 23                | 3.0       | 10.02   | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:24       | 5                 | 0.0       | 8.26    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:25       | 5                 | 0.0       | 8.28    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:25       | 5                 | 0.0       | 8.28    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:25       | 5                 | 0.0       | 8.28    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:26       | 5                 | 0.0       | 8.28    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:26       | 5                 | 0.0       | 8.28    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:26       | 5                 | 0.0       | 8.28    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:27       | 5                 | 0.0       | 8.28    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:27       | 5                 | 0.0       | 8.26    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:27       | 5                 | 0.0       | 8.28    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:28       | 5                 | 0.0       | 8.28    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:28       | 5                 | 0.0       | 8.29    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:28       | 9                 | 0.0       | 8.29    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:29       | 9                 | 0.0       | 8.29    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:29       | 9                 | 0.0       | 8.29    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:29       | 9                 | 0.0       | 8.29    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:30       | 5                 | 0.0       | 8.29    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:30       | 5                 | 0.0       | 8.29    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:30       | 5                 | 0.0       | 8.29    | 0.0          | 0 | 0             | 0 |                     |
| 2006-Jan-04 | 16:31       | 5                 | 0.0       | 8.29    | 0.0          | 0 | 0             | 0 |                     |

**CONFIDENTIAL**  
**MAR 29 2006**  
**KCC**

| Well        |             |                   | Field     |         |        | Service Date |   | Customer      |                              | Job Number |
|-------------|-------------|-------------------|-----------|---------|--------|--------------|---|---------------|------------------------------|------------|
| BROWN #C-6  |             |                   | SALLY     |         |        | 064-Jan-04   |   | OXY USA, INC. |                              | 2205550194 |
| Date        | Time        | Treating Pressure | Flow Rate | Density | Volume | 0            | 0 | 0             | Message                      |            |
|             | 24 hr clock | psi               | bbl/min   | lb/gal  | bbl    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:31       | 9                 | 0.0       | 8.29    | 0.0    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:31       |                   |           |         |        |              |   |               | Reverse Circulate Tubing     |            |
| 2006-Jan-04 | 16:31       | 9                 | 0.0       | 8.29    | 0.0    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:31       | 73                | 0.0       | 8.29    | 0.0    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:32       | 385               | 2.8       | 8.29    | 0.8    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:32       | 430               | 2.6       | 8.29    | 1.6    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:32       | 467               | 2.6       | 8.29    | 2.5    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:33       | 508               | 2.6       | 8.29    | 3.4    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:33       | 499               | 2.6       | 8.29    | 4.2    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:33       | 499               | 2.6       | 8.29    | 5.1    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:34       | 508               | 2.6       | 8.29    | 5.9    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:34       | 517               | 2.6       | 8.29    | 6.8    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:34       | 517               | 2.6       | 8.29    | 7.7    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:35       | 508               | 2.6       | 8.29    | 8.5    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:35       | 508               | 2.6       | 8.29    | 9.4    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:35       | 504               | 2.6       | 8.29    | 10.2   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:36       | 494               | 2.6       | 8.29    | 11.1   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:36       | 481               | 2.6       | 8.29    | 11.9   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:36       | 412               | 2.6       | 8.29    | 12.8   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:37       | 385               | 2.6       | 8.29    | 13.7   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:37       | 371               | 2.6       | 8.29    | 14.5   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:37       | 320               | 2.6       | 8.29    | 15.4   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:38       | 293               | 2.6       | 8.29    | 16.3   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:38       | 288               | 2.6       | 8.29    | 17.2   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:38       | 288               | 2.6       | 8.29    | 18.0   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:39       | 302               | 2.6       | 8.29    | 18.9   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:39       | 311               | 2.6       | 8.29    | 19.8   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:39       | 307               | 2.6       | 8.29    | 20.7   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:40       | 307               | 2.6       | 8.29    | 21.5   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:40       | 288               | 2.6       | 8.29    | 22.4   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:40       | 293               | 2.6       | 8.29    | 23.3   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:41       | 288               | 2.7       | 8.29    | 24.2   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:41       | 23                | 0.0       | 8.29    | 24.7   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:41       | 9                 | 0.0       | 8.29    | 24.7   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:42       | 9                 | 0.0       | 8.29    | 24.7   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:42       | 5                 | 0.0       | 8.29    | 24.7   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:42       | 5                 | 0.0       | 8.29    | 24.7   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:43       | 5                 | 0.0       | 8.29    | 24.7   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:43       | 5                 | 0.0       | 8.29    | 24.7   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:43       | 5                 | 0.0       | 8.29    | 24.7   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:44       |                   |           |         |        |              |   |               | Reset Total, Vol = 24.65 bbl |            |
| 2006-Jan-04 | 16:44       | 5                 | 0.0       | 8.29    | 24.7   | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:44       | 5                 | 0.0       | 8.29    | 0.0    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:44       | 5                 | 0.0       | 8.29    | 0.0    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:44       | 5                 | 0.0       | 8.29    | 0.0    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:45       | 5                 | 0.0       | 8.29    | 0.0    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:45       | 5                 | 0.0       | 8.29    | 0.0    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:45       | 9                 | 0.0       | 8.29    | 0.0    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:46       |                   |           |         |        |              |   |               | Pressure Test Port Collar    |            |
| 2006-Jan-04 | 16:46       | 9                 | 0.0       | 8.29    | 0.0    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:46       | 69                | 0.0       | 8.29    | 0.0    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:46       | 476               | 0.9       | 8.29    | 0.3    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:47       | 957               | 0.9       | 8.29    | 0.6    | 0            | 0 | 0             |                              |            |
| 2006-Jan-04 | 16:47       | 980               | 0.0       | 8.29    | 0.6    | 0            | 0 | 0             |                              |            |

**CONFIDENTIAL**  
**MAR 28 2006**  
**KCC**

| Well                                  |                        | Field             |                         |   | Service Date                  |             | Customer  |   |         | Job Number |
|---------------------------------------|------------------------|-------------------|-------------------------|---|-------------------------------|-------------|---|---|---------|------------|
| BROWN #C-6                            |                        | SALLY             |                         |   | 064-Jan-04                    |             | OXY USA, INC.   |   |         | 2205550194 |
| Date                                  | Time                   | Treating Pressure | Flow Rate               | Density   | Volume                        | 0           | 0   | 0 | Message |            |
|                                       | 24 hr clock            | psi               | bbl/min                 | lb/gal  | bbl                           | 0           | 0   | 0 |         |            |
| 2006-Jan-04                           | 16:47                  | 957               | 0.0                     | 8.29  | 0.6                           | 0           | 0   | 0 |         |            |
| 2006-Jan-04                           | 16:48                  | 952               | 0.0                     | 8.29  | 0.6                           | 0           | 0   | 0 |         |            |
| 2006-Jan-04                           | 16:48                  | 957               | 0.0                     | 8.29  | 0.0                           | 0           | 0   | 0 |         |            |
| 2006-Jan-04                           | 16:48                  | 275               | 0.0                     | 8.29  | 0.0                           | 0           | 0   | 0 |         |            |
| 2006-Jan-04                           | 16:49                  | 9                 | 0.0                     | 8.28  | 0.0                           | 0           | 0   | 0 |         |            |
| 2006-Jan-04                           | 16:49                  | 9                 | 0.0                     | 8.29  | 0.0                           | 0           | 0   | 0 |         |            |
| 2006-Jan-04                           | 16:49                  | 9                 | 0.0                     | 8.29  | 0.0                           | 0           | 0   | 0 |         |            |
| 2006-Jan-04                           | 16:50                  | 5                 | 0.0                     | 8.29  | 0.0                           | 0           | 0   | 0 |         |            |
| 2006-Jan-04                           | 16:50                  | 5                 | 0.0                     | 8.28  | 0.0                           | 0           | 0   | 0 |         |            |
| Post Job Summary                      |                        |                   |                         |   |                               |             |   |   |         |            |
| Average Pump Rates, bpm               |                        |                   |                         |   | Volume of Fluid Injected, bbl |             |   |   |         |            |
| Slurry                                | N2                     | Mud               | Maximum Rate            | Total Slurry  | Mud                           | Spacer      | N2  |   |         |            |
| 3                                     |                        |                   | 3.8                     | 88  |                               | 25          |   |   |         |            |
| Treating Pressure Summary, psi        |                        |                   |                         |   | Breakdown Fluid               |             |   |   |         |            |
| Maximum                               | Final                  | Average           | Bump Plug to            | Breakdown   | Volume                        | Density     |   |   |         |            |
| 1500                                  |                        | 1100              |                         |   | bbl                           | 8.34 lb/gal |   |   |         |            |
| Avg. N2 Percent                       | Designed Slurry Volume | Displacement      | Mix Water Temp          | <input type="checkbox"/> Cement Circulated to Surface? Volume bbl<br><input type="checkbox"/> Washed Thru Perfs To ft |                               |             |   |   |         |            |
| %                                     | 83 bbl                 | 11.5 bbl          | °F                      |   |                               |             |   |   |         |            |
| Customer or Authorized Representative |                        |                   | Schlumberger Supervisor |   |                               |             | <input type="checkbox"/> Circulation Lost <input checked="" type="checkbox"/> Job Completed |   |         |            |
| Fillpot, Greg                         |                        |                   | Ousley, John            |   |                               |             |   |   |         |            |

**CONFIDENTIAL**  
**MAR 28 2006**  
**KCC**