

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

ORIGINAL

Operator: License # 5144  
Name: Mull Drilling Company, Inc.  
Address: P.O. Box 2758  
City/State/Zip: Wichita KS 67201-2758  
Purchaser: N/A  
Operator Contact Person: Mark Shreve  
Phone: (316) 264-6366  
Contractor: Name: Sterling Drilling Company  
License: 5142  
Wellsite Geologist: Curtis Covey  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)  
If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_  

<u>11/8/05</u>	<u>11/17/05</u>	<u>11/17/05</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date


API No. 15 - 185-23332-00-00  
County: Stafford  
S2 SW NW Sec. 26 Twp. 21 S. R. 13  East  West  
1200 feet from S / N (circle one) Line of Section  
370 feet from E / W (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Leo Well #: 1-26  
Field Name: Gates  
Producing Formation: N/A  
Elevation: Ground: 1870' Kelly Bushing: 1879'  
Total Depth: 3800' Plug Back Total Depth: N/A  
Amount of Surface Pipe Set and Cemented at 280' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
Chloride content 23,000 ppm Fluid volume 500 bbls  
Dewatering method used Hauled offsite  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: Paul's Oilfield Service  
Lease Name: Stargel #2 SWD License No.: 31085  
Quarter \_\_\_\_\_ Sec. 4 Twp. 22 S. R. 12  East  West  
County: Stafford Docket No.: D-21908

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_  
Title: President/COO Date: 1/10/06  
Subscribed and sworn to before me this 10th day of January, 2006.  
Notary Public: Tannish L. Tritt  
Date Commission Expires: 3-26-07



**KCC Office Use ONLY**

YES Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Operator Name: Mull Drilling Company, Inc. Lease Name: Leo Well #: 1-26
Sec. 26 Twp. 21 S. R. 13 County: Stafford

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken [X] Yes [ ] No
Samples Sent to Geological Survey [X] Yes [ ] No
Cores Taken [ ] Yes [X] No
Electric Log Run [X] Yes [ ] No

[X] Log Formation (Top), Depth and Datum [ ] Sample
Name Top Datum
See Attachment

KCC
JAN 10 2006
CONFIDENTIAL

List All E. Logs Run:
ELI: CDL/CNL/PE; DIL; Sonic; MEL

CASING RECORD [X] New [ ] Used
Report all strings set-conductor, surface, intermediate, production, etc.
Table with columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacjs Used, Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD
Table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives

PERFORATION RECORD - Bridge Plugs Set/Type
Specify Footage of Each Interval Perforated
Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)
Depth

RECEIVED
JAN 11 2006
KCC WICHITA

TUBING RECORD
Size Set At Packer At Liner Run [ ] Yes [ ] No

Date of First, Resumerd Production, SWD or Enhr. Producing Method [ ] Flowing [ ] Pumping [ ] Gas Lift [ ] Other (Explain)

Estimated Production Per 24 Hours
Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

Disposition of Gas METHOD OF COMPLETION Production Interval
[ ] Vented [ ] Sold [ ] Used on Lease [ ] Open Hole [ ] Perf. [ ] Dually Comp. [ ] Commingled
[ ] Other (Specify)

**ATTACHMENT TO ACO-1  
Well Completion Form**

**Leo #1-26  
S/2 SW NW NW 26-21S-13W  
Stafford County, Kansas  
API #: 15-185-23332**

<b>LOG TOPS</b>		
<b>FORMATION</b>	<b>DEPTH</b>	<b>SUBSEA</b>
Anhydrite	1650'	(+ 229)
Topeka	2803'	(- 924)
Heebner Sh	3170'	(- 1291)
Toronto LS	3188'	(- 1306)
Douglas Sh	3204'	(- 1325)
Brown Lime (Iatan)	3297'	(- 1418)
Lansing	3316'	(- 1437)
Stark	3492'	(- 1613)
BKC	3536	(- 1657)
Chert	3559'	(- 1680)
Conglomerate	3602'	(- 1723)
Arbuckle	3659'	(- 1780)
LTD	3798'	(- 1919)
RTD	3800'	(- 1921)

**RECEIVED  
JAN 11 2006  
KCC WICHITA**

# ALLIED CEMENTING CO., INC.

22591

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

CONFIDENTIAL

Dr Bond

DATE 11-8-05	SEC. 26	TWP. 21	RANGE 13	CALLED OUT 1:00 PM	ON LOCATION 4:00 PM	JOB START 7:30 PM	JOB FINISH 8:00 PM
LEASE Leo	WELL# 1-26	LOCATION Boston Stafford co. Lu.			COUNTY Stafford	STATE K	
OLD OR NEW (Circle one)				45, 1 E, 45, E/20			

CONTRACTOR Stalling #1  
 TYPE OF JOB Surface  
 HOLE SIZE 12 1/4" T.D. 280'  
 CASING SIZE 8 5/8" DEPTH 275'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. 15'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 14 1/2 bbls

OWNER Same  
 CEMENT  
 AMOUNT ORDERED 275 cu yd 70/30 320cc  
290 cu yd

EQUIPMENT  
 PUMP TRUCK CEMENTER Tom D  
 # 181 HELPER Rick H  
 BULK TRUCK  
 # 341 DRIVER Steve T  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	193	@	8.70	1679.10
POZMIX	82	@	4.70	385.40
GEL	6	@	14.00	84.00
CHLORIDE	8	@	38.00	304.00
ASC		@		
HANDLING	289	@	1.65	462.40
MILEAGE	13x289x.06			225.42
TOTAL				3140.32

RECEIVED

JAN 11 2006

KCC WICHITA

REMARKS:

Ran 275' of 8 5/8" casing. Broke circulation.  
Used 275 cu yd 70/30 320cc 290 cu yd cement  
plug. Replaced with fuel #2.  
Cement did circulate  
Cement in cellar!

SERVICE

DEPTH OF JOB	275'			
PUMP TRUCK CHARGE				670.00
EXTRA FOOTAGE		@		
MILEAGE	13	@	5.00	65.00
MANIFOLD		@		
TOTAL				735.00

CHARGE TO: Mall  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

1-8 5/8 Wood am	@	55.00	55.00	
	@			
	@			
	@			
	@			
TOTAL				

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE X Lornie Saloga

SIGNATURE X Lornie Saloga  
 PRINTED NAME



# ALLIED CEMENTING CO., INC.

22591

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

CONFIDENTIAL

SERVICE POINT:

Dr Bend

DATE <u>11-8-05</u>	SEC. <u>26</u>	TWP. <u>21</u>	RANGE <u>13</u>	CALLED OUT <u>1:00 PM</u>	ON LOCATION <u>4:00 PM</u>	JOB START <u>7:30 PM</u>	JOB FINISH <u>8:00 PM</u>
LEASE <u>Leo</u>	WELL # <u>1-26</u>	LOCATION <u>Benton + Stafford co W.</u>			COUNTY <u>Stafford</u>	STATE <u>K</u>	
OLD OR <u>NEW</u> (Circle one)				<u>4S, 1E, 1/4S, E/4th</u>			

CONTRACTOR Shading #1  
 TYPE OF JOB Surface  
 HOLE SIZE 12 1/4" T.D. 280'  
 CASING SIZE 8 5/8" DEPTH 275'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. 15'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 11 1/2 bbls

OWNER Same  
 CEMENT  
 AMOUNT ORDERED 275 lb 70/30 320cc  
220 net,

EQUIPMENT  
 PUMP TRUCK CEMENTER Tom D  
 # 181 HELPER Rick H  
 BULK TRUCK  
 # 391 DRIVER Steve T  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>193</u>	@	<u>8.70</u>	<u>1679.10</u>
POZMIX	<u>82</u>	@	<u>4.70</u>	<u>385.40</u>
GEL	<u>6</u>	@	<u>14.00</u>	<u>84.00</u>
CHLORIDE	<u>8</u>	@	<u>38.00</u>	<u>304.00</u>
ASC		@		

RECEIVED  
 JAN 11 2009  
 KCC WICHITA  
 HANDLING 289 @ 1.65 462.40  
 MILEAGE 13 x 289 x .06 225.42

TOTAL 3140.32

REMARKS:

Ran 275' of 8 5/8" op. Broke circulation.  
Mixed 275 lb 70/30 320cc 220 net. Added  
plug. Displaced with fuel #20.

Cement did circulate

Cement in cellar

SERVICE

DEPTH OF JOB	<u>275'</u>		
PUMP TRUCK CHARGE			<u>670.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>13</u>	@	<u>5.00</u> <u>65.00</u>
MANIFOLD		@	
		@	
		@	

TOTAL 735.00

CHARGE TO: Mull

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Rick

PLUG & FLOAT EQUIPMENT

<u>1-8 3/8 Wood em</u>	@	<u>55.00</u>	<u>55.00</u>
	@		
	@		
	@		
	@		

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Lonnie Saloga

Lonnie Saloga  
 PRINTED NAME

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

# ALLIED CEMENTING CO., INC.

22595

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
At Bend

DATE <u>11-17-05</u>	SEC. <u>26</u>	TWP. <u>21</u>	RANGE <u>13</u>	CALLED OUT <u>10:00 AM</u>	ON LOCATION <u>12:00 PM</u>	JOB START <u>1:20 PM</u>	JOB FINISH <u>4:30 PM</u>
LEASE <u>Leo</u>	WELL # <u>1-26</u>	LOCATION <u>BT + SP CO LN 45 1E 1/4 S E/3</u>			COUNTY <u>SEDDON</u>	STATE <u>K</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Stadium #1  
 TYPE OF JOB Rotary  
 HOLE SIZE 7 7/8" T.D. 3800'  
 CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4 1/2" DEPTH 3659'  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER Same

CEMENT  
 AMOUNT ORDERED 125 cu yd 60/40 620 sil  
1/4" floreal/yr

COMMON	<u>105</u>	@	<u>8.70</u>	<u>913.50</u>
POZMIX	<u>70</u>	@	<u>4.70</u>	<u>329.00</u>
GEL	<u>11</u>	@	<u>14.00</u>	<u>154.00</u>
CHLORIDE		@		
ASC		@		
<u>floreal 44#</u>		@	<u>1.70</u>	<u>74.80</u>
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>187</u>	@	<u>1.60</u>	<u>299.20</u>
MILEAGE	<u>15.187.6</u>	min		<u>180.00</u>
TOTAL				<u>1950.50</u>

### EQUIPMENT

PUMP TRUCK CEMENTER Tom D  
 # 120 HELPER Bob D  
 BULK TRUCK  
 # 342 DRIVER Terry L  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

RECEIVED

JAN 11 2006

KCC WICHITA

### REMARKS:

Mixed - 50 cu @ 3659'  
40 cu @ 250'  
50 cu @ 270'  
20 cu @ 60'  
15 cu in Rotale

### SERVICE

DEPTH OF JOB	<u>3659'</u>		
PUMP TRUCK CHARGE			<u>750.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>15</u>	@	<u>5.00</u> <u>75.00</u>
MANIFOLD		@	
		@	
		@	
TOTAL <u>825.00</u>			

CHARGE TO: Mull Drilling  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### PLUG & FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
TOTAL <u>0</u>		

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE

Lonnie Salaga

X

Lonnie Salaga

PRINTED NAME