CONFIDENTIAL

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License #5144	API No. 15 - 185-23333 -00-07
Name: Mull Drilling Company, Inc.	County: Stafford
Address: P.O. Box 2758	S2 _SW _ NW _ NE Sec. 11 _ Twp. 21 _ S. R. 13 East ▼ West
City/State/Zip: Wichita KS 67201-2758	1240 feet from S (N)(circle one) Line of Section
Purchaser: N/A JAN 1 0 2006	2310 feet from E W (circle one) Line of Section
Operator Contact Person: Mark Shreve CONFIDENTIAL	Footages Calculated from Nearest Outside Section Corner:
Phone: (316) 264-6366	(circle one) (SE NW SW
Contractor: Name: Sterling Drilling Company	Lease Name: McIlvain Well #: 1-11
License: 5142	Field Name: Mueller
Wellsite Geologist: Roger Martin JAN 1 2 2006	Producing Formation: N/A
Designate Type of Completion:	Elevation: Ground: 1876' Kelly Bushing: 1885'
New Well Re-Entry Workover CC WICHIT	Total Depth: 3710' Plug Back Total Depth: N/A
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 271' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	5 W. 5 W. 5
Original Comp. Date: Original Total Depth:	Chloride content 27,000 ppm Fluid volume 1000 bbls
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 27,000 ppm Fluid volume 1000 hblo
Plug BackPlug Back Total Depth	Dewatering method used Hauled offsite
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name: Paul's Oilfield Service
11/29/05 12/7/05 12/ <b>8</b> /05	Lease Name: Stargel #2 SWD License No.: 31085
Spud Date or Recompletion Date  Date Reached TD  Completion Date or Recompletion Date	Quarter Sec. 4 Twp. 22 S. R. 12
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.  All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
Signature:	KOO OWELL III. OWEL
D	KCC Office Use ONLY
Title: President/COO Date: 1/10/06	Letter of Confidentiality Attached
Subscribed and sworn to before me this low day of	If Denied, Yes Date:
20 06	Wireline Log Received
TANNIS L. TRITT  MY COMMISSION EXPIR  March 26, 2007	Geologist Report Received  UIC Distribution
Date Commission Expires: 3.34.07	

Side Two

ORIGINAL

Operator Name: Wull	Drilling Compa	iny, Inc.		Lea	ase Name:_	Viclivain		_ Well #: <u>1-</u>	11	
Sec. 11 Twp. 21	S. R. <u>13</u>	Ea	st 🗸 West	Cou	inty: Staffo	ord				
INSTRUCTIONS: She tested, time tool open temperature, fluid reco Electric Wireline Logs	and closed, flowing overy, and flow rate	ng and shi es if gas t	ut-in pressures o surface test,	, whether along wit	r shut-in pre	ssure reached	static level, hydro	ostatic pressu	res, botto	n hole
Drill Stem Tests Taken (Attach Additional S		<u>~</u>	Yes 🗌 No		<b>✓</b> L	og Format	on (Top), Depth a	and Datum		Sample
Samples Sent to Geol	ogical Survey	✓.	Yes No		Nam	е		Тор		Datum
Cores Taken Electric Log Run (Submit Copy)		<b>✓</b>	Yes ✓ No Yes ☐ No		See	Attachment				
List All E. Logs Run:										
ELI: CDL/CNL	/PE; DIL; So	onic; M	EL.							
		Rep		RECORI		w Used	tion, etc.	-		
Purpose of String	Size Hole Drilled		ize Casing et (In O.D.)		Veight os. / Ft.	Setting Depth	Type of Cement	# Sacjs Used		ind Percent
Surface	12 1/4"	8 5/8"		20#		271	70/30 Poz	275		2% gel
			ADDITIONAL	_ CEMEN	TING / SQL	EEZE RECORD	)			
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Тур	e of Cement	#Sac	ks Used		Type and P	ercent Additive	S	
Shots Per Foot	PERFORAT Specify	ION RECO Footage of	RD - Bridge Plu Each Interval Pe	gs Set/Typ	ре	Acid, Fra	cture, Shot, Cement	Squeeze Reco	rd	Depth
							R		a Marie	Бори
								112200	Month!	
								WICHI	1	
TUBING RECORD	Size	Set At		Deelee		1		- 49 4 8 8	6 6 6	
				Packer	I AL	Liner Run	Yes No			
Date of First, Resumerd F	Production, SWD or E	Enhr.	Producing Met	hod	Flowing	Pumpir	g Gas Lift	Othe	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	В	ols. Ga	as-Oil Ratio		Gravity
Disposition of Gas	METHOD OF C	OMPLETIC	DN			Production Interv	/al			
Vented Sold (If vented, Subm	Used on Lease		Open Hole Other (Speci	Pe	rf. D	ually Comp.	Commingled			

COMPENIAL

# ATTACHMENT TO ACO-1 Well Completion Form

McIlvain #1-11 S/2 SW NW NE 11-21S-13W Stafford County, Kansas API #: 15-185-23333

#### **LOG TOPS**

20010		
<b>FORMATION</b>	DEPTH	SUBSEA
Anhydrite	722'	(+ 1163)
B/Anhydrite	746'	(+ 1139)
Heebner Sh	3140'	(- 1255)
Toronto LS	3166'	(- 1291)
Douglas Sh	3180'	(- 1295)
Brown Lime	3271'	(- 1386)
Lansing	3284'	(- 1399)
Simpson	3496'	(- 1611)
Arbuckle	3542'	(- 1657)
RTD	3710'	(- 1825)

RECEIVED
JAN 1 2 2503
KCC WICHITA

## ALLIED CEMENTING CO., INC.

22614 CONFIDENTIAL DINT: REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 DATE 1- 29-05 ₩13w LEASEMC //vain LOCATION 281 Awy B.T. + STO Bord Coline WELL# OLD OR NEW (Circle one) CONTRACTOR Sterling OWNER TYPE OF JOB 275 A HOLE SIZE CEMENT CASING SIZE DEPTH 271A AMOUNT ORDERED 275 Common TUBING SIZE DEPTH **DRILL PIPE DEPTH** TOOL DEPTH PRES. MAX MINIMUM COMMON MEAS. LINE **SHOE JOINT POZMIX** CEMENT LEFT IN CSG. **GEL** PERFS. **CHLORIDE** 16 666 DISPLACEMENT ASC (a) **EQUIPMENT** @ @ Mille **PUMP TRUCK** CEMENTER\_ @ 181 HELPER @ **BULK TRUCK** 344 DRIVER **BULK TRUCK** DRIVER @ 06 10 MW. REMARKS: TOTAL 3442 with Rig Med Punt SERVICE Plus Pown w. th 2714 DEPTH OF JOB PUMP TRUCK CHARGE Circulate To Surface **EXTRA FOOTAGE** @ MILEAGE @ \$ MANIFOLD. **@** @ CHARGE TO: Mull Drilling STREET CITY\_ STATE PLUG & FLOAT EQUIPMENT @ To Allied Cementing Co., Inc. @ You are hereby requested to rent cementing equipment @ and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was TOTAL SS.On done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side. TAX. TOTAL CHARGE -- IF PAID IN 30 DAYS

ALLIED	CEMENTI	NG CO.,	INC.	24728
--------	---------	---------	------	-------

REMIT TO P.O. BOX 31 RUSSELL, KANSA	us 67665	SI	ERVICE POINT:	Benel-
	VP. RANGE	CALLED OUT ON LOCATION OF LOCA	- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-	OB FINISH
		- 1. all 2	CSUNTY	STATE
LEASE MCTIMON WELL# 1-1	LOCATION 28/4	Daniel Strop	Mation	73
OLD OR NEW (Circle one)	281 2 3ta Goes	Left fine   senth 3 and	- Shallord	
CONTRACTOR Sterling TYPE OF JOB 18-20. Guy	Right	OWNER YNULL DR	la Co,	
HOLE SIZE 778	T.D. 3710	CEMENT		
CASING SIZE	DEPTH	AMOUNT ORDERED _/2	5 xx 60/40 6	2 ad
TUBING SIZE	DEPTH	A 120 sep 4/40 620	gel to Legist	plugge
DRILL PIPE	DEPTH	well closed all	coment	. //
TOOL	DEPTH	1071	070	16200
PRES. MAX	MINIMUM	COMMON	<u> @ 8.70</u>	1539.9
MEAS. LINE	SHOE JOINT	POZMIX 118	@ <u>4.70</u>	229,6
MEEMENT LEFT IN CSG.		GEL	<u> </u>	0100.1
PERFS.		CHLORIDE	@ <b></b>	
DISPLACEMENT		ASC	<u> </u>	
EQUIP	MENT			
			@	
PUMPTRUCK CEMENTER	dock		@	· · · · · · · · · · · · · · · · · · ·
# 120 HELPER	120		@	14/19/19/19/19/19/19/19/19/19/19/19/19/19/
BULK TRUCK	17/		@	
#  DRIVER	Don		@	
BULK TRUCK			@	
# DRIVER	Tresy	HANDLING 313 MILEAGE 11.6.31	@ 1.60	500.8 206.5
REMA	DICC-	VILEAGE		3053,8
IKENIA	- , /		TOTAL	
15 + plug (2) 3330 cm	the 210 sycenat			
and play @ 760 with	1 50 By de almost	<del>-</del>	RVICE	,
3 Rol eplity @ 3/0" with	1 57 sy Dament			
4th duy @ 60' with		DEPTH OF JOB 3550	)	
Bathala	12 Dr B coment			Let see
Tiguest pest 710° p				150.0
	lug - Had 2 gc	EXTRA FOOTAGE		
back for your censont	lug - Had & go -	EXTRA FOOTAGE	@ 5.00	
310' 4 60' plugo -	lug - Had 2 gc	EXTRA FOOTAGE	@ <b>5.00</b>	
310' 4 60' plags	lug - Had & go -	EXTRA FOOTAGE	@ <b>5.00</b> @	
310' 4 60' plugs-	lug - Had & go -	EXTRA FOOTAGE	@ <b>5.00</b>	
CHARGE TO: Mull	Jacks Co.	EXTRA FOOTAGE	@ <b>5.00</b> @	55.0
CHARGE TO: MITTER STREET P.D. 40 AJ 2	Parly Co.	EXTRA FOOTAGE	@ <b>5.00</b> @	55.0
CHARGE TO: Mull	Parly Co.	EXTRA FOOTAGE  MILEAGE  MANIFOLD	@ <b>5.00</b> @	55.0 805.0
CHARGE TO: MUII & STREET P. P. YOA 2 CITY CITY STAT	Parly Co.	EXTRA FOOTAGE  MILEAGE  MANIFOLD	@ 5.00 @ @ TOTAL OAT EQUIPMENT	55.0 805.0
CHARGE TO: MUII & STREET P. P. YOA 2 CITY CITY STAT	Parly Co.	EXTRA FOOTAGE  MILEAGE  MANIFOLD	@ 5.00 @ @ @  TOTAL  OAT EQUIPMENT	55.0 805.0
CHARGE TO: Mull & STREET P.D. Bay 2 CITY Complete Wichila	COPY	EXTRA FOOTAGE  MILEAGE  MANIFOLD	@ 5.00 @ @ @  TOTAL  OAT EQUIPMENT	55.0 805.0
CHARGE TO: Mall & STREET P.D. 19 STAT  CITY Control of the STAT  CITY Control of the STAT  CITY Control of the STAT  Control of the STA	COPY	EXTRA FOOTAGE  MILEAGE  MANIFOLD	@ 5.00 @ @ @ @ TOTAL  OAT EQUIPMENT @ @ @	55.0 805.0
CHARGE TO: Maj Z  CHARGE TO: Maj Z  CITY Control  To Allied Cementing Co., Inc.  You are hereby requested to r	COPY  Cent cementing equipment	EXTRA FOOTAGE  MILEAGE  MANIFOLD	@ 5.00 @ @ TOTAL  OAT EQUIPMENT @ @	55.0 805.0
CHARGE TO: Mall R STREET FR HOA 2 CITY Wichilou  To Allied Cementing Co., Inc. You are hereby requested to r and furnish cementer and help	COPY  cent cementing equipment per to assist owner or	EXTRA FOOTAGE  MILEAGE  MANIFOLD	@ 5.00 @ @ @ @ TOTAL  OAT EQUIPMENT @ @ @	55.0 805.0
CHARGE TO: Man 2  CHARGE TO: Man 2  CITY Wichilou  To Allied Cementing Co., Inc. You are hereby requested to r and furnish cementer and help contractor to do work as is lis	COPY  cent cementing equipment per to assist owner or sted. The above work was	EXTRA FOOTAGE  MILEAGE  MANIFOLD	@ 5.00 @ @  TOTAL  OAT EQUIPMENT @ @ @	750.0 55.0 805.0
CHARGE TO: Man 2  CHARGE TO: Man 2  CITY Constitution  To Allied Cementing Co., Inc.  You are hereby requested to rand furnish cementer and help contractor to do work as is list done to satisfaction and super	The Correction of owner agent or	EXTRA FOOTAGE  MILEAGE //  MANIFOLD  RECEIVED  JAN 12 2003	@ 5.00 @ @ TOTAL  OAT EQUIPMENT @ @	805.0
CHARGE TO: Man and STATE CITY Contractor to do work as is list done to satisfaction and super contractor. I have read & uncontractor. I have read & uncontractor.	Thanks	EXTRA FOOTAGE  MILEAGE //  MANIFOLD  RECEIVED  JAN 12 2005	@ 5.00 @ @  TOTAL  OAT EQUIPMENT @ @ @	805.0
CHARGE TO: Man 2  CHARGE TO: Man 2  CITY Constitution  To Allied Cementing Co., Inc.  You are hereby requested to rand furnish cementer and help contractor to do work as is list done to satisfaction and super	Thanks	EXTRA FOOTAGE  MILEAGE // MANIFOLD  RECEIVED  JAN 12 2005  KCC WICHTA	@ 5.00 @ @  TOTAL  OAT EQUIPMENT @ @ @	55.0 805.0
CHARGE TO: Man and STATE CITY Contractor to do work as is list done to satisfaction and super contractor. I have read & uncontractor. I have read & uncontractor.	Thanks	EXTRA FOOTAGE  MILEAGE //  MANIFOLD  RECEIVED  JAN 12 2005	@ 5.00 @ @  TOTAL  OAT EQUIPMENT @ @ @	55.0 805.0
CHARGE TO: Man and STATE CITY Contractor to do work as is list done to satisfaction and super contractor. I have read & uncontractor. I have read & uncontractor.	Thanks	EXTRA FOOTAGE  MILEAGE //  MANIFOLD  RECEIVED  JAN 12 2003  KCC WICHITA  TAX  TOTAL CHARGE	© 5.00  © COTAL  OAT EQUIPMENT  © COTAL  TOTAL	805.0
CHARGE TO: Man and STATE CITY Contractor to do work as is list done to satisfaction and super contractor. I have read & uncontractor. I have read & uncontractor.	Thanks	EXTRA FOOTAGE  MILEAGE // MANIFOLD  RECEIVED  JAN 12 2005  KCC WICHTA	© 5.00  © COTAL  OAT EQUIPMENT  © COTAL  TOTAL	805.0
CHARGE TO: Man STATE STA	The Local Services of the services of the latest of the la	EXTRA FOOTAGE  MILEAGE //  MANIFOLD  RECEIVED  JAN 12 2003  KCC WICHITA  TAX  TOTAL CHARGE	© 5.00  © COTAL  OAT EQUIPMENT  © COTAL  TOTAL	805.0
CHARGE TO: Man and STATE CITY Contractor to do work as is list done to satisfaction and super contractor. I have read & uncontractor. I have read & uncontractor.	The Local Services of the services of the latest of the la	EXTRA FOOTAGE  MILEAGE //  MANIFOLD  RECEIVED  JAN 12 2003  KCC WICHITA  TAX  TOTAL CHARGE	© 5.00  © COTAL  OAT EQUIPMENT  © COTAL  TOTAL	805.0
CHARGE TO: Man STATE STA	The Local Services of the services of the latest of the la	EXTRA FOOTAGE  MILEAGE //  MANIFOLD  RECEIVED  JAN 12 2003  KCC WICHITA  TAX  TOTAL CHARGE	© 5.00  © COTAL  OAT EQUIPMENT  © COTAL  TOTAL	805.0