



CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: BuRay, LLC Lease Name: Becker Well #: 5-4
Sec. 5 Twp. 23 S. R. 31 East West County: Finney

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets)
Samples Sent to Geological Survey
Cores Taken
Electric Log Run (Submit Copy)

List All E. Logs Run:

DIL/MEL
SONIC
CDL/CNL

RECEIVED
APR 11 2005
KCC WICHITA

Log Formation (Top), Depth and Datum
Name KCC Top Datum 2897'
Krider MAR 10 2005 2675 (+222)
Lansing CONFIDENTIAL 4040 (-1143)
B/KC 4490 (-1593)
Morrow 4755 (-1858)
Mississippian 4832 (-1935)
St. Louis 4903 (-2006)

Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs./ Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Includes data for 4972.85 and DU@1973.72.

Table with 5 columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives. Includes data for 1973.72 depth with Lite cement and 98# Flo-Seal.

Table with 3 columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used), Depth. Includes data for 4 shots and 4804' - 4818' perforation.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run. Includes data for size 2 3/8, set at 4804, packer at NONE.

Table with 2 columns: Date of First, Resumerd Production, SWD or Enhr., Producing Method. Includes data for pumping method.

Table with 8 columns: Estimated Production Per 24 Hours, Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity. Includes data for 5 oil bbls and 5 water bbls.

Disposition of Gas METHOD OF COMPLETION Production Interval
Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
Other (Specify)

ORIGINAL 18535

# ALLIED CEMENTING CO., INC.

CONFIDENTIAL

KCC

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

Surface

MAR 10 2005

SERVICE POINT:

Oakley

CONFIDENTIAL

DATE <u>1/18/05</u>	SEC. <u>5</u>	TWP. <u>23s</u>	RANGE <u>31W</u>	CALLED OUT	ON LOCATION <u>3:15 PM</u>	JOB START <u>4:50 PM</u>	JOB FINISH <u>5:15 PM</u>
LEASE <u>Becker</u>	WELL # <u>5-4</u>	LOCATION <u>83+6 mi RD 7E 1W 2E N/S</u>		COUNTY <u>Finney</u>	STATE <u>KS</u>		
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Cheyenne #11  
 TYPE OF JOB CMT 8 5/8 SURFACE CSG  
 HOLE SIZE 12 1/4 T.D. 456  
 CASING SIZE 8 5/8 DEPTH 455  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX 200 MINIMUM 50  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 20  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 27 3/4

OWNER Same  
 CEMENT AMOUNT ORDERED 275 sks Com + 27 bag / 3% cc

COMMON	<u>275</u> sks @ <u>9.10</u>	<u>2,502.50</u>
POZMIX	_____ @ _____	_____
GEL	<u>5</u> sks @ <u>11.00</u>	<u>55.00</u>
CHLORIDE	<u>9</u> sks @ <u>33.00</u>	<u>297.00</u>
ASC	_____ @ _____	_____
RECEIVED	_____ @ _____	_____
APR 11 2005	_____ @ _____	_____
KCC WICHITA	_____ @ _____	_____
HANDLING	<u>289</u> sks @ <u>1.35</u>	<u>390.15</u>
MILEAGE	<u>54</u> per sk/mile	<u>939.25</u>
TOTAL		<u>4,183.90</u>

### EQUIPMENT

PUMP TRUCK CEMENTER Max  
 # 191 HELPER Wayne  
 BULK TRUCK DRIVER Alan  
 # 377  
 BULK TRUCK DRIVER \_\_\_\_\_  
 # \_\_\_\_\_

### REMARKS:

CMT 8 5/8 Surface Csg with 275 sks  
CMT Displace 27 3/4 GAL Close  
in Csg Cement Did Circulate

### SERVICE

DEPTH OF JOB	<u>455</u>
PUMP TRUCK CHARGE	<u>570.00</u>
EXTRA FOOTAGE	_____ @ _____
MILEAGE	<u>mi 65</u> @ <u>4.00</u> <u>260.00</u>
MANIFOLD	_____ @ _____
TOTAL	<u>830.00</u>

CHARGE TO: Bu Ray  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### PLUG & FLOAT EQUIPMENT

<u>8 5/8</u>	
<u>1- Centralizer</u>	@ <u>55.00</u>
TOTAL	<u>55.00</u>

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Andr Peros

PRINTED NAME

# ALLIED CEMENTING CO., INC. 19894

CONFIDENTIAL

KCC

ORIGINAL

PERMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

TOP STAGE

MARCH 10 2005

SERVICE POINT:  
Oakley

CONFIDENTIAL

DATE <u>1-22-05</u>	SEC. <u>5</u>	TWP. <u>23s</u>	RANGE <u>3/W</u>	CALLED OUT	ON LOCATION	JOB START <u>6:15 PM</u>	JOB FINISH <u>6:45 PM</u>
LEASE <u>Becker</u>		WELL # <u>S-4</u>		LOCATION <u>83+6 mi R4 7E 1N 2E MS</u>		COUNTY <u>Finney</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Cheyenne Drlg Rig 11

TYPE OF JOB 4th Production (Top Stage)

HOLE SIZE 7 7/8 T.D. 4977

CASING SIZE 4 1/2 DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH 1973.72

TOOL DV TOOL DEPTH 1921.57

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

OWNER Sgnl

CEMENT

AMOUNT ORDERED  
450 SKS Lite 4 1/2 Flo seal

Used 390 SKS

COMMON	@		
POZMIX	@		
GEL	@		
CHLORIDE	@		
ASC	@		
<u>Lite weight 390 SKS</u>	@	<u>8.40</u>	<u>3276.00</u>
<u>Flo seal 98*</u>	@	<u>1.60</u>	<u>156.80</u>
HANDLING <u>450 SKS</u>	@	<u>1.50</u>	<u>675.00</u>
MILEAGE <u>54/mile/mile</u>			<u>1462.50</u>
TOTAL			<u>5570.30</u>

DISPLACEMENT 3 1/2 Bbls

EQUIPMENT

PUMP TRUCK CEMENTER Dean

# 373-292 HELPER Andrew/Max

BULK TRUCK

# 386 DRIVER Mike

BULK TRUCK

# 218 DRIVER Larry

REMARKS:

Drop Dart open DV TOOL. Pump 5 Bbls Mud Had circulation. Mix 380 SKS Lite 4 1/2 Flo seal. Wash Pump & Line. Disp 3 1/2 Bbls Plug Land & Tool closed 1500\* Float Heb. Cement did circulate to surface. Dean, Max, & Larry witness. Dean, Max, & Larry

CHARGE TO: Schafeld Energy / BuRay Energy

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

RECEIVED  
APR 11 2005  
KCC WICHITA

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE

SERVICE

DEPTH OF JOB	<u>1973.72'</u>		
PUMP TRUCK CHARGE			<u>750.00</u>
EXTRA FOOTAGE	@		
MILEAGE <u>65 miles</u>	@		<u>N/C</u>
MANIFOLD	@		
TOTAL			<u>750.00</u>

PLUG & FLOAT EQUIPMENT

_____	@		
_____	@		
_____	@		
_____	@		
_____	@		
TOTAL			_____

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC. ORIGINAL 19893

**CONFIDENTIAL**

ATTN: P.O. BOX 31  
RUSSELL, KANSAS 67665

*Bottom Stage*

SERVICE POINT:  
Oakley

DATE <u>1-22-05</u>	SEC. <u>5</u>	TWP. <u>23s</u>	RANGE <u>31w</u>	CALLED OUT	ON LOCATION <u>9:30 AM</u>	JOB START <u>5:30 PM</u>	JOB FINISH <u>6:00 PM</u>
LEASE <u>Becker</u>	WELL # <u>5-4</u>		LOCATION <u>83+6m Rd 7E 1/4 E N/4</u>		COUNTY <u>Finney</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR <u>Cheyenne Drilling Rig 11</u>	OWNER <u>Same</u>
TYPE OF JOB <u>4 1/2 Production (Bottom Stage)</u>	
HOLE SIZE <u>7 1/8</u>	T.D. <u>2977'</u>
CASING SIZE <u>4 1/2</u>	DEPTH <u>4972.85'</u>
TUBING SIZE	DEPTH <u>4972.85'</u>
DRILL PIPE	DEPTH
TOOL <u>DV-700L</u>	DEPTH <u>1991.57'</u>
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT <u>22.26'</u>
CEMENT LEFT IN CSG. <u>22.26'</u>	
PERFS.	
DISPLACEMENT <u>50 Bbls Water + 30 3/4</u>	

**EQUIPMENT**

PUMP TRUCK CEMENTER <u>Dean</u>
# <u>373-281</u> HELPER <u>Andrew/Max</u>
BULK TRUCK
# <u>218</u> DRIVER <u>Larry</u>
BULK TRUCK
# <u>386</u> DRIVER <u>Mike</u>

CEMENT			
AMOUNT ORDERED	<u>225 sks class 'C'</u>		
COMMON	<u>225 sks</u>	@ <u>11.45</u>	<u>2576.25</u>
POZMIX		@	
GEL		@	
CHLORIDE		@	
ASC		@	
WFR-2	<u>500 gals</u>	@ <u>1.00</u>	<u>500.00</u>
HANDLING	<u>225 sks</u>	@ <u>1.50</u>	<u>337.50</u>
MILEAGE	<u>54/sk/mile</u>		<u>731.25</u>
			<b>TOTAL</b> <u>4145.00</u>

**REMARKS:**

Pump 500 gals WFR-2 followed w/ 225 SK Class "C". Wash pump + line. Disp w/ 50 Bbls Mud + 30 3/4 Bbls Water. Plug Landed 10:00 P. Float Held.

*Thank you*

**SERVICE**

DEPTH OF JOB	<u>4972.85'</u>		
PUMP TRUCK CHARGE			<u>1260.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>65 miles</u>	@ <u>4.00</u>	<u>260.00</u>
MANIFOLD		@	
Pickup mileage		@	<u>100.00</u>
			<b>TOTAL</b> <u>1620.00</u>

CHARGE TO: Schofield Energy/BuRay Energy  
STREET 2425 Highway 41N Suite 130  
CITY Evansville STATE IN ZIP 47711

**RECEIVED**

APR 11 2005

**KCC WICHITA**

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

*4 1/2* **PLUG & FLOAT EQUIPMENT**

Float shoe	@	<u>200.00</u>
Insert	@	<u>210.00</u>
9 - Cen Trglizers	@ <u>45.00</u>	<u>405.00</u>
2 - Baskets	@ <u>116.00</u>	<u>232.00</u>
DV Tool	@	<u>3000.00</u>
<b>TOTAL</b> <u>4047.00</u>		

TAX \_\_\_\_\_  
TOTAL CHARGE \_\_\_\_\_  
DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME