WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #	API No. 15 - 133-26021-0000
Jame: Quest Cherokee, LLC	County: Neosho
Address: P O Box 100	NW_NWSec. 20 Twp. 29 S. R. 19 ✓ East West
City/State/Zip: Benedict, KS 66714	750 feet from S / N (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC RECEIVED	700 feet from E / W (circle one) Line of Section
	Footages Calculated from Nearest Outside Section Corner:
Operator Contact Person: Doug Lamb MAY 2 1 2004	(circle one) NE SE NW SW
Phone: (620) 698-2250 PIAT 2 2007	Lease Name: Gastineau Well #: 20-1
Contractor: Name: James D. Lorenz KCC WICHITA	Field Name: Cherokee Basin CBM
License: 9313	Producing Formation: Not yet complete
Wellsite Geologist: Michael L. Ebers	Elevation: Ground: 1000 Kelly Bushing:
Designate Type of Completion:	
New Well Re-Entry Workover	Total Depth: 1063' Plug Back Total Depth: 1053'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 24 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1053'
Operator:	feet depth to Surface w/ 138 sx cmt.
Well Name:	As Total
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) 5-4-06
Deepening Re-perf Conv. to Enhr./SWD	
	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No.	·
01/23/2004 01/24/2004 01/27/2004	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workov	h the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regul herein are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements
	VOC OWING HAD ONLY
Signature: Nonglas Klamb	KCC Office Use ONLY
Title: Manager Date: 05/19/2004	Letter of Confidentiality Received
intl m	If Denied, Yes Date:
Subscribed and sworn to before me this	, Wireline Log Received
20 04 .	Geologist Report Received
Notary Public: Gennifer R. Houston	UIC Distribution
Date Commission Expires: July 30, 2005	
	JENNIFER R. HOUSTON Notary Public - State of Kansas
1 2000	ppt. Expires Quity 30, 2005

Side Two

perator Name: Ques	st Cherokee, LL	C		Lease Na	me: Gastin	eau		Well #: _20-1	
ec. 20 Twp. 29			West	County: _	Neosh				
ISTRUCTIONS: Sho ested, time tool open emperature, fluid reco lectric Wireline Logs	and closed, flowing very, and flow rate	g and shut-i s if gas to s	n pressures, v surface test, al	whether shut- long with final	in pressure	reached	static level, hydr	ostatic pressure	s, bottom hole
rill Stem Tests Taken		Yes	s 🗸 No		✓Log	Formati	on (Top), Depth	and Datum	Sample
•		[Ye	s V No		Name	lime		Тор 318	Datum +682
amples Sent to Geological Survey			Lenapah Lime Altamont Lime				353	+647	
lectric Log Run		✓ Ye	s No		Pawnee Lime			462	+538
(Submit Copy)		REC	EIVED		Oswego L	ime		531	+469
ist All E. Logs Run:		8441/	3 4:2004		Verdegris			667	+333
Density-Neutro Dual Induction - Gamma Ray Ne	- Guard		2 1 2004 VICHITA		Mississip			999	+1
		Papar	CASING t all strings set-	RECORD	lament lame	Used	ction etc.		
Purpose of String	Size Hole	Size	e Casing	Weight	: 8	Setting	Type of Cement	# Sacks Used	Type and Percent Additives
Suface	Drilled	8-5/8"	(In O.D.)	24.75	24'	Depth	"A"	6sx	Additives
Production	6-3/4"	4-1/2"		6.5	105	3'	"A"	138sx	
			ADDITIONAL	CEMENTING	3 / SQUEEZE	RECOR	D		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Type of Cement Top Bottom			#Sacks Us	sed		Type and	Percent Additives	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Specify Footage of Each Interval Performance PERFORATION RECORD - Bridge Plugs							acture, Shot, Ceme Amount and Kind of		rd Depth
None	Waiting on Pipe	eline							
TUBING RECORD	Size	Set At		Packer At	Line	er Run	Yes 1	No	
Date of First, Resumero	d Production, SWD or	Enhr.	Producing Me	thod	Flowing	Pum	ping Gas	Lift Oth	er (Explain)
Estimated Production	Oil	Bbls.	Gas	Mcf	Water		Bbls.	Gas-Oil Ratio	Gravity
Per 24 Hours	1			i					
Per 24 Hours Disposition of Gas	METHOD OF	COMPLETIC	ON		Pro	duction Int	erval		

**CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER 32729
LOCATION CHANUTE
FOREMAN TODD A. TINDLE

TREATMENT REPORT

DATE	CUSTOMER#	WELL NAME	FORMATION		TRUCK #	DRIVER	TRUCK #	DRIVER	
1-27-04	6628	GASTINEAU		ĺ	255	HERB			
SECTION	TOWNSHIP	RANGE	COUNTY	1	103	WES			
20	205	148	No		286	WILL			
CUSTOMER	1	<u></u>			414	GERRE			
QUEST	MEROKE	F LLC	• ′	ï					
MAILING ADDF	<u> û HEKOKE</u> RESS								
P.O. 2	30X 100								
CITY	The second section of the second seco								
BENE L STATE	DICT		r					, 4	
I .		ZIP CODE	1						
KANSA	<u>'S</u>	66714		i		TYPE OF T	REATMENT		
				, ;	[] SURFACE	PIPE	[] ACID BREAKDOWN		
TIME ARRIVED	ON LOCATION			34gr.	[PRODUCTION CASING [] ACID STIMULATI				
	WELL	DATA		<u> </u>	[] SQUEEZE	CEMENT	[] ACID SPOT	TING	
HOLE SIZE	63/4	PACKER DEPT	Н		[]PLUG&A	BANDON	[]FRAC		
TOTAL DEPTH	1063	PERFORATION	IS	[] PLUG BACK			[] FRAC + NITROGEN		
		SHOTS/FT		* [] MISP. PUMP			[]		
CASING SIZE	41/2	OPEN HOLE		[] OTHER			[]		
CASING DEPT	н / 053								
CASING WEIG	HT	TUBING SIZE		PRESSURE LIMITATIONS					
CASING COND	ITION	TUBING DEPTH	1	· ·			THEORETICAL	INSTRUCTED	
	TUBING WEIGHT				SURFACE PIPE	was the same and t			
	omeniment per proposer per manuscri marian substantinate may be valo besteppelment per de dell'	TUBING COND	ITION		ANNULUS LONG	G STRING			
TREATMENT V	′IA	·		TUBING				<u> </u>	
		_			/				
INSTRUCTION	PRIOR TO JOB	CIRCULAT	E WIFE	RESH H.	o Kun -	SCHEL AHEA	10 W/COTT	anseed.	
HULLS: 5	BBL PAD;	KUN 1	<u> </u>	VE W/ 5	ODIUM SIL	ICATE IN	L AST 5,66	LS; CEMEN	
HATIL DI	K RETURN	FLUSH P	Jump; Pe	ump' PLL	IG W/KCL	WATER;	SET FLOAT	T SHOE	
AUTHO	DRIZATION TO PE	ROCEED		TITLE		LEAD INC	3 7/164	TENCE	
			- ,	1					
TIME	STAGE	BBL'S	INJ RATE	TPROPPANT	SAND / STAGE	PSI	T		
AM / PM	F	PUMPED	INOTIAL	PPG	GAND / GTAGE				
				}			BREAKDOWN	PRESSURE	
							DISPLACEMEN	Т :	
		ECEIVE)				MIX PRESSUR	Ε	
		4 2 4 200 L		¥			MIN PRESSUR	E	
	V	AY 2 1 2004					ISIP		
	K	C WICHI	TA	1			15 MIN.		
				;			MAX RATE		
				į. į.			MIN RATE		
			,						

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Custome all be responsible for and secure COWSagainst any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER

24168

LOCATION CHANUTE

FIELD TICKET

DATE CUSTOMER ACCT # WELL NAME QTR/QTR	SECTION TWP RGE COUNTY FORMATION
104 6628 GASTINEAU#20-1	20 205 19E NO
CHARGE TO QUEST CHEROKEE LLC	OWNER
MAILING ADDRESS Po. Box 100	OPERATOR
CITY & STATE BENEDICT KANSAS 66714	CONTRACTOR

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1-WELL	PUMP CHARGE CEMENT PUMP		525 00
///0	16 SKS	GUSONITE		2919
///8	3 sks	PREMIUM GEL* BENTONITE (AHEAL)	2540
1107	1.5KS	CELLOFLAKE / FLO-SEAL		56.63
11118	15 GAL	SODIUM SILICATE		15000
1215#	1641	KCL		2000
1105	: SK5	COTTONSED HULLS		125
		1		*
				1
1123	6090 GALS	CITY WATER (45BBLS)		6821
7.		RECEIVED		
		BLENDING & HANDLING	7	
5407	20 mi	MAY Z I ZUUT		1000
707	ao m	STAND BY TIME KCC WICHIT		July () man
.5501	31/2 HR	WATER TRANSPORTS		00000
5502	3/2 HR	VACUUM TRUCKS		3.80.20
	3/211.2	FRAC SAND		367250
1126	122 sks	CEMENT OWC		1559.40
		(OWC; 5#GILSONITE: 1/4# FLO-SEAL	SALES TAX	136.95
		Julian to the state of the stat	,	
avin 2790		4	ESTIMATED TOTAL	3590,35

	· •	
CUSTOMER or AGENTS SIGNATURE	CIS FOREMAN TODO A. TINDLE	
	\$	
CUSTOMER or AGENT (PLEASE PRINT)		