

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

Operator: License # 3956

Name: Brungardt Oil & Leasing, Inc

Address P.O. Box 871

City/State/Zip Russell, Kansas 67665

Purchaser: N.C.R.A.

Operator Contact Person: Gary L. Brungardt

Phone (785) 483-4975

Contractor: Name: ~~Doc's Well Service~~ SHIELDS

License: 32030 5184

Wellsite Geologist: Brad Hutchinson

Designate Type of Completion  
 New Well  Re-Entry  Workover

Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_

Deepening  Re-perf.  Conv. to Inj/SWD  
 Plug Back  PBDT  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Inj?)  Docket No. \_\_\_\_\_

4/27/04 5/15/04 6/1/04  
Spud Date Date Reached TD Completion Date

API NO. 15- 167-23253-0000

**ORIGINAL**

County Russell

Approx. 160<sup>L</sup> SW - NW - NW Sec. 23 Twp. 12 Rge. 13 X<sup>E</sup> W

830 Feet from S(N) (circle one) Line of Section

350 Feet from E(W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
NE, SE, (NW) or SW (circle one)

Lease Name Rogg Farms Well # 3

Field Name Waldo

Producing Formation Kansas City

Elevation: Ground 1648 KB 1653

Total Depth 3442 PBDT \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 686 Feet

Multiple Stage Cementing Collar Used? \_\_\_\_\_ Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan ALT#1 KJR 5/31/07  
(Data must be collected from the Reserve Pit)

Chloride content 4,500 ppm Fluid volume 350 bbls

Dewatering method used Evaporation

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name \_\_\_\_\_

Lease Name \_\_\_\_\_ License No. \_\_\_\_\_

\_\_\_\_\_ Quarter Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S Rng. \_\_\_\_\_ E/W

County \_\_\_\_\_ Docket No. \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Gary L. Brungardt

Title Owner Date 6-9-04

Subscribed and sworn to before me this 9<sup>th</sup> day of June, 2004.

Notary Public Ruby M Nowak

Date Commission Expires 6-15-2007

K.C.C. OFFICE USE ONLY		
F	<input type="checkbox"/>	Letter of Confidentiality Attached
C	<input type="checkbox"/>	Wireline Log Received
C	<input type="checkbox"/>	Geologist Report Received
Distribution		
<input type="checkbox"/>	KCC	<input type="checkbox"/> SWD/Rep <input type="checkbox"/> NGPA
<input type="checkbox"/>	KGS	<input type="checkbox"/> Plug <input type="checkbox"/> Other (Specify)

RECEIVED  
JUN 14 2004  
KCC WICHITA

NOTARY PUBLIC - State of Kansas  
RUBY M. NOWAK  
My Appt Exp. 6-15-07

Operator Name Brungardt Oil & Leasing, Inc Lease Name Rogg Farms Well # 3

Sec. 23 Twp. 12 Rge. 13  East  West  
County \_\_\_\_\_

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No  
(Attach Additional Sheets.)  
Samples Sent to Geological Survey  Yes  No  
Cores Taken  Yes  No  
Electric Log Run  Yes  No  
(Submit Copy.)  
List All E.Logs Run:  
Dual Induction  
Sonic

Log  Sample  
Formation (Top), Depth and Datums  
Name Top Datum  
See attached Geo. Report

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	24	686	Common Poxmix	300	Common Poxmix
Oil String	7 7/8	5 1/2	15.5	3438	ASC	225	ASC

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth	
		4	2886 - 2894

TUBING RECORD Size 2 3/8 Set At 3439 Packer At NONE Liner Run  Yes  No

Date of First Resumed Production, SWD or Inj. 6/4/04 Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours Oil X Bbls. 50 Gas NONE Mcf   Water None Bbls.   Gas-Oil Ratio 98% oil 2% gas Gravity 44

Disposition of Gas: METHOD OF COMPLETION Production Interval  
 Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled  
 (If vented, submit ACO-18.)  Other (Specify) \_\_\_\_\_

# ALLIED CEMENTING CO., INC. 17135

Federal Tax I.D.# \_\_\_\_\_

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:     R    

DATE <u>4-29-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START <u>12:45A</u>	JOB FINISH <u>1:00AM</u>
LEASE <u>Rogge Farms</u>	WELL # <u>3</u>		LOCATION <u>BUNKER HILL 10 N 12 W</u>			COUNTY <u>RUSSELL</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)							

CONTRACTOR SNEZDS  
 TYPE OF JOB SURFACE  
 HOLE SIZE 12 1/4 T.D. 688  
 CASING SIZE 8 5/8 DEPTH 684  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. 10-15  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 42 3/4

OWNER \_\_\_\_\_  
 CEMENT  
 AMOUNT ORDERED 300 69/40 390CC  
290GEL

**EQUIPMENT**

PUMP TRUCK CEMENTER MARK  
 # 345 HELPER BILL  
 BULK TRUCK  
 # 362 DRIVER CARY  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>180</u>	@	<u>765</u>	<u>1377.00</u>
POZMIX	<u>120</u>	@	<u>400</u>	<u>480.00</u>
GEL	<u>6</u>	@	<u>1100</u>	<u>6600.00</u>
CHLORIDE	<u>9</u>	@	<u>3000</u>	<u>27000.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>315</u>	@	<u>125</u>	<u>393.75</u>
MILEAGE	<u>541.5</u>	@	<u>5.50</u>	<u>2978.25</u>
<b>TOTAL</b>				<u>29017.50</u>

**REMARKS:**

CEMENT CIRC

RECEIVED

JUN 14 2004

KCC WICHITA

CHARGE TO: BLUNGARD OIL  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB	_____			
PUMP TRUCK CHARGE	_____		<u>630.00</u>	
EXTRA FOOTAGE	_____	@	_____	
MILEAGE	<u>20</u>	@	<u>400</u>	
<u>8 5/8 TRP</u>	_____	@	<u>100.00</u>	
	_____	@	_____	
	_____	@	_____	
<b>TOTAL</b>				<u>810.00</u>

**PLUG & FLOAT EQUIPMENT**

MANIFOLD	_____	@	_____	
	_____	@	_____	
	_____	@	_____	
	_____	@	_____	
	_____	@	_____	
<b>TOTAL</b>				_____

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Burton Beery

Burton Beery  
 PRINTED NAME

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

# ALLIED CEMENTING CO., INC. 17143

Federal Tax I.D.#

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: 2

DATE <u>5-6-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START <u>2:30am</u>	JOB FINISH <u>3:00am</u>
LEASE <u>Rock Farms</u>	WELL # <u>3</u>		LOCATION <u>BLUNKER AILL 9N 12W</u>	COUNTY <u>RUSSELL</u>	STATE <u>KS</u>		
<input checked="" type="radio"/> OLD OR NEW (Circle one)			<u>SEN</u>				

CONTRACTOR SWEEDS

TYPE OF JOB PRODUCTION STRING

HOLE SIZE 7 7/8 T.D. 3442

CASING SIZE 5 1/2 DEPTH 3488

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 18'

CEMENT LEFT IN CSG. 18"

PERFS. \_\_\_\_\_

DISPLACEMENT 83 1/2 BBL

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 225 ASC 2% GEL  
500 GAL WFR-2

EQUIPMENT

PUMP TRUCK CEMENTER MARK

# 366 HELPER SAWLE

BULK TRUCK

# 282 DRIVER CRAIG STEVE

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	_____	@	_____	_____
POZMIX	_____	@	_____	_____
GEL	<u>4</u>	@	<u>11.00</u>	<u>44.00</u>
CHLORIDE	_____	@	_____	_____
ASC	<u>225</u>	@	<u>9.50</u>	<u>2137.50</u>
WFR-	<u>500 gals</u>	@	<u>1.00</u>	<u>500.00</u>
	_____	@	_____	_____
	_____	@	_____	_____
	_____	@	_____	_____
	_____	@	_____	_____
	_____	@	_____	_____
HANDLING	<u>229</u>	@	<u>1.25</u>	<u>286.25</u>
MILEAGE	<u>52 / SK / MILE</u>	@	_____	<u>229.00</u>
			TOTAL	<u>3196.75</u>

REMARKS:

15 SK C.R.H.  
10 SK C.M.H. RECEIVED

PLUG LAMPED JUN 14 2004  
FLOAT HELD KCC WICHITA

CHARGE TO: BLUNKER OIL & LEASING

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Burton Beery

SERVICE

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 1130.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 20 @ 4.00 80.00

5 1/2 TOP @ \_\_\_\_\_ 60.00

Rotating Head @ \_\_\_\_\_ 15.00

TOTAL 1345.00

PLUG & FLOAT EQUIPMENT

5 1/2

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

GUIDE SHOE @ \_\_\_\_\_ 150.00

INSERT @ \_\_\_\_\_ 235.00

9-TURBO @ 50.00 450.00

1-CENT @ \_\_\_\_\_ 40.00

TOTAL 875.00

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

Burton Beery  
PRINTED NAME