

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33335	API No. 15 - 179-21113-60-00
Name: IA Operating, Inc	County: Sheridan
Address: 900 N Tyler Road #14 RECEIVED	NW NW Sec. 29 Twp. 8 S. R. 26 East West
City/State/Zip: Wichita, KS 67212	380 feet from S / (1) (circle one) Line of Section
Purchaser:	420 feet from E / (W) (circle one) Line of Section
Operator Contact Person: Hal Porter KCC WICHITA	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>316</u>) <u>721-0036</u>	(circle one) NE SE NW SW
Contractor: Name: Murfin Drilling Company, Inc.	Lease Name: Pratt Well #: 29-1
License: 30606	Field Name: Wildcat
Wellsite Geologist: Randall Kilian	Producing Formation: Dry Hole
Designate Type of Completion:	Elevation: Ground: 2532' Kelly Bushing: 2537'
New Well Re-Entry Workover	Total Depth: 4389' Plug Back Total Depth: 4389'
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 219 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:	0.0 1/20
Original Comp. Date:Original Total Depth:	Drilling Fluid Management Plan PJA KJR 6/07/6 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 1100 ppm Fluid volume 1200 bbls
Plug BackPlug Back Total Depth	Dewatering method used_evaporate\backfill
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
03/22/04 03/31/04 Dry Hole	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workow Information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. I 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: Have Nu	KCC Office Use ONLY
Title: President Date: 4/10/04	Letter of Confidentiality Received
Subscribed and sworn to before me this Aday of	If Denied, Yes Date:
JULIE B	URROWS Wireline Log Received
	Y PUBLIC F KANSAS Geologist Report Received
Notary Public Lelie Deur My Appt. Exp.	3-1-05 UIC Distribution
Date Commission Expires: March 1, 2005	ANALOGICAL SOCIETATION CONTINUES CON

Side Two

Operator Name: IA O	perating, Inc			Lease	Name:	Pratt		_ Well #: _29-	1	
Sec. 29 Twp. 8			t 🗹 West	County	, Sheri	dan				
INSTRUCTIONS: Shot tested, time tool open temperature, fluid reco Electric Wireline Logs	and closed, flowing very, and flow rate	g and shu s if gas to	t-in pressures, surface test, a	enetrated. whether sh llong with fi	Detail a nut-in pre	Il cores. Report	static level, hydro	static pressur	es, botto	m hole
Drill Stem Tests Taken (Attach Additional Sheets) ✓ Yes No				☑ Log Formation (Top), Depth ar			nd Datum Sample			
Samples Sent to Geole	•	PY	′es ∏No		Nam	e ydrite		Top 2171'		Datum +366
Cores Taken	,		es No		Tope	-		3440'		-903
Electric Log Run					1 .	bner Shale		3646'		-1109
(Submit Copy)								3684'		·1147
List All E. Logs Run:					Lans	Scott		4100'		1563
Geologist Well I	Depart Dual I	ndustic			1	al Depth		4390'		1853
Log, Microresisti Log, Borehole C	vity Log, Dua	I Comp	ensated Po	orsity	1016	пъерш		4000	_	1000
		Repo		RECORD	rface into	ew Used	ion etc.			
Purpose of String	Size Hole Drilled	Si	ze Casing		Weight Setting		Type of Cement	# Sacks		and Percent
Surface	12 1/4"	Set (In O.D.) 8 5/8"		24	, Ft.	Depth 219'	Common	150		o, 2 % gel
								100	707000	,, 2 % goi
		 	· · · · · · · · · · · · · · · · · · ·							THE RESIDENCE OF THE PROPERTY
			ADDITIONAL	CEMENTIN	NG / SOI	IEEZE DECODO				***************************************
Purpose:	Depth	Type	of Cement	#Sacks	NG / SQUEEZE RECORD Type and Percent Additives					
Perforate Top Bottom Protect Casing Plug Back TD		,,,,	Type of Comon.		i, po ana i onomi nadmio					
Plug Off Zone										
	PERFORATI	ON RECO	RD - Bridge Pluc	as Set/Type		Acid Frag	ture Shot Cemen	Squeeze Beco	rd	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth						
		RECEIVED								
					JUN	4 2004				
						C WICHITA				
			······································			VICHIIA				

TUBING RECORD	Size	Set At		Packer A	it	Liner Run	Yes No			
Date of First, Resumerd I	Production, SWD or E	Enhr.	Producing Met	hod	1	<u></u>			***************************************	
Estimated Production	T oii	Bbis.	Gas	Mcf	Flowin Wate			······································	er <i>(Explain</i>	
Per 24 Hours			Gas	WIOI	vvati	zı B	ols. G	as-Oil Ratio		Gravity
Disposition of Gas	METHOD OF (COMPLETION	NC	***************************************		Production Inter	val			
Vented Sold	Used on Lease		Open Hole	Perf.		Dually Comp.	Commingled _			
(If vented, Subr	mi AUU-18.)		Other (Speci	ify)	····					

ALLIED CEMENTING CO., INC. 14011

SERVICE POINT:

REMIT TO P.O. BOX 31 **RUSSELL, KANSAS 67665** ON LOCATION JOB START CALLED OUT 12:30AM 1200AM 10:45PM LOCATION TASCO 126-12 SE-15-EDUESHERTOLAN OLD OR NEW (Circle one) MURFIN DRLG. SAME OWNER CONTRACTOR TYPE OF JOB **CEMENT HOLE SIZE** AMOUNT ORDERED 150 SKS COM32CC 276EC **DEPTH CASING SIZE** TUBING SIZE **DEPTH DRILL PIPE DEPTH DEPTH** TOOL COMMON PRES. MAX <u>MINIMUM</u> POZMIX MEAS. LINE 3 s.Ks CEMENT LEFT IN CSG. GEL CHLORIDE 5 5Ks PERFS. 13 BBL, DISPLACEMENT **EQUIPMENT** TERRY CEMENTER ___ **PUMP TRUCK** HELPER WAYNE 177 @ HANDLING **BULK TRUCK** MILEAGE OST DERSKIMTI 315 DRIVER TOTAL 2009 20 **BULK TRUCK** DRIVER **SERVICE REMARKS: DEPTH OF JOB** CEMENT PUMP TRUCK CHARGE EXTRA FOOTAGE RECEIVED @ 37 MILEAGE 50 MI JUN 142004 PLUG **85**/8 SURFACE @ @ KCC WICHITA @ THANK YOU TOTAL _ 740 % CHARGE TO: IA DARATING, INC. FLOAT EQUIPMENT ____ ZIP__ STATE __ @ @ @ To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment TOTAL _ and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or TAX ____ contractor. I have read & understand the "TERMS AND TOTAL CHARGE __ CONDITIONS" listed on the reverse side. DISCOUNT ____ SIGNATURE Kuth Van Lit PRINTED NAME

ALLIED CEMENTING CO., INC. 13696

REMIT TO P.O. B RUSS	OX 31 ELL, KAN	SAS 6766	55		SER	VICE POINT: <u>OGK</u>	ley					
3-30-04 DATE	SEG 9	TWP.	RANGE 26w	CALLED OUT	ON LOCATION	JOB START	JOB FINISH					
LEASE 1977	WELL#7	9-1	LOCATION 7980	0 /E 25	E/S	COUNTY	STATE					
OLD OR NEW (Ci												
CONTRACTOR		h pri	la Rig 3	OWNER	59me							
TYPE OF JOB HOLE SIZE 7	78	T.D.	4389	CEMENT								
CASING SIZE		DEF			AMOUNT ORDERED							
TUBING SIZE		DEF		1905Ks 60/40Por 120Gel 14 PloSe								
DRILL PIPE		DEF	TH 2/75'									
TOOL		DEF		COMMON_	11466	0025	951.90					
	PRES. MAX MINIMUM				1145ks 765ks	@ <u>8:35</u> @ 7.80	288.80					
MEAS. LINE	T CCC	SHC	DE JOINT	_ POZMIX _ GEL	10.5KS	@ 10.00	100.00					
CEMENT LEFT IN PERFS.	v CSG.			_ GEL _ CHLORIDE		_ @ <i>72:.00</i> 	700.00					
DISPLACEMENT				_ CIILORIDE								
DISI LACLINILIVI	EQUI	PMENT		Pla Seal	484	@ <i></i>	67.20					
PUMP TRUCK	CEMENTE	R	egn			@ @						
	HELPER	Fu 2.	2-1/	- HANDLING	200 SK		230.00					
BULK TRUCK		,		MILEAGE_		ile	500.00					
	DRIVER	Larr	<u> </u>									
BULK TRUCK	DRIVER			_		TOTAL	2137,90					
	REM	ARKS:			SERVI	CE						
157 Plug 21	175' W	125	sks	DEPTH OF J	ЮВ	17.5						
2d Plug 13	300' W	1000	<u>sks</u>		CK CHARGE		-520.00					
3rd Plug 2	60 h		<u>sks</u>	EXTRA FOO		_@	17					
474 Plug 40	1 w/10	, ,	Plug	_ MILEAGE	30 Miles	@ 3,50	175.00					
15585 In	Sat H	ble_		PLUG 8/2	& Pry Hale	_	23,00					
	N		hank you			_						
A STATE OF THE STA			1411 XCG	***************************************			Walter and the second s					
CHARGE TO: Z	AO	oem Ti	ha Inc			TOTAL	718.00					
STREET	•			_	FLOAT EQU	IPMENT						
CITY	STA	TE	: .			@						
			RECEIVED				And the same of th					
			JUN 1 4 2004	44-4-4-60-400M-904-60-60-60-60-60-60-60-60-60-60-60-60-60-								
			JUN 172007			_ @ 	West of the second seco					
			KCC WICHITA				H					
-	-		enting equipment			TOTAL						
and furnish cemer		-				IOIAL						
			e above work was									
done to satisfaction	•		•			-						
			the "TERMS AND	TOTAL CHA	ARGE		annannan mannan er en samme er en samme er en					
CONDITIONS" I	isted on the	e reverse	side.									
	,			DISCOUNT		—— IF PAII	DAYS מו כ					
SIGNATURE	eitt 1	Can 4	Post									
- /\ ettp t' ver + est				-	PRINTED NAME							