Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM

Operator: License # 33344

Phone: (620) 698-2250

Address: P O Box 100

WELL HISTORY - DESCRIPTION OF WELL & LEASE ORIGINAL 099-23474 API No. 15 - 09-23477-00-00 Name: Quest Cherokee, LLC County: LABETTE City/State/Zip: Benedict, KS 66714 1980 __ feet from(S)/ N (circle one) Line of Section Purchaser: Bluestem Pipeline, LLC 660 feet from (E) W (circle one) Line of Section Operator Contact Person: Douglas L. Lamb Footages Calculated from Nearest Outside Section Corner: (circle one) NE (SE) Lease Name: HINKLE, DAVID Contractor: Name: JAMES LORENZ Field Name: CHEROKEE BASIN CBM Producing Formation: NOT YET COMPLETE Elevation: Ground: 854 __ Kelly Bushing:__ Total Depth: 836 4 Plug Back Total Depth: 832.32 Amount of Surface Pipe Set and Cemented at 21'6" Feet Multiple Stage Cementing Collar Used? Yes ✓ No If yes, show depth set _ If Alternate II completion, cement circulated from 832.32 feet depth to SURFACE w/ 107 Drilling Fluid Management Plan (Data must be collected from the Reserve Pi __Conv. to Enhr./SWD Chloride content ____ ____ ppm Fluid volume____ Plug Back Total Depth Dewatering method used_ Location of fluid disposal if hauled offsite: Operator Name:____ ____License No.:____ 06-08-04 Quarter____ Sec.___ Twp.___S. R.___ East West Completion Date or Recompletion Date ____ Docket No.: ____

License: 9313 Wellsite Geologist: N/A Designate Type of Completion: ✓ New Well ____ Re-Entry _ __ SWD __ ___ SIOW ____Temp. Abd. ENHR ___ ___ SIGW __ Other (Core, WSW, Expl., Cathodic, etc) If Workover/Re-entry: Old Well Info as follows: Operator:_ Well Name:_ Original Comp. Date: _____ Original Total Depth: ___ ____ Re-perf. Deepening __ Plug Back_ __ Commingled Docket No __ Dual Completion Docket No.___ Other (SWD or Enhr.?) Docket No. 05-18-2004 05-19-2004 Spud Date or Date Reached TD Recompletion Date INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells. All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge. KCC Office Use ONLY Date: 10/04/04 Manager Letter of Confidentiality Received Subscribed and sworn to before me this 4th day of CKAher If Denied, Yes Date:_ Wireline Log Received 20 (34 **Geologist Report Received** UIC Distribution Date Commission Expires: _ My Appt. Expires On U

Side Two

ORIGINAL

Operator Name: Quest Cherokee, LLC				Lease Name: HINKLE, DAVID W			Well #: 19-1			
Sec. 19 Twp. 32 S. R. 19 ✓ East West					y: LABE	TTE		www.		
INSTRUCTIONS: Si tested, time tool ope temperature, fluid red Electric Wireline Log	n and closed, flowing covery, and flow rate	g and shu s if gas to	i-in pressures, surface test, a	whether sl long with f	hut-in pr	essure reached	static level, hydro	ostatic pressure	s, bottom hole	
Drill Stem Tests Taken					✓ Log Formation (Top), Depth and Datum				Sample	
Samples Sent to Ge	ological Survey		es 🗸 No		Name Lenapah Lime			Top ABSENT	Datum ABSENT	
Cores Taken		□ Y			Itamont Lime		ABSENT	ABSENT		
Electric Log Run		✓ Y	es No			nee Lime		168'	+686'	
(Submit Copy)						ego Lime		253 1/2'	+600 1/2	
List All E. Logs Run:					1	-		404'	+450	
DUAL INDUCTOMP. DENS	TION LOG ITY NEUTRON	N LOG							+80	
		Repo		RECORD conductor, si		ew Used ermediate, produc	ction, etc.			
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)				Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	11	8-5/8"		24.75#		21.5	"A"	6		
Production	6 3/4	4-1/2"		10.5#		832.32	"A"	107		
			ADDITIONAL	. CEMENTI	ING / SQ	JEEZE RECORI	D		<u> </u>	
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туро	of Cement	#Sacks	s Used		Type and	Percent Additives		
01-4- D 51	PERFORAT	ION RECO	RD - Bridge Pluc	ıs Set/Tvpe	1	Acid. Fra	acture, Shot, Cemer	nt Saueeze Recor	•	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Specify Footage of Each Interval Perfor				forated	orated (Amount and King			nd of Material Used) Depth		
	NONE WAITING	ON PIF	PELINE							
						RECEIVE				
	ncr - VED									
	RECEIVED OCT 15 2004 KCC WICHITA									
TUBING RECORD Size Set At Packer At Liner Run Yes No										
Date of First, Resumer	d Production, SWD or I	Enhr.	Producing Met		Flowin	g Pump	ing Gas L	ift Othe	r (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er E	3bls.	Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF	COMPLETION	N			Production Inte	rval			
Vented Sold	Used on Lease ubmit ACO-18.)		Open Hole Other (Spec	Perf	f	Dually Comp.	Commingled			



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

ORIGINAL.

TICKET NUMBER 24453

LOCATION Chanute

FIELD TICKET

DATE CUS	TOMER ACCT # WELL NAME	QTR/QTR	SECTION	TWP	RGE	COUNTY	FORMATION		
6-8-04	668 HINKE # 19-1		17	" Deplan"	175	LP			
CHARGE TO QUE	st Cherokee UC		OWNER						
MAILING ADDRESS P.O. BOX 100				OPERATOR					
CITY & STATE B	enedict, Kansas	46714	CONTRACT	OR					
	·		1						
ACCOUNT QUANTITY or UNITS DESCRIPTION OF				OR PRODU	CT	UNIT	TOTAL		

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1-Well	PUMP CHARGE Criment pump		1007 302
1110	105K	gilsonete		19400
1107	· 1 = K	Flo-Stal		3775
1118	2 5K	Premium gel (2 ahead)		2369
1215A	19al	KCL		220-
11118	15 gal	Sodium Silicate		12000
-				* !!
		,		
1123	3340 gal	city water (80 bbl)		37,30
		RECO		
		Oca ElVa		
		BLENDING & HANDLING TON-MILES MINIMUM STAND BY TIME)	
		* 1°C . 2004		
		BLENDING & HANDLING		and the second
5407	He mi	TON-MILES MINIMUM		1900
		STAND BY TIME		
		MILEAGE		:
5501C	2 hr	WATER TRANSPORTS		1600
5502C	2 hr	VACUUM TRUCKS		130
		FRAC SAND		
1126	# 101 5K	CEMENTOWC (107 SK T		1141.30
			SALES TAX	10358
	(owe; 5 gilsonete; 1/4 flo seal		
Ravin 2790				
		1	ESTIMATED TOTAL	エ・アノとく

CUSTOMER or AGENTS SIGNATURE	_cis foreman _ Todd A. Tindle	
CUSTOMER or AGENT (PLEASE PRINT)	DATE	

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

RECEIVED OCT 15 2004 KCC WICHITA TREATMENT REPORT

TICKET NUMBER	31848	Ì
LOCATION Ch	anute	\$
FOREMAN Toda	A. Tindi	6

ORIGINAL

		f		*				9 Water
DATE	CUSTOMER #	WELL NAME	FORMATION	1	TRUCK #	DRIVER	TRUCK #	DRIVER
6-8.04	6628	Hinkle 19-1			John	255		
SECTION	TOWNSHIP	RANGE	COUNTY	1	206	· Wes		
19	325	19€	LB		140	Tim		
CUSTOMER	an de como megas com disculso de como en como e	dan manasarka mimira manasara	<u> </u>	1 :	370	Joc		
Quest 11	herry LLC	a.						
MAILING ADDF	<i>herder 220</i> RESS	·		1	***************************************			
P.O. Box	100				4			
CITY				1				· · · · · · · · · · · · · · · · · · ·
P.O. Box CITY Benedu STATE	A .			1	L			
STATE	- Commonwhite poder open day see exercise massificance du stabilità tabbique della Male	ZIP CODE		1 .				
Kansas	f.,	46714				TYPE OF T	REATMENT	
					[] SURFACE		[] ACID BREA	KDOWN
TIME ARRIVED	ON LOCATION			* ·	1		[] ACID STIM	
waxayaan aasaa aa aa aayaa aana	WELL	DATA		-	1	CEMENT	[] ACID SPOT	
HOLE SIZE /	1,3/4	PACKER DEPT	Ή] ,	[] PLUG & AE		[]FRAC	,
TOTAL DEPTH		PERFORATION	IS	1 .	[] PLUG BAC		[]FRAC + NIT	ROGEN
		SHOTS/FT	***************************************	1	[] MISP. PUM		[]	
7.7		OPEN HOLE		1	[]OTHER		[]	
CASING DEPT								
CASING WEIG		TUBING SIZE		1		PRESSURE	LIMITATIONS	
CASING COND	DITION	TUBING DEPTI	-	1			THEORETICAL	INSTRUCTED
Account to the second s	in may name and all provide unpublica and any flore of management of the state of the state of the state of the	TUBING WEIGH	НТ	1	SURFACE PIPE			**************************************
		TUBING COND	ITION	1	ANNULUS LONG	STRING		
TREATMENT V	11A Cement C	eadin 12.5.	Tai/ 13.9	•	TUBING	and a second		
				1, 1				I
INSTRUCTION	PRIOR TO JOB	Circulate	w/firsh	HP0 2	igel ahead	1: Run 6	Lot che	ml 15 a
Sodium 3	Silicate i	CAMPAT 11	atil due	refur	" flush	Dilwoo 1	Junio Al	yo wil
KCL WAL		float sh				prograp	early free	9 44:
	DRIZATION TO PE			TITLE			, DA	NTE .
				į.		*		
			•			•		
TIME AM / PM	STAGE	BBL'S PUMPED	INJ RATE	PROPPANT PPG	SAND / STAGE	PSI		
7 1107 7 100	. 6:	1 OWN ED	<u> </u>	119		-	DDE AKDOMALI	DDEOGUDE
			***************************************	1	· · · · · · · · · · · · · · · · · · ·		BREAKDOWN	717
				1			DISPLACEMEN	
							MIX PRESSURI	
				 			MIN PRESSURI	<u> </u>
							ISIP	
							15 MIN.	
							MAX RATE	
	1	L	l	1	1	I	MIN RATE	

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials, customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer be responsible for and secure Costs against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.