Kansas Corporation Commission Oil & Gas Conservation Division

WELL PLUGGING APPLICATION

Please TYPE Form and File ONE Copy

Form CP-1 September 2003 This Form must be Typed Form must be Signed All blanks must be Filled

API # 15 - 007-22,775-0000	(Identifier Number of this well)	. This must be listed for wells	drilled since 1967; if no API # was issued	
Indicate original spud or completion date				
Well Operator: F.G. Holl Company, L.L.C.		KCC License #	KCC License #: 5056	
Address: 9431 E. Central, Suite 100, Wichit		_{City:_} Wichita	(Operator's)	
State: Kansas	Zip Code: 67206) 684 - 8481, Ext. 216	
		Sec. 10 Twp. 3		
C SW SE CE		nty: Barber		
Feet (in exact footage) From	North / ✓ South (from near		of Cooling (Not Long Live)	
990 Feet (in exact footage) From		rest outside section corner) Line		
Check One: V Oil Well Gas Well	D&A Cathodic	Water Supply Well	or cooling from Louis Line)	
SWD Docket #		- water Supply Well	Other:	
Conductor Casing Size: 13-3/8"	Laurend .	<u> </u>		
Surface Casing Size:				
Production Casing Size: 4-1/2"				
List (ALL) Perforations and Bridgeplug Sets: 4138				
Proposed Method of Plugging (attach a separate page Heavy mud, hulls, cement and plug according			RECEIVED KANSAS CORPORATION COMMISSION	
Is Well Log attached to this application as required?	✓ Yes No Is ACO-1 file	d? ✓ Yes No	JUL 1 9 2007	
If not explain why?			CONSERVATION DIVISION WICHITA, KS	
Plugging of this Well will be done in accordance	with K.S.A. 55-101 et. seq. and the	Rules and Regulations of th	e State Corporation Commission.	
List Name of Company Representative authorized t	to be in charge of plugging operation	ns:		
Rob Long		Phone: (620) 7 93	- 0915	
Address: Box 308, 709 E. Santa Fe		City / State: Ellinwood, I	City / State: Ellinwood, KS. 67530	
Plugging Contractor: Quality Well Service		KCC License #: 31925		
Address: 401 West Main, Lyson, KS. 67554	ompany Name)	(Contractor's) Phone: (620) 727 - 3410		
Proposed Date and Hour of Plugging (if known?): _	Unknown			
Payment of the Plugging Fee (K.A.R. 82-3-118) wi	II be guaranteed by Operator or A	gent		
Date: July 19, 2007 Authorized Operator	/ Agent: Loveres	mole		
Mail to: KCC - Cons	LOVENESS (servation Division, 130 S. Market	MPANTE ^(Signature) - Room 2078, Wichita, Kan	sas 67202	

Sterling Drilling Company, Rig #4

Box 1006, Pratt, Kansas 67124-1006 Office Phone (316) 672-9508, Fax 672-9509

SAMPLE LOG

Norris 1-10

LOCATION:

Sw Se Se

Section 10 T 30s

R 14w

API:

15-007-22775-0000

Barber County, Kansas

OWNER: F.G. Holl Company, L.L.C.

CONTRACTOR: Sterling Drilling Company, Rig #4

COMMENCED: COMPLETED:

10/27/03 11/11/03

TOTAL DEPTH:

DRILLER 4805 FEET

4806

FEET

Ground Elevation:

1935

KB Elevation:

1944

LOG

0 - 2 FEET Top Soil 2 - 9 FEET Clay

2 - 9 FEET Clay9 - 22 FEET Sand and Gravel

LOGGER

22 - 50 FEET Clay

50 - 70 FEET Sand and Gravel

70 - 85 FEET Clay 85 - 770 FEET Redbeds

770 - 2170 FEET Shales and Salt

2170 - 4728 FEET Limestone, Shale and Dolomite

4728 - 4805 FEET Arbuckle

CASING RECORDS

Surface Casing-13-3/8"

Spud at 5:45 am on 10/27/03. Drilled 17-1/4" hole to 255'. Ran 6 joints of new 48# 13-3/8" surface casing, tally 237.82' + 11' land joint. Set at 248.82' KB. Cemented with 275 sx 60/40 Poz, 3% CC, 2% Gel & 1/4# Cellflake/sx. Plug down at 2:30 pm on 10/27/03 by Acid Services. Ticket # 7072. Cement did circulate. Strapped bottom 3 joints and welded 3 joints.

Production Casing

Ran 119 joints used 10.5# 4-1/2" casing. Tallied 4808.66', set 1' off bottom at 4804' KB. Guide shoe on bottom, shoe joint = 30.58'. Insert one joint up. Basket on joint #6. Centralizers (10) on joints 3;5;7;9;11;14;16;18;19 & 20. Scratchers (6) on joints 4;5;8;18;19 & 20. Cemented with 200 sx 50/50 Poz; 4% Gel, 2% CC, 5#/ sx Calset, 10#/sx Gilsonite, 1% FLA-322, 3/4% Gas-block, 1/10 % Defoamer & 1/4#/sx Cell-Flake. Plus 25 sx A-Serv-lite. Plug down at 1:45 am 11/11/03. By Acid Services, ticket #7266. Plugged rathole with 15sx A-Serv-Lite, no mousehole. Reported to KCC 11/12/03.

DEVIATION SURVEYS

1	degree(s) at	255	feet
1	degree(s) at	960	feet
1	degree(s) at	2906	feet
	degree(s) at	<i>3720</i>	feet
	degree(s) at	4490	feet
1-3/4	degree(s) at	4590	feet
2-1/2	degree(s) at	4805	foot

RECEIVED KANSAS CORPORATION COMMISSION

JUL 1 9 2007

CONSERVATION DIVISION WICHITA, KS



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

HOLL, F.G., COMPANY L.L.C. 9431 E CENTRAL STE 100 WICHITA, KS 67206-2563

July 30, 2007

Re: NORRIS #1-10

API 15-007-22775-00-00

10-30S-14W, 330 FSL 990 FEL BARBER COUNTY, KANSAS

Dear Operator:

This letter is to notify you that the Conservation Division has received your plugging proposal, form CP-1, for the above well and has reviewed the proposal for completeness. The central office will now forward your CP-1 to the district office listed below for review of the proposed plugging method. Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113(b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit in accordance with K.A.R. 82-3-600.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well. This notice in no way constitutes authorization to plug the above well by persons not having legal rights of ownership or interest in the well. This notice is void after 180 days from its date. The CP-1 filing does not bring the above well into compliance with K.A.R. 82-3-111 with regard to the Commission's temporary abandonment requirements.

Sincerely,

Steve Bond

Stew Rand

Production Department Supervisor

District: #1 210 E Frontview, Suite A Dodge City, KS 67801 (620) 225-8888