### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORICIMAL

	VIII
Operator: License #	API No. 15 - 099-23499-00-00
Name: Quest Cherokee Oilfield Service, LLC	County: Labette
Address: 211 W. 14th Street	senw Sec. 1 Twp. 32 S. R. 19 [/] East West
City/State/Zip: Chanute, KS 66720	1980 feet from S / (N) (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	1980 feet from E / (W) (circle one) Line of Section
Operator Contact Person: Richard Marlin	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 431-9500	(circle one) NE SE W SW
Contractor: Name: Well Refined Drilling Company	Lease Name: Hummer, Emmett D. Well #: 1-1
License: 33072	Field Name: Cherokee Basin CBM
Wellsite Geologist: Mark Brecheisen	Producing Formation: Not yet complete
Designate Type of Completion:	Elevation: Ground: 870' Kelly Bushing:
. ✓ New Well Re-Entry Workover	Total Depth: 785' Plug Back Total Depth: 783.25'
OilSWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 21'6" Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?  ☐Yes ☑No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 783.25'
Operator:	feet depth to surface  ALT II WHY 2-21-07  sx cmt.
Well Name:	ALT II WHM 2-21-07
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content
Plug Back Plug Back Total Depth	Downtoring method used
Commingled Docket No	RECEIVED
Dual Completion Docket No	Location of fluid disposal if hauled offshansas corporation commission
Other (SWD or Enhr.?) Docket No	Operator Name: APR 1 1 2005
	Lease Name: License No.:
05/24/04         05/25/04         06/07/04           Spud Date or         Date Reached TD         Completion Date or	Quarter Sec TwpS. RWEast West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regular herein are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature L. Par Warler	KCC Office Use ONLY
Title: Chief Operating Officerate: 4705	Letter of Confidentiality Received
Subscribed and sworn to before me this Haday of April	If Denied, Yes Date:
20.05.	Wireline Log Received
	Geologist Report Received
Notary Publice Louis John	UIC Distribution
Date Commission Expires: 7/30/05 JENNIFER R.	HOUSTON
Notary Public - Sta My Appt. Expires	ate of Kanage
The state of the s	and the second of the second o

### Side Two

Operator Name: Que	est Cherokee Oil	field Serv	rice, LLC	Lease	e Name:	Hummer, Em	mett D.	Well #:1-1	
Sec. 1 Twp. 3					y: Labet				
INSTRUCTIONS: SI tested, time tool ope temperature, fluid red Electric Wireline Log	n and closed, flowing covery, and flow rate	g and shut s if gas to	-in pressures, surface test, a	whether s along with	hut-in pre	ssure reached	static level, hyd	rostatic pressure	s, bottom hole
Drill Stem Tests Take		Ye	es 🗸 No		<b>V</b> L	og Format	tion (Top), Depth	and Datum	Sample
Samples Sent to Ge	•	-				apah Lime		<sub>Тор</sub> Absent	Datum <b>Absent</b>
Cores Taken Electric Log Run (Submit Copy)		Y <sub>0</sub>		Pawnee Lime				Absent 157'	Absent +713'
List All E. Logs Run:				Oswego l Verdigris			igris Lime 403 1/		+625' +466 1/2'
Comp Density Dual Induction	•				Miss	sissippi Lime	Э	740'	+130'
		Repo		RECORD		ew [ ] Used ermediate, produ	ction, etc.		
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)		eight . / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8-5/8"		24.75#	ŧ	21'6"	"A"	5sx	
Production	6 3/4"	4 1/2"		10.5#		783.25'	"A"	100sx	The second secon
		- reconstructive and - re	ADDITIONAL	L CEMENT	'ING / SQI	JEEZE RECOR	D		
Purpose:  Perforate  Protect Casing  Plug Back TD  Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sack	s Used		Type and	I Percent Additives	
Shots Per Foot			RD - Bridge Plu Each Interval Pe		э		acture, Shot, Ceme	ent Squeeze Record	I Depth
None Waiting On Pipeline						RECEIVED  KANSAS CORPORATION COMMISSION			
						AND THE STATE OF T	APR 11	2005	AUSTRALITICAL PRODUCTION OF THE PROPERTY OF TH
	## A STATE OF THE PROPERTY OF	and the second s		and addition controlled records to design as an an analysis of the controlled records as an analysis of the controlled records an analysis of the controlled records as an analysis of the controlled rec			CONSERVATION D WICHITA, K		
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes N	No	
Date of First, Resume	rd Production, SWD or I	Enhr.	Producing Me	othod	Flowin	g Pump	ping Gas	Lift Othe	r (Explain)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF	COMPLETIC	L			Production Inte	erval		at which is the resolution of the state of t
Vented Sold	Used on Lease ubmit ACO-18.)		Open Hole	- L	rf.	Dually Comp.	Commingled		



# 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER 24480

LOCATION Chanute

## FIELD TICKET

DATE CUSTOMER ACCT # WELL NAME QTR/QTR	SECTION TWP RGE COUNTY FORMATION  325 196 LB
CHARGE TO QUEST Cherokee LLC	OWNER
MAILING ADDRESS P.O. BOX 100	OPERATOR
CITY & STATE Benedict, Kansas 66714	CONTRACTOR

ACCOUNT CODE	. QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT	TOTAL AMOUNT
5401	1-well	PUMP CHARGE Cement pump		40750
1110	10 SK	gilsonite coming		40/20
1107	1 5K	flo-seal		194
1118	25K	Premium gel (2 ahead)		37 4
1215A	1 gal	KCL A CHICAR		2360
11118	15gal	Sodium Silicate		12/199
	- July Comment	SCALUITI SICICATE		150
	*	;		
4				
1				
		*		4
1123	4200 gal	city water (100 bbl)		4725
		2		The steam
		RECEIV		*
		KANSAS CORPORATIO		
		BLENDING & HANDLING		
5407	44 mi	TON-MILES MINIMUM APR 11	2005	19000
	/	STAND BY TIME		10
manua () A 1/3		MILEAGE CONSERVATION D	NVISION	
5501C	3 hr 3 hr	WATER TRANSPORTS		24/200
5502C	3 hr	VACUUM TRUCKS		24/1
		FRAC SAND		
1126	95 SK	CEMENT OWC ( 100 SX TOT	10/)	11.7250
		4	SALES TAX	14/2.86
	(	owe; 5 gil sonite; 14 flo scal)		7/
avin 2790				
-			ESTIMATED TOTAL	2910, 52
				04/1/1

				• •
CUSTOMER or AGENTS SIGNATURE		_cis foremanTodd_	A. Tindle	
	*			
CUSTOMER or AGENT (PLEASE PRINT)		•	DATE	

\*CONSOLIDATED OIL WELL SERVICÉS, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER	31871
LOCATION Shan	wee
FOREMAN Todd	9. Tink

## TREATMENT REPORT

DATE	CUSTOMER #	WELL NAME	FORMATIO	N :	TRUCK #	DRIVER	TRUCK #	DRIVER		
6-7.04	6628	Humber			255	John				
SECTION	TOWNSHIP	RANGE	COUNTY		206	wes	,			
	325	19€	LB		140	Tim				
CUSTOMER		,		,	370	Joe		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Quest C	Cherokee LL	<u> </u>					KANSAS CORPOR	EIVED RATION COMMISS		
								1 2005		
<i>P.O. Box</i> CITY	100						MIN,	1 2003		
							CONSERVA	ON DIVISION		
Benedict STATE		ZIP CODE		_			WICH	HTA, KS		
Kansas								e e e e e e e e e e e e e e e e e e e		
Nancas		46714				TYPE OF 1	TREATMENT	, /		
				<u>.</u>	[ ] SURFACE		[ ] ACID BREA	KDOWN		
TIME ARRIVED	ON LOCATION			4	PRODUCT	TON CASING	[ ] ACID STIM	ULATION		
	WELL I	T			[ ] SQUEEZE	CEMENT	[ ] ACID SPOT	TING		
HOLE SIZE	63/4	PACKER DEPTI	H	_	[ ] PLUG & AE	BANDON	[ ] FRAC			
TOTAL DEPTH	185'	PERFORATION	iS		[ ] PLUG BAC	[ ] FRAC + NIT	+ NITROGEN			
sc.		SHOTS/FT			[ ] MISP. PUM	/IP	[ ]			
CASING SIZE	41/2	OPEN HOLE			[ ] OTHER [ ]					
CASING DEPTH							· · · · · · · · · · · · · · · · · · ·			
CASING WEIGH		TUBING SIZE				PRESSURE	LIMITATIONS			
CASING CONDI	ITION	TUBING DEPTH	1				THEORETICAL	INSTRUCTED		
		TUBING WEIGH	łT	7	SURFACE PIPE					
		TUBING CONDI		1	ANNULUS LONG	STRING				
TREATMENT VI	IA Cement Lo	ad m. 12.5	Tail 13.9	7	TUBING					
INSTRUCTION OF		Crowlate u til dve re 15' Acasimy	firesh 1	420; 2gei Lush pun	l ahead; r.	un 5 bbl lug w/kl	due w/ 15	gal Salin Set		
AUTHO!	AIZATION TO PAC	JCEED .		TITLE			DA	TE		
TILAF							***************************************			
TIME AM / PM	STAGE	BBL'S PUMPED	INJ RATE	PROPPANT	SAND / STAGE	PSI		<del></del>		
		FOIVII LD		PPG	<u> </u>	<del>, , , , , , , , , , , , , , , , , , , </del>				
					-		BREAKDOWN P			
-				<u> </u>			DISPLACEMENT			
				EIVED			MIX PRESSURE			
			WS/IS CORPOR	RATION COMMIS	sion		MIN PRESSURE			
							ISIP	- 1		
	The same of the sa		APR 1	1 1 2005			15 MIN.			
			CONSERVAT	TION DIVISION			MAX RATE			
		į	WICH	TA.KS			MINI BATE			

#### TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

#### SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer such be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

## WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.