KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINIA

Operator: License # 33344	₩ # ₩ ₩ ₩
Quest Cherokee Oilfield Service LLC	API No. 15 - 099-23533-00-00 County: Labette
Address: 211 W. 14th Street City/State/Zip: Chanute, KS 66720	1980
Purchaser: Bluestem Pipeline, LLC	leet noting of N (circle one) Line of Section
Operator Contact Person: Richard Marlin	660 feet from E/ W (circle one) Line of Section
Phone: (620) 431-9500 RECEIVED	Footages Calculated from Nearest Outside Section Corner:
WANGAC PADDADATION CAMERIC	(circle one) NE (SE) NW SW SION Winters David H 9-1
Contractor: Name: Barton T. Lorenz License: 33286 APR 1 9 2005	Lease Name: Winters, David H. Well #: 9-1
	Field Name: Cherokee Basin CBM
Wellsite Geologist: Mark Brecheisen Designate Type of Completion: CONSERVATION DIVISION WICHTA, KS	Producing Formation: Not yet complete Elevation: Ground: Kelly Bushing: Kelly Bu
	Total Depth: 887' Plug Back Total Depth: 884.46'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 21'6" Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 884.46'
Operator:	feet depth to_surfacew/_113sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan ALT#2 KJR 5//L (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	,
Plug Back Plug Back Total Depth	Chloride content
Commingled Docket No.	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
2/24/24	Lease Name: License No.:
6/04/04 06/05/04 06/29/04 Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. Twp. S. R. East West County: Docket No.:
	Docker No.
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3- nd geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	the oil and gas industry have been fully complied with and the statements
Signature: Tulano Warlin	KCC Office Use ONLY
Title: Chief Operating Officer Date: 4/18/05	Letter of Confidentiality Received
Subscribed and sworn to before me this day of April	If Denied, Yes [] Date:
20_05	Wireline Log Received
\mathcal{O}_{1} \mathcal{O}_{2} \mathcal{O}_{3}	Geologist Report Received
C T I I I I I I I I I I I I I I I I I I	UIC Distribution
Date Commission Expires: 7/30/05 JENNIFER R. HO Notary Public - State My Appt. Expires 7/30/05	of Kansas

Side Two

Operator Name: Ques	st Cherokee Oil	ield Serv	rice, LLC	Lease	Name: V	Winters, Davi	d H.	Well #: 9-1	
Sec. 9 Twp. 33				County	: Labet	te			
NSTRUCTIONS: Sho ested, time tool open emperature, fluid reco Electric Wireline Logs	and closed, flowing overy, and flow rate	g and shut s if gas to	-in pressures, surface test, a	whether sh long with fi	ut-in pre	ssure reached	static level, hyd	irostatic pressure	es, bottom hole
Orill Stem Tests Taken		Y	es 🗸 No		V L	og Formati	on (Top), Depth	n and Datum	Sample
Samples Sent to Geol		Y	es ☑ No		Name Top Lenapah Lime 57 1-2'				Datum +746 1/2'
Cores Taken		Y	es 🗸 No		1	nont Lime		82'	+722'
Electric Log Run		✓ Y			Paw	nee Lime		226 1/2'	+572 1/2'
(Submit Copy)		REC	EIVED	SNOW	Osw	ego Lime		325 1/2'	+473 1/2'
_ist All E. Logs Run:	KANS	SCORPOR	SCORPORATIONCOMM			ligris Lime		461'	+338'
Comp Density/I	Neutron	APR	9 2005		Miss	sissippi Lime		849'	-50'
Dual Induction				i					
		CONSERV	ATION DIVISION HITA, KS						
the statement description of the statement of the stateme	and the second s		CASING	RECORD		ew Used			
THE RES COURSE OF THE PROPERTY OF THE PROPERTY AND ADDRESS OF THE PROPERTY OF	Size Hole	· · -	rt all strings set-o ze Casing	conductor, su		ermediate, produc	tion, etc.	# Sacks	Type and Percent
Purpose of String	Drilled		t (In O.D.)	Lbs.		Depth	Cement	Used	Additives
Surface	11"	8-5/8"	in the second of	24.75#		21'6"	"A"	6sx	
Production	6 3/4"	4 1/2"		10.5#		884.46'	"A"	113SX	
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Туре	ADDITIONAL e of Cement	#Sacks		JEEZE RECORI	t on man all student i son descript franches descriptions described	d Percent Additives	
Shots Per Foot			RD - Bridge Plug					ent Squeeze Recor	
	Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Waiting on pipeline						Depth		
TUBING RECORD	Size	Set At		Packer A	At	Liner Run	Yes	No	
Date of First, Resumerd	Production, SWD or	Enhr.	Producing Me	thod	Flowin	g Pump	ing [] Gas	s Lift Othe	er (<i>Explain</i>)
Estimated Production	Oil	Bbls.	Gas	Mcf	Wate	er E	Bbls.	Gas-Oil Ratio	Gravity
Per 24 Hours				1					
	METHOD OF	COMPLETION	ON		er un un mu te	Production Inte	rval	THE STREET OF STREET,	- a parameter quantizative popularity as a new



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

RECEIVED KANSAS CORPORATION COMMISSION

APR 1 9 2005

TICKET NUMBER 25170

LOCATION Chanute

FIECONSFEVATION DIVISION

DATE CUSTOMER ACCT # WELL NAME QTR/QTR	SECTION TWP RGE COUNTY FORMATION
CHARGE TO Quest Chevakee LLC	OWNER
MAILING ADDRESS P.O. BOX100	OPERATOR
CITY & STATE Benedict, Kansas 66714	CONTRACTOR

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
	1- Well	PUMP CHARGE Cement pump		7/000
5401	11 SK	gilsonite		233. 2
1110				4000
1107	154	flo-seal Premium gel (1 ghead)		1240
1118	15K,			2212
1215	1 gal	KCL		15750
11118	15 gal .	sodium silicate		/
	-	ų		
		ne.		
		Sacr		
1/23	2730006	city water (90 bbl)		4/241
100				
		r.		
		к		
		BLENDING & HANDLING &		
5407	48 mi	TON-MILES MINIMUM		245
2701	70 1/11	STAND BY TIME		
		MILEAGE		
E-010	2hr	WATER TRANSPORTS		1682
5501C 5502C	2.hr	VACUUM TRUCKS		15600
		FRAC SAND		
1126	1075K	CEMENTOWC . (1/3	5K total)	1367. 2
11000)		SALES TAX	114,31
		ouc; 5 gilsonde; 14 flo-seal)	
				A Ch
Ravin 2790		<u>.</u> %	ESTIMATED TOTAL	3141, 20

	,	
CUSTOMER or AGENTS SIGNATURE	CIS FOREMAN Took in Trudle	
		~ {

CUSTOMER or AGENT (PLEASE PRINT)_

CONSOLIDATED OIL WELL SERVICES, INC. KANSAS CORPORATION COMMISSION 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

APR 1 9 2005

CKET NUN	MBER .	31	918
LOCATION_	Che	mut	est-
FOREMAN_	Tode	1 A	Timothe

CONSERVATION DIVISION TREATMENTA REPORT

		r		, , , , , , , , , , , , , , , , , , ,	****		Principal system in the state of	
DATE	CUSTOMER #	WELL NAME	FORMATION	1	TRUCK #	DRIVER	TRUCK #	DRIVER
6-29-04	6628	Winters			255	John		
SECTION	TOWNSHIP	RANGE	COUNTY		206	wes		
9	235	i8 c	13		140	Tim		
CUSTOMER				•	286	Travis		
Quest (Cherokee Lu	ri						
MAILING ADDR	ESS] .				
<i>P.o. Box</i> CITY	100							
CITY	andria del Risco de Aprili, del C erció de Carlo Carrier de Carlo de Carrier de Carlo de Carlo]				
Benedict STATE					The state of the s			
STATE		ZIP CODE		r reiko				1
Kansas		4671	4	i		TYPE OF T	REATMENT	
				. 4	[]SURFACE		[] ACID BREA	KDOWN
TIME ARRIVED	ON LOCATION				1		[] ACID STIMU	
	WELL	DATA			[] SQUEEZE		[] ACID SPOT	*
HOLE SIZE	634	PACKER DEPT	Ή	•	[] PLUG & AE		[] FRAC	
TOTAL DEPTH	387	PERFORATION		- 7	[]PLUG BAC		[] FRAC + NIT	ROGEN
		SHOTS/FT						TIOGEN
CASING SIZE	4/2	OPEN HOLE		1	[]OTHER		[]	
CASING DEPTH	m mill			,	[] 0 11 12 11		LJ	**************************************
CASING WEIGH		TUBING SIZE				PRESSURE	LIMITATIONS	
CASING COND		TUBING DEPTH	-	1		TILOGOTIL	THEORETICAL	INSTRUCTED
	And of the state o	TUBING WEIGH		-	SURFACE PIPE		MEGRENOAL	INOTHOUTE
	NATIONAL SERVICE SERVI	TUBING COND		,,	ANNULUS LONG	STRING		
TREATMENT V	IA Cement C	, ,			TUBING	01711110		
	······································		The same of the sa		I OBING			
INSTRUCTION	PRIOR TO JOB	A constate	1. Sant	112 · 1	not about .	~ 7 66	I don the	I wan her
Silventu	Mar work 11	All Aug	may IVCOM	Auch am	gelahead r P: Pump	Now it	Val Val	94 SANON
Floor Sho	e work 1	att accion	ELLOVE, 1	CHON JUNE	v pamp	pray will	ec water	; wer
. 1	RIZATION TO PF		12-48-44-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	TITLE	,		DA	TE .
7,011,0	1112.1110111011	.00225		,		a.	DA	1 - , .
	The state of the s	Marie II.	•				Harry Address of the Assessment of the Assessmen	
TIME	STAGE	BBL'S	INJ RATE	PROPPANT	SAND / STAGE	PSI		
AM / PM		PUMPED		PPG				
							BREAKDOWN F	RESSURE
				1			DISPLACEMEN'	<u> </u>
			-				MIX PRESSURE	
						,	MIN PRESSURE	
	wysta waterson and waterson and			1			ISIP	
				, ,			15 MIN.	
	The state of the s	-					MAX RATE	
							MIN RATE	

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Custom and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.