

TO:  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING  
130 SOUTH MARKET, SUITE 2078  
WICHITA, KANSAS 67202

API Well Number: 15-163-22302-00-00  
Spot: SENESW Sec/Twnshp/Rge: 25-9S-18W  
1650 feet from S Section Line, 2970 feet from E Section Line  
Lease Name: COMEAU Well #: 4  
County: ROOKS Total Vertical Depth: 3646 feet

Operator License No.: 8925  
Op Name: LIBERTY OPER & COMPL, INC  
Address: 308 W MILL  
PLAINVILLE, KS 67663

String	Size	Depth (ft)	Pulled (ft)	Comment
PROD	4.5	3646	0	w/150 sxs cmt
SURF	8.625	260	0	w/140 sxs cmt
T1	2.375	3576		

\$ 118.50

Well Type: OIL UIC Docket No: \_\_\_\_\_ Date/Time to Plug: 06/21/2007 12:00 PM  
Plug Co. License No.: 32247 Plug Co. Name: CRAWFORD, JEFF DBA JEFF'S OILWELL SUPERVISION  
Proposal Rcvd. from: JEFF CRAWFORD Company: LIBERTY OPER & COMPL, INC. Phone: (785) 434-4686

Proposed Plugging Method: Ordered 300 sxs 60/40 pozmix - 10% gel - 500# hulls.  
Bridge plug at 3400'.  
60' of steel in the hole at 980'.

Plugging Proposal Received By: HERB DEINES WitnessType: COMPLETE (100%)  
Date/Time Plugging Completed: 06/21/2007 3:30 PM KCC Agent: MARVIN MILLS

Actual Plugging Report:

Pumped 180 sxs 60/40 pozmix - 10% gel down the casing with no hulls.  
Pumped 120 sxs 60/40 pozmix - 10% gel with 500# hulls down the casing.  
Max. P.S.I. 500#. S.I.P. 200#.  
Tied onto the 8 5/8" - full at Max. P.S.I. 800#. No cement.

Perfs:

Top	Bot	Thru	Comments
3578	3584		
3521	3524		
3422	3426		
3402	3405		

**INVOICED**  
DATE 7-10-07  
INV. NO. 2008060070

Remarks: ALLIED CEMENTING COMPANY-TICKET #21998.

Plugged through: CSG

District: 04

Signed 

(TECHNICIAN)

RECEIVED  
KANSAS CORPORATION COMMISSION

JUL 02 2007 Form CP-2/3

CONSERVATION DIVISION  
WICHITA, KS

JUN 28 2007


PKT

LIBERTY OPERATIONS & COMPLETIONS  
 308 W. MILL #4 COMEAU 25-9-18W  
 SE NE SW

PLATINVILLE, KS 67663  
 CONTR PIONEER DRILLING CO. CTY ROOKS

GEOLOGICAL GREG ISSINGHOFF FIELD COMEAU

ELV 2141 KB SPD 2/24/84 CARD ISSUED 6/21/84 IP P 15 BO & 45 BWPD  
 2136 GL LKC 3422-3524 OA



LOG	Tops	Depth/Datum
ANH	.....	1462+ 679
TOP	.....	3066- 925
HEEB	.....	3282-1141
TOR	.....	3300-1159
LANS	.....	3323-1182
BKC	.....	3550-1409
ARB	.....	3620-1479
RTD	.....	3680-1539

API 15-163-22,302  
 8 5/8 " 260 / 140SX, 4 1/2 " 3646 / 150SX  
 NO DST'S  
 MICT - CO, PF (PENN) 12/3578-84, AC 250G (15% MA), SWB  
 DWN, NON-COMMERCIAL, PF (LKC) 10/3521-24, AC 250G (15%  
 MA), RETREATED 250G (15% AOG), SWB DWN, SO, PF (LKC) 10/  
 3422-26, AC 250G (15% MA), RETREATED 2000G (15% AOG),  
 SWB DWN, SO, PF (TOR) 10/3302-05, AC 250G (15% MA), RE-  
 TREATED 2000G (15% CRA), SWB DWN, NON-COMMERCIAL, SET  
 2 3/8 " TBG AT 3576', POP, P 15 BO & 45 BWPD, 6/5/84