For KCC Use:	9-2-07
Effective Date:	9-2-07
District #7	72

# KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Coppect	red	
CORRE	CTED	Form C- December 2002 must be Typed nust be Signed must be Filled

SGA? Yes No Must be approved by KCC five	TREADURE THREE THE GOVERNMENT OF THE TOTAL CONTROL	
Must be approved by Noo me	(5) days prior to commencing well	
	Const	East
September 10, 2007 Expected Spud Date	Spot C E/2 NE NE Sec. 11 Twp. 10	S. R. <sup>20</sup>
month out	600feet from VN /	S Line of Section
OPERATOR: License# 32278	330°	W Line of Section
OPERATOR: License#	Is SECTION A Regular Irregular?	,
Name.		aldal
Name:	(Note: Locate well on the Section Plat on re	Verse side;
City/State/Zip: Rod Tremblay Contact Person: Rod Tremblay	County: Rooks  County: Rooks  CROFFO T "AA"  CROFFO T "AA"	
Contact Person: Rod Hembay  402-560-0715	Lease Name Croffoot A CKOFFO FAT	
	Fleld Name: Marcotte	Yes ✓ No
CONTRACTOR: License# 33237	Is this a Prorated / Spaced Field?	[] 165 [ <u>V</u> ]140
Name: Anderson Drilling Company	Target Formation(s): Lansing/Arouckie	
m #	Is this a Prorated / Spaced Field? Target Formation(s): Nearest Lease or unit boundary: 330 East Ground Surface Elevation: 2230 from topo	feet MSL
Well Drilled For: Well Class: Type Equipment:	Clodilo Sanass —	Yes √No
Cloit Enh Rec / Infield / Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	
OWO Disposal Wildcal Cable	Depth to bottom of fresh water: 180' 950	
Seismic: # of Holes Other	Depth to bottom of usable water: 960 950	
Other	Surface Pipe by Alternate: 1 2 250'	
1	Surface Pipe by Alternate: 1 2 2  Length of Surface Pipe Planned to be set: 250  Length of Conductor Pine required: None	
If OWWO: old well information as follows:		
Operator:	Projected Total Depth: 5505	
Well Name:  Original Completion Date:  Original Total Depth:	Formation at Total Depth:	
1 1. 1 2 1 5 1 .	Water Source for Drilling Operations:  Well Farm Pond Other	
Directional, Deviated or Horizontal wellbore?		
If You true vertical depth:	DWR Permit #:(Note: Apply for Permit with DWR	[1]
Dattom Hote Location:	•	Yes VN
WOO DYT #	Will Cores be taken?  If Yes, proposed zone:	
as: C. ro-ffoot: "A" # 11	If Yes, proposed Zone.	
AS: Croffeet "A" # 11  S: Croffeet "AA" # 1 AF	FIDAVIT	
The undersigned hereby affirms that the drilling, completion and eventua	I plugging of this well will comply with K.S.A. 55 et. seq.	RECEIVE
The undersigned hereby allithis trial the driving, compared will be met.		KANSAS CORPORATION
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	r d. William albeit	050 4 3 -
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted on</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing orce with a completed within 30 days of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date or the well shall be comed to appendix of the soud date of the well shall be comed to appendix of the soud date of the well shall be comed to appendix of the soud date of the well shall be comed to appendix of the soud date of the well shall be comed to appendix of the soud date of the well shall be comed to appendix of the soud date of the well shall be comed to appendix of the soud date of the well shall be comed to appendix of the soud date of the well shall be comed to appendix of the soud date of the well shall be comed to appendix of the soud date of the soud date of the soud date of th</li></ol>	o the underlying formation.  e district office on plug length and placement is necessary blugged or production casing is cemented in; ented from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area all be plugged. In all cases, NOTIFY district office pri	ary <b>priotOMSPRISE(19)</b> WICHITA, Ki Didays of spud date. Dia, alternate II cementin
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either properties of the complete that the statements of the spud date or the well shall be completed within 30 days of the spud date or the well shall be controlled that the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements of the sta</li></ol>	o the underlying formation.  e district office on plug length and placement is necessablugged or production casing is cemented in;  ented from below any usable water to surface within 120  der #133,891-C, which applies to the KCC District 3 area  all be plugged. In all cases, NOTIFY district office prists of my knowledge and belief.	ary prioudespriousing Wichita, Ka Didays of spud date, a, alternate II cementin or to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either point and the completent of the well is either point and the completent of the well in the completent will be called the specified of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.</li> </ol>	o the underlying formation.  e district office on plug length and placement is necessablugged or production casing is cemented in;  ented from below any usable water to surface within 120  der #133,891-C, which applies to the KCC District 3 area  all be plugged. In all cases, NOTIFY district office prists of my knowledge and belief.	ary prioudespriousing Wichita, Ka Didays of spud date, a, alternate II cementin or to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted on</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing orce with a sampleted within 30 days of the spud date or the well shall be come.</li> </ol>	o the underlying formation. e district office on plug length and placement is necessary of the production casing is cemented in; ented from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area all be plugged. In all cases, NOTIFY district office priest of my knowledge and belief.  Title: Senior Ge	ary prioudespriousing Wichita, Ka Didays of spud date, a, alternate II cementin or to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either properties of the complete that the statements of the spud date or the well shall be completed within 30 days of the spud date or the well shall be controlled that the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements made herein are true and to the best controlled the statements of the sta</li></ol>	o the underlying formation. e district office on plug length and placement is necessary in the plugged or production casing is cemented in; ented from below any usable water to surface within 120 for #133,891-C, which applies to the KCC District 3 area all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: Senior Ge	ary prior of the p
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted on</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best poate: August 23, 2007</li> <li>Signature of Operator or Agent: Proceedings of the process of the spud date of the set of the spud date of the set of the spud date or the spu</li></ol>	o the underlying formation. e district office on plug length and placement is necessary in the plugged or production casing is cemented in; ented from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: Senior General Remember to:  File Drill Pit Application (form CDP-1) with Intent to the proportion of the proporti	WICHITA, Kind days of spud date.  a, alternate II cementing.  cologist  Dilli;  cologist  Dilli;  cologist  cologist
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted on</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented by that the statements made herein are true and to the best patern of August 23, 2007</li> <li>Signature of Operator or Agent: Proceedings of the process of the spud date of the set of the set of the spud date of the set of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed wit</li></ol>	o the underlying formation. e district office on plug length and placement is necessary in the plugged or production casing is cemented in; ented from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: Senior Ge  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to File acreage attribution plat according to field pro- Notify appropriate district office 48 hours prior to submit plugging report (CP-4) after plugging is co- Obtain written approval before disposing or inject	with prior with the Wichita, King and the Wichita, King and the Wichita was a sternate if comenting or to any comenting.  Drill;  Dril
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted on</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either point of the production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be replaced by the statements made herein are true and to the best of the production of the product</li></ol>	o the underlying formation. e district office on plug length and placement is necessary in the plugged or production casing is cemented in; ented from below any usable water to surface within 120 for #133,891-C, which applies to the KCC District 3 area all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: Senior Ge  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to File acreage attribution plat according to field properly appropriate district office 48 hours prior to 50 Submit plugging report (CP-4) after plugging is concepted. If this permit has expired (See: authorized expirate these the box below and return to the address below a	WICHITA, Kinder of the company of th
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended the statement between the operator and the statement district office will be notified before well is either properties of the spudding pipe shall be come. If an ALTERNATE II COMPLETION, production pipe shall be come. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. August 23, 2007 Signature of Operator or Agent: Proceedings of the spud date of the best of the spud date of the best of the spud date of the spud date or the well shall be completed. August 23, 2007 Signature of Operator or Agent: Proceedings of the spud date of the spud date or the well shall be completed. August 23, 2007 Signature of Operator or Agent: Proceedings of the spud date or the well shall be completed. August 23, 2007 Signature of Operator or Agent: Proceedings of the spud date or the well shall be completed. Approved by: Proceedings of the spud date or the well shall be completed. Approved by: Proceedings of the spud date or the well shall be completed. Approved by: Proceedings of the spud date or the well shall be completed on the spud date or the well shall be completed. Approved by: Proceedings of the spud date or the well shall be completed on the spud date or the well shall be completed on the spud date or the well shall be completed on the spud date or the well shall be completed on the spud date or the well shall be completed on the spud date or the well shall be completed on the spud date or the shall be completed on the spud date or the shall be completed on the spud date or the shall be completed.</li> </ol>	o the underlying formation. e district office on plug length and placement is necessary in the plugged or production casing is cemented in; ented from below any ueable water to surface within 120 for #133,891-C, which applies to the KCC District 3 area all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: Senior General Prior Prior Senior General Prior General Prio	with prior of the with the wit
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted on</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either point of the production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be replaced by the statements made herein are true and to the best of the production of the product</li></ol>	o the underlying formation. e district office on plug length and placement is necessary in the plugged or production casing is cemented in; ented from below any usable water to surface within 120 for #133,891-C, which applies to the KCC District 3 area all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: Senior Ge  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to File acreage attribution plat according to field properly appropriate district office 48 hours prior to 50 Submit plugging report (CP-4) after plugging is concepted. If this permit has expired (See: authorized expirate these the box below and return to the address below a	with prior of the with the wit

Coppected

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: Rooks  600

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.) 600' FML

 					330	o' FEL
 · ·	· · · · ·				600.	
 •	: 	:			,	
		<u>:</u> :	:	· ·	:	EXAMPLE
 						1980
 				· · · · ·	:	3390'
 				·		KANSAS CORPORATION COMMISSIO
•						SEWARD CO. SEP 1 / 2007

NOTE: In all cases locate the spot of the proposed drilling locaton.

CONSERVATION DIVISION WICHITA, KS

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION

## OIL & GAS CONSERVATION DIVISION APPLICATION FOR SURFACE PIT

Copperted Form CDP-1 April 2004

Form must be Typed

#### Submit in Duplicate

KS 67601	•		
Operator Address: P.O. Box 458; Hays, KS 67601  Contact Person: Rod Tremblay			
Lease Name & Well No.: Croffoot "A" 11 CRoffoot "A" 1			
Proposed Existing	Sec. 11 Twp. 10 R. 20 East West		
sting, date constructed:	600 Feet from 🗸 North / South Line of Section		
	330' Feet from ✓ East / West Line of Section		
) (bbis)			
Yes V-No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
	How is the pit lined if a plastic liner is not used?		
Length (feet) 80'	Width (feet) N/A: Steel Pits		
and level to deepest point: 4	(feet)		
liner integrity,	including any special monitoring.		
	Depth to shallowest fresh water 50 feet.		
} ====	Source of information:		
Drilling, Wo	kover and Haul-Off Pits ONLY:		
Type of mate	Type of material utilized in drilling/workover: Fresh Water/Drilling Mud		
	Number of working pits to be utilized: Three  Abandonment procedure: Evaporate and Backfill		
ì	A 11 manual 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Drill pits mus	t be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSIO		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  SEP 1 7 2007			
August 23, 2007  Book Junky CONSERVATION DIVISION Date  CONSERVATION DIVISION Signature of Applicant or Agent WICHITA KS			
KCC OFFICE USE	ONLY		
Pe	mit Date: 9/17/07 Lease Inspection: Yes 📝 No		
	Proposed Existing sting, date constructed:  apacity:  O (bbls)  Yes No  Length (feet) 80'  and level to deepest point: 4  Describe prodiner integrity,  Depth to shall Source of informate integrity,  Type of mate Number of we Abandonment fluids to Drill pits must are true and correct to the best of the point of the second s		