

For KCC Use:	0.2/107
Effective Date: _	9-24-07
District #4	
SGA? XYes	No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:10/03/2007	
month day year	Spot Description:
	S2 - SW - SE - NE Sec. 23 Twp. 5 S. R. 30 EXW
OPERATOR: License#	feet from XN / S Line of Section
Name: Murfin Drilling Co., Inc.	feet from XE / W Line or Section
Address 1: 250 N WATER STE 300	is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: WICHITA State: KS Zip: 67202 + 1216 Contact Person: Shauna Gunzelman	County: Decatur
Phone: 316-267-3241	Lease Name: Anna Well #: 1-23
20000	Field Name: Wildcat
CONTRACTOR: License# 30606 Name: Murfin Drilling Co., Inc.	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Lansing Kansas City
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 990
☑Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary	Ground Surface Elevation: 2793 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150 Depth to bottom of usable water: 150
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300
	Length of Conductor Pipe (if any): 0
Operator:	Projected Total Depth: 4300
Original Completion Date: Original Total Depth:	Formation at Total Depth: Marmaton
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other: haul
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KGC DKT #:	Will Cores be taken?
REQUESTED LEASE WITH SIGNED INTENT. PUND	If Yes, proposed zone:
ACE	IDAVIT RECEIVED
	IDAVIT RECEIVED gging of this well will comply with K.S.A. 55(4) RAS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	39 19 of the non am combit and recorded the COM Control of
it is agreed that the following minimum requirements will be met.	
1. Notify the appropriate district office analysts equiding of well-	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	SEP 1 9 2007
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be 	SEP 1 9 2007
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 	SEP 1 9 2007 drilling rig; by circulating cement to the top; in all cases surface pipe stall posestion underlying formation.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set; on underlying formation. The set of the set
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set too underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set too underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be settion underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be settion underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be completed. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of many contents. 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set ton underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be completed. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of many contents. 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set; on underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; of the below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. By knowledge and belief.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m Date: 	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set too underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If when the company is the company is the company in the company in the company in the company is the company in the
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: Por KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set ton underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m Date: 9-18-2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Q39 - 21024-0000	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set ton underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 9-18-2007 Signature of Operator or Agent: ————————————————————————————————————	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set; on underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 9-18-2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 239 - 21024-0000 Conductor pipe required 0 feet per ALT. II III	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set; on underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: Por KCC Use ONLY API # 15 - 239 - 21024-0000 Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. IIII Approved by: **Last 9-19-07**	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set; on underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be certained Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 9-18-2007 Signature of Operator or Agent: API #15 - O39 - 21024-0000 For KCC Use ONLY API #15 - O39 - 21024-0000 Conductor pipe required 0 feet per ALT. IIII Approved by: 144 9-19-07 This authorization expires: 3-19-08	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set; ion underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 9-18-2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 239 - 21024-0000 Conductor pipe required 0 feet per ALT. II III	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set; on underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; or plugged. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is plugged and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be certained Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 9-18-2007 Signature of Operator or Agent: API #15 - O39 - 21024-0000 For KCC Use ONLY API #15 - O39 - 21024-0000 Conductor pipe required 0 feet per ALT. IIII Approved by: 144 9-19-07 This authorization expires: 3-19-08	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set; ion underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 039-21024-0000	
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Decatur
Lease: Anna	2,550 feet from N / S Line of Section
Well Number: 1-23	990 feet from X E / W Line of Section
Field: Wildcat	Sec. 23 Twp. 5 S. R. 30 E 🔀 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: S2 - SW - SE - NE	is costion. My regular or
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1012206

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Murfin Drilling Co., Inc.		License Number: 30606	_			
Operator Address: 250 N WATER STE 300		WICHITA KS 6720)2			
Contact Person: Shauna Gunzelman		Phone Number: 316-267-3241				
Lease Name & Well No.: Anna 1-23		Pit Location (QQQQ):				
Type of Pit:	Pit is: Proposed Existing If Existing, date constructed:		S2 SW SE NE			
Emergency Pit Burn Pit			Sec. 23 Twp. 5 R. 30 East West			
Settling Pit Drilling Pit			2,550 Feet from North / South Line of Secti	on		
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from East / West Line of Section	ion		
(If WP Supply API No. or Year Drilled)	600	(bbls)	Decatur Cour	nty		
Is the pit located in a Sensitive Ground Water	ter Area? Yes No		Chloride concentration:mg	и		
_			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used? Bentonite and solids from drilling operations self seal pit	ts		
	00	100		\dashv		
Pit dimensions (all but working pits): 100 Length (feet) 100 Depth from ground level to deepest point:			riidai (ioot)			
Depth tr	om ground level to de			\dashv		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION				
			SEP 1 9 2007			
			owest fresh water 32 feet.			
3325feet		Source of information: measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
1		Type of materi	Type of material utilized in drilling/workover: Bentonite			
Number of producing wells on lease: Number			Number of working pits to be utilized: 4			
Barrels of fluid produced daily:		Abandonment procedure: Allow pits to evaporate until dry, then backfill when conditions allow				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
9-18-2007 Amus Dinglonen, agent for Operator Date Signature of Applicant or Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 9/19/07 Permit Num	nber:	Perm	nit Date: 9/19/07 Lease Inspection: X Yes No	,		