

For KCC Use:	9-24-07
Effective Date: _	7-2401
District #4	
 	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1012205

Form C-1
November 2005
Form must be Typed
Form must be Signed
All blanks must be Eilled

NOTICE OF INTENT TO DRILL

Spot Description: Spot Description: Spot Description: Spot Description: Spot Description: Spot Description: Spot Description:	
NE SE NE NW Sec. 24 Twp. 1 S. R. 27 DE	
OPERATOR: License# 30606 825 feet from X N / S Line of 2,500 N / S Line of E / X W	⊠w
Name: Murfin Drilling Co., Inc. 2,500 feet from E / X W Line of	
	Section
Address 1: 250 N WATER STE 300 Is SECTION: Regular Integular?	500000
Address 2:	
(Note: Locate well on the Section Plat on reverse side)	
Contact Deman, Shairina Gunzelman	
Dhane: 316-267-3241	
Field Name: Wilder	
CONTRACTOR: License# 30606 Is this a Prorated / Spaced Field?	No
Name: Murfin Drilling Co., Inc. Target Formation(s): Lansing	
Newsoft Consumer Conference (Conference Conference (Conference Conference Con	
	et MSL
∆ O Enn Hec Initeid ∠ Mud Hotary	
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile:	No
1 Inspection 1 Minimode 1 Comple	X No
Seismic; # of Holes Other Depth to bottom of fresh water: 150	
Other: Depth to bottom of usable water:1150	
Surface Pipe by Alternate: I	
If OWWO: old well information as follows: Length of Surface Pipe Planned to be set: 300	
Operator: Length of Conductor Pipe (if any): 0	
Well Name: Projected Total Depth: 3550	
Original Completion Date: Original Total Depth: Formation at Total Depth: Base Lansing Kansas City	
Original Completion Date. Original rotal Deptit.	
Water Source for Drilling Operations: Directional, Deviated or Horizontal wellbore? Yes No Well Farm Pond Vother: hauf	
Was two walked danks	
DWH Permit #:	
(Note: Apply for Permit with DVVn	
REQUESTED THAT LEASE INFO BE SUBMITTED WITH AND If Yes, proposed zone: INTENT. Will Cores be taken? If Yes, proposed zone:	
AFFIDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED	OM:
The undersigned hereby altirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.* KANSAS CORPORATION COMMISS It is agreed that the following minimum requirements will be met:	UN
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 	
 If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary phone to plugging; The appropriate district office will be notified before well is either plugged or production casing is cernented in; If an ALTERNATE II COMPLETION, production pipe shall be cernented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing 	
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary phor to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cernented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.	
 If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary philips for plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. 	
 If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary philips for plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. 	Tor
 If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary philips for plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. 	Tor
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary billion to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cernented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-18-2007 Signature of Operator or Agent: District Operator of Agent: Remember to: For KCC Use ONLY	Tor 24
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary billion to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cernented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-18-2007 Signature of Operator or Agent: District Operator of Agent: Remember to: For KCC Use ONLY	
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary billion to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cernented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-18-2007 Signature of Operator or Agent: District of the prior to any cementing. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders:	Tor 24 1
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary billion to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cernented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-18-2007 Signature of Operator or Agent: District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-18-2007 Signature of Operator or Agent: District 3 area, alternate II cementing must be completed within 30 days of the spud date. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workeyer or re-entry.	
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary billion to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cernented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cernented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cernenting must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-18-2007 Signature of Operator or Agent: Application (form CDP-1) with Intent to Drill; For KCC Use ONLY API # 15 - 039-21035-0000 File Completion Form ACO-1 within 120 days of spud date; File Completion plat according to field proration orders;	e):
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary billion to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cernented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cernented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cernenting must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cernenting. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-18-2007 Signature of Operator or Agent: Application (form CDP-1) with Intent to Drill; API # 15 - 039-21035-0000 Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. I Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days)	
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary with to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cernented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-18-2007 Signature of Operator or Agent: District office of the plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 7. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 8. If the well is district office within 120 DAYS of spud date. 9-18-2007 Signature of Operator or Agent: District office and belief. File Completion Form ACO-1 within 120 days of spud date; 9-18-2007 File acreage attribution plat according to field proration orders; 10-2007 Notify appropriate district office 48 hours prior to workover or re-entry; 10-2007 Signature of Operator or Agent: District office and the complete of th	e):
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary properties provided in properties of production casing is cemented in; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-18-2007. Signature of Operator or Agent: Application (form CDP-1) with Intent to Drill; For KCC Use ONLY API # 15 - 039-21025-0000 Conductor pipe required	e):
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary philip it philipging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-18-2007 Signature of Operator or Agent: Julian Jul	e):
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary properties provided in properties of production casing is cemented in; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-18-2007. Signature of Operator or Agent: Application (form CDP-1) with Intent to Drill; For KCC Use ONLY API # 15 - 039-21025-0000 Conductor pipe required	e):



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


APINO. 15 - 039-21025-0000	
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Decatur
Lease: Wilpo Unit	825 feet from N / S Line of Section
Well Number: 1-24	2,500 feet from E / W Line of Section
Field: Wildcat	Sec. 24 Twp. 1 S. R. 27 E W
Number of Acres attributable to well: QTR/QTR/QTR of acreage: NE - SE - NE - NW	ls Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1012205

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Murfin Drilling Co., Inc.			License Number: 30606		
Operator Address: 250 N WATER STE 300			WICHITA KS 67202		
Contact Person: Shauna Gunzelman		Phone Number: 316-267-3241			
Lease Name & Well No.: Wilpo Unit	1-2	24	Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SE NE NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 24 Twp. 1 R. 27 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		825 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2,500 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	600	(bbls)	Decatur County		
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l			
is the bottom below ground level?			(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Artificial Liner? Yes No		Bentonite and solids from drilling operations self seal pits		
Pit dimensions (all but working pits):	00 Length (fe	100	Width (feet) N/A: Steel Pits		
, , ,	om ground level to de	·	4 (feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe proce liner integrity, i	edures for periodic maintenance and determining EIVED including any special monitoring. KANSAS CORPORATION COMMISS SEP 1 9 2007 CONSERVATION DIVISION		
Distance to nearest water well within one-mile of pit		Depth to shallo Source of infor			
1205 feet Depth of water well 54 feet		measu	red well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Bentonite			
, ,		Abandonment procedure: Allow pits to evaporate until dry then			
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		backfill when conditions allow. Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
9-18-2007 Shaune Drydman, agent for Operators Date Signature of Applicant of Agent					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 9/19/07 Permit Num	ber:	Perm	it Date: 9/19/07 Lease Inspection: X Yes No		