For KCC Use:	9-20-17
Effective Date:	12301
کت # District	
SGA? Yes	汉 №

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Fifed.

Expected Spud Date	Spot ✓ East
month day year	NENW SE Sw Sec. 24 Twp. 16 S. R. 21 West
PERATOR: License# 32272	1100 feet from N / S Line of Section
Iame- Captain's Oil, Inc.	3330feet from
30805 Cold Water Road	Is SECTION RegularIrregular?
ity/State/Zip: Louisburg, KS 66053	(Note: Locate well on the Section Plat on reverse side)
ontact Parson. Bob Eberhart	County: Miami
hone: (913) 837-2823	Lease Name: Cayot Well #: 11-07
	Field Name: Paola Rantoul
ONTRACTOR: License# 4339	is this a Prorated / Spaced Field? Yes ✓ No
lame: Dale E. Jackson Production Company	Target Formation(s): Squirrel
141 # B W 1 B	Nearest Lease or unit boundary: 690'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet MSL
Oil Finh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
O/WO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+-
Seismic;# of Holes Other	Depth to bottom of usable water: 200'
Other	Surface Dine by Attempte:
CIARA/O: ald wall information on falls	Length of Surface Pipe Planned to be set: 20'
OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 800'
Original Completion Date: Original Total Depth:	
Original Completion Date:Original Total Depth;	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
Voc. true continue double	
res, nue vernical deptin.	- DWR Parmit #·
·	5,11,1,0,11,11
Sottom Hole Location:	(Note: Apply for Permit with DWR (1)
ottom Hole Location:	(Note: Apply for Permit with DWR ()
ottom Hole Location:	— (Note: Apply for Permit with DWR) — Will Cores be taken?
ottom Hole Location: CC DKT #: All he undersigned hereby affirms that the drilling, completion and eventual	— (Note: Apply for Permit with DWR) — Will Cores be taken?
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:	— (Note: Apply for Permit with DWR) — Will Cores be taken?
All The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be cemor or pursuant to Appendix "B" - Eastern Kansas surface casing orce.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set or the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.
All The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; solugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate if cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
All the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the bes	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each drilling rig; the each drilling rement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; supplying or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate it cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
All the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be cem- Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well she hereby certify that the statements made herein are true and to the bes	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate if cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.
All The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bes Date: September 20, 2007 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate if cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to:
All The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bes pate: September 20, 2007 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate if cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.
All the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be carried to the complete carried that the statements made herein are true and to the besonate: September 20, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each drilling rig; each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. for #133,891-C, which applies to the KCC District 3 area, alternate if cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
All the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first an ALTERNATE II COMPLETION, production pipe shall be compounded to a complete within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the well shall be completed within 30 days of the spud date or the well shall be certified before the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each drilling rig; each drilling rig; each drilling formation. e district office on plug length and placement is necessary prior to plugging; ented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate if cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be come. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - Signature of Operator or Agent: Conductor pipe required feet Minimum surface pipe required feet per Alt.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT It plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; sented from below any usable water to surface within 120 days of spud date. It #133,891-C, which applies to the KCC District 3 area, alternate it cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
All the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the formulation of the solution of the self-there or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certified before well is either proposed by: For KCC Use ONLY API # 15 - 28 511-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. Approved by: **LHT** **Latential** **	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ther #133,891-C, which applies to the KCC District 3 area, alternate it cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
All the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either proposed to a complete district office will be notified before well is either proposed to a complete district office will be notified before well is either proposed to a complete district office will be notified before well is either proposed to a complete district office will be notified before well is either proposed to a complete district office will be notified before well is either proposed to a complete district office will be notified before well is either proposed to appropriate the proposed to a complete district office will be notified before well is either proposed to a complete district office will be notified before well is either proposed to a complete district office will be notified before well is either proposed to a complete district office will be notified before well is either proposed to a complete district office will be notified before well is either proposed to a complete district office will be notified before well is either proposed to a complete will be notified before well is either proposed to a complete will be notified before well is either proposed to a complete will be notified before well is either proposed to a complete will be notified before well is either proposed to a complete will be notified before well is either proposed to a complete will be notified before well is either proposed to a complete will be notified before well is either proposed to a complete will be notified before well is either proposed to a complet	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each dri
All The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bes Date: September 20, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121 - 28 5 11 - 120 Conductor pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Will Cores be taken? Will Cores be taken? If Yes, proposed zone: PFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each drilling rig; each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; bugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. the #133,891-C, which applies to the KCC District 3 area, alternate it cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
All The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bes pate: September 20, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 28 5 11 - 100 Conductor pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. Approved by: 4th 9-20-07 This authorization expires: 3-20-08	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; each dri

SEP 2 0 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121-28511-0000	Location of Well: County: Miami
Operator: Captain's Oil, Inc.	1100 feet from N / S Line of Section 3330 feet from E / W Line of Section
Lease: Cayot	3330 feet from ✓ E / W Line of Section
Well Number: 11-07	Sec. 24 Twp. 16 S. R. 21
Field: Paola Rantoul	-
Number of Acres attributable to well: OTR / QTR / QTR of acreage: NENW - SE - SW	Is Section: 🗸 Regular or 🔲 Irregular
QTR/QTR/QTR of acreage:	If Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

 ·	·		
· .		: :	
	<u>. </u>	• •	-
•			
· • • • • • • • • • • • • • • • • • • •	•		
 	· · · · · · · · · · · · · · · · · · ·		
· ·			•

EXAMPLE	:	
•	•	
		1
•	1980	1
:		
	10	.
	• • •	ı
•	3390'	١
	•	ì
		.
•	•	1
•		-
•	•	ĺ
SEWARD	Ю.	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Captain's Oil, Inc.		License Number: 32272	
Operator Address: 30805 Cold Wa	ter Road, Lou	uisburg, KS	66053
Contact Person: Bob Eberhart		Phone Number: (913) 837 - 2823	
Lease Name & Well No.: Cayot 11-07		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE NW SE SW
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		Sec. 24 Twp. 16 R. 21
Settling Pit Drilling Pit			
Workover Pit Haul-Off Pit	Dit conneits		3330 Feet from 🗸 East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 60	(bbls)	Miami County
Is the pit located in a Sensitive Ground Water		filo	Chloride concentration: mg/l
is the pit located in a Sensitive Ground Water	Alea: Tes (4-		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	\1 ~	How is the pit lined if a plastic liner is not used?
Yes No	Yes ✓ I		native clay
Pit dimensions (all but working pits):	Length (fe	et) 15	Width (feet) N/A: Steel Pits
Depth fr	om ground level to de	epest point: 3	(feet)
If the pit is lined give a brief description of the			edures for periodic maintenance and determining ncluding any special monitoring.
material, thickness and installation procedure	.	mier miegnty, i	induding any special monitoring.
•		Depth to shallo Source of infor	west fresh water3 7feet. mation:
ļ -		measu	ıredwell owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		•	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover; drilling mud
Number of producing wells on lease:		Number of working pits to be utilized: 2	
Barrels of fluid produced daily:		Abandonment	procedure: suck out and backfill
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.
			1
September 20, 2007	Wa	una	Manda
Date		S	ignature of Applicant or Agent
	KCC (OFFICE USE O	NLY
Date Received: 9/20/07 Permit Num	an and	Perm	if Date: 9/30/07 Lease Inspection: Yes W No
Date Received: 1/00/07 Permit Num	IDer:	rerm	nt Date. 100 to 1 Lease Inspection. Tes K No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED KANSAS CORPORATION COMMISSION



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.