For KCC Use:	9 2000
Effective Date: _	9-25-07
District #	
0040 File	[V]

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed

OPERATOR: License# 32272  OPERATOR: SENW SE. SW Sec. 24 Twp 16 S. R. 21  OPERATOR: License# 32272  OPERATOR: License# 32272  OPERATOR: License# 32272  OPERATOR: License# 32272  OPERATOR: SENW Sec. 24 Twp 16 S. R. 21  OPERATOR: License# 10 N / V S Line of Sect 12 Section of	ion
SPERATOR: License# 32272   675   feet from   N /   S Line of Sect   Same: Captain's Oil, Inc.   Inc.   Sect   Se	ion ion
Section   Sec	w No
Section   Regular   Irregular?	<b>√</b> No
(Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (Note: Locate well on the Section Plat on reverse side)  (County: Miami  Lease Name: Cayot  Well #: 12-07  Field Name: Paola Rantoul  Is this a Prorated / Spaced Field?  Target Formation(s): Squirrel  Nearest Lease or unit boundary: 675'  Water well within one-quarter mile: Yes  Water well within one-quarter mile: Yes  Public water supply well within one mile: Depth to bottom of fresh water: 100+  Depth to bottom of usable water: 200'  Surface Pipe by Alternate: 1 2 2  Length of Surface Pipe Planned to be set: 20'  Length of Conductor Pipe required: none	
County: Miami  Lease Name: Cayot Well #: 12-07  DNTRACTOR: License# 4339  DNTRACTOR: License# 4339  Well Drilled For: Well Class: Type Equipment:  Oil	
Lease Name: Cayot Well #: 12-07    Discrimination as follows: Operator:	
DNTRACTOR: License# 4339    Well Drilled For:   Well Class:   Type Equipment:   Squirrel   Squirrel	
Is this a Prorated / Spaced Field?    Yes   Dale E. Jackson Production Company   Is this a Prorated / Spaced Field?   Yes	
Well Drilled For: Well Class: Type Equipment:  Oil	
Well Drilled For: Well Class: Type Equipment:  Oil	nt MSL
Ground Surface Elevation: N/a few Water well within one-quarter mile: Yes OWWO: old well information as follows:  Oil	t MSL
Cil	
OWO Disposal Wildcat Cable  Seismic;# of Holes Other  Other  Depth to bottom of fresh water: 100+-  Depth to bottom of usable water: 200'  Surface Pipe by Alternate: 1	<b>√</b> Nc
Depth to bottom of fresh water: 100+-    Other	
Depth to bottom of usable water: 200'    Other	
Surface Pipe by Alternate: 1 2  Composition as follows: Length of Surface Pipe Planned to be set: 20'  Length of Conductor Pipe required: none	
OWWO: old well information as follows:  Coperator:  Length of Surface Pipe Planned to be set: 20'  Length of Conductor Pipe required: none	
Operator:Length of Conductor Pipe required: none	· <b>-</b>
Declared Tatal Danish, 800'	
Well Name: Projected Total Depth: 900	
Original Completion Date: Original Total Depth: Formation at Total Depth: Squirrei	
Water Source for Drilling Operations:	
rectional, Deviated or Horizontal wellbore?  Yes V No Well V Farm Pond Other	
Yes, true vertical depth: DWR Permit #:	
ottom Hole Location: (Note: Apply for Permit with DWR	
CC DKT #: Will Cores be taken?	<b>√</b> No
If Yes, proposed zone:	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 days</i> of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate til cemmust be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing</li> </ol>	<i>ing;</i> te. enting
nereby certify that the statements made herein are true and to the best of my knowledge and belief.	
ate: September 20, 2007 Signature of Operator or Agent: Wanna Thanks Title: Agent	
For KCC Use ONLY  Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill:	Ŋ
For KCC Use ONLY  API # 15 - 121 - 28512 - OOO  Conductor pipe required  None  feet  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry	2
For KCC Use ONLY  API # 15 - 121 - 28512 - 0000  Conductor pipe required None feet feet per Alt. 120 Minimum surface pipe required 20 feet per Alt. 120 Minimum	
For KCC Use ONLY  API # 15 - 121 - 28512 - COOD  Conductor pipe required	
For KCC Use ONLY  API # 15 - 121 - 28512 - 0000  Conductor pipe required	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 131-28512-0000	Location of Well: County: Miami
Operator: Captain's Oil, Inc.	675 feet from N / S Line of Section
Lease: Cayot	3330 feet from ✓ E / W Line of Section
Well Number: 12-07	Sec. 24 Twp. 16 S. R. 21 ✓ East Wes
Field: Paola Rantoul	
Number of Acres attributable to well:  QTR / QTR / QTR of acreage: SENW SE SW SW	Is Section:  Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used:  NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		<del></del>		
·		•	•	•
		•	•	•
·		•		
	•	. (		
1	• •	.	•	•
	·		`	
			_	
1	•	.	•	-
	•	·	•	
· ·	• •	·		
	· · · · · · ·			
		_ [	•	
	•		-	
L		<del></del>		
1 .		•	•	•
1 .		•	•	•
		•	•	• •
١				
ļ ·	•	-	•	•
	•	. !	•	•
1				
' ' '				
	•	.	•	•
	•	_ '	•	•
		7 '	•	•
			• • • • • • •	
1		1.	•	
	•	1.		
1	·		-	



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION


Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Captain's Oil, Inc.			License Number: 32272		
Operator Address: 30805 Cold Water Road, Louisburg, KS 66053					
Contact Person: Bob Eberhart		Phone Number: ( 913 ) 837 -2823			
Lease Name & Well No.: Cayot 12-07		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SE NW SE SW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 24 Twp. 16 R. 21		
Settling Pit	If Existing, date constructed:		675 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3330 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	60 (bbls)		Miami County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	] Nó	Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?  ☐ Yes		How is the pit lined if a plastic liner is not used?  native clay		
Pit dimensions (all but working pits):30 Length (feet) Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 3 (feet)					
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile of pit  Depth to shalk Source of information of the control of t		west fresh water37feet. mation:			
		measu	rredwell owner electric log ( KDWR		
Emergency, Settling and Burn Pits ONLY:		_	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: drilling mud			
Number of producing wells on lease:			king pits to be utilized: 2		
Barrels of fluid produced daily:	····	Abandonment	procedure: suck out and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
September 20, 2007  Date  Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 9/20/07 Permit Number: Permit Date: 9/20/07 Lease Inspection: Yes V No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202NSAS CORPORATION COMMISSION





### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.