For KCC Use:	9-25-07
Effective Date:	7250/
District #	3
SGA? Yes	X No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Spot ✓ East
month day year	SWSW NW SE Sec. 24 Twp. 16 S. R. 21 West
	1500feet from N / V S Line of Section
OPERATOR: License# 32272 V	2375 feet from 🗸 E / W Line of Section
Name: Capitain's Oil, inc. Address: 30805 Cold Water Road	Is SECTION Regular Irregular?
City/State/Zip: Louisburg, KS 66053	(Manual and well and the Continue Blad on any area side)
City/State/Zip: Bob Eterhert	(Note: Locate well on the Section Plat on reverse side) County: Miami
Contact Person: Bob Eberhart Phone: (913) 837-2823	Lease Name: Cayot Well #: 9-07
Shone: (813) 837-2828	Field Name: Paola Rantoul
CONTRACTOR: License# 4339	
Name: Date E. Jackson Production Company	Is this a Prorated / Spaced Field?
VOLUME TO A STATE OF THE STATE	Target Formation(s): Squirrel 265'
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 265' Ground Surface Flevation: 1/8 feet MSL
Oil Finh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 100+-
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 20
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 800'
Original Completion Date:Original Total Depth:	Formation at total Deptin.
Directional, Deviated or Horizontal wellbore? Yes ✓ N	Water Source for Drilling Operations:  Well Farm Pond Other
	T Tanti Gio
If Yes, true vertical depth:	
Bottom Hole Location:	(Note: Apply for Permit with DWR (1)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
A	FFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	al plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on	al plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  de district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the specified before well is either	each drilling rig;  each drilling rig;  each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  le district office on plug length and placement is necessary prior to plugging;  plugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the structure of the spropriate district office will be notified before well is either than all the structure of the	each drilling rig;  each drilling rig;  each drilling rig;  each by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  plugged or production casing is cemented in;  tented from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either that a LTERNATE II COMPLETION, production pipe shall be certified or pursuant to Appendix "B" - Eastern Kansas surface casing or	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in;  tented from below any usable water to surface within 120 days of spud date.  ther #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the strength of the specified district office will be notified before well is either the strength of the specified of the specified of the well strength of the spuddate or the spuddate or the well strength of the spuddate or the s	each drilling rig;  each drilling rig;  each drilling rig;  eset by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  plugged or production casing is cemented in;  tented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the strength of the specified district office will be notified before well is either the specified in an ALTERNATE II COMPLETION, production pipe shall be cert or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be completed.	each drilling rig;  each drilling rig;  each drilling rig;  eset by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  plugged or production casing is cemented in;  tented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the foliation of the specified before well is either the first an ALTERNATE II COMPLETION, production pipe shall be certified before to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well still hereby certify that the statements made herein are true and to the best through the spud to the spud to the second to	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. The surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the foliation of the specified before well is either the first an ALTERNATE II COMPLETION, production pipe shall be certified before to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well still hereby certify that the statements made herein are true and to the best through the spud to the spud to the second to	each drilling rig;  each drilling rig;  each drilling rig;  eset by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  plugged or production casing is cemented in;  tented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well still hereby certify that the statements made herein are true and to the best	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. The surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the strength of the specified district office will be notified before well is either of the appropriate district office will be notified before well is either of pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well statements the properties of the spud date of the well statements are true and to the best of the specific part of the personal surface of the specific part o	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. The #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either the first an ALTERNATE II COMPLETION, production pipe shall be cert or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the sput district of the spud date or the well shall be certified best or the statements of the spud date or the well shall be certified best or the spud date or the spud date.  September 20, 2007 Signature of Operator or Agent of the spud date or the spud date.	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. The #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the state of the surface of the surface of the surface casing or must be completed within 30 days of the spud date or the well statements made herein are true and to the best of the surface of	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  le district office on plug length and placement is necessary prior to plugging;  blugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the foliation of the strict office will be notified before well is either the appropriate district office will be notified before well is either the first an ALTERNATE II COMPLETION, production pipe shall be cert or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or specific best of the spud date or the well shall be certified.  September 20, 2007  Signature of Operator or Agent of the spud date or the spud date or the best of the spud date or the specified best of the spud date or the specified best of the spud date or the spud date.  For KCC Use ONLY  API # 15 - OSSO9-OSSO Gentlement of the spud date or the specified best of the specified best of the spud date or the specified best of the sp	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  le district office on plug length and placement is necessary prior to plugging;  blugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the formal structure of the structure of the specified before well is either Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well structure of the spud date or the well structure of the spud date or the well structure.  September 20, 2007 Signature of Operator or Agent Port KCC Use ONLY  API # 15 - 131-38509-0000 feet per Alt. With the statement of the spud date of the spud date of the best of the spud date of the	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  le district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the figure of the specified before well is either the statements of the spuddate or the well is either the organization of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be certify that the statements made herein are true and to the best of the spuddate or the well shall be certified best of the spuddate or the well shall be certified best of the spuddate or the well shall be certified best of the spuddate or the well shall be certified best of the spuddate or the well shall be certified best of the spuddate or the well shall be certified best of the spuddate or the well shall be certified best of the spuddate or the well shall be certified best of the spuddate or the well shall be certified best of the spuddate or the well shall be certified best of the spuddate or the well shall be certified best of the spuddate or the spuddate or the spuddate.  September 20, 2007 Signature of Operator or Agent Minimum surface pipe required feet per Alt. Approved by: Pull 9-2007	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  blugged or production casing is cemented in;  tented from below any usable water to surface within 120 days of spud date.  ther #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the formal structure of the structure of the specified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well structure between the spud date or the well structure of the spud date or the well structure.  September 20, 2007 Signature of Operator or Agent For KCC Use ONLY  API # 15 - Soptember 20, 2007 Signature of Operator or Agent feet  Minimum surface pipe required feet per Alt.	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  blugged or production casing is cemented in;  tented from below any usable water to surface within 120 days of spud date.  ther #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the well is district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best pate:  September 20, 2007 Signature of Operator or Agent For KCC Use ONLY  API # 15 -	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date.  ther #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  It is of my knowledge and belief.  Tittle: Agent  Remember to:  File Drill Pit Application (form CDP-1) with intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or Injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be removed by: That the statements made herein are true and to the best conductor pipe required.  September 20, 2007  Signature of Operator or Agent feet  Minimum surface pipe required feet  Approved by: Pur 9-2007  This authorization expires: 3-2008	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  plugged or production casing is cemented in;  thented from below any usable water to surface within 120 days of spud date.  Ider #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title: Agent  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

RECEIVED Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67282NSAS CORPORATION COMMISSION

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121-28509-0000	Location of Well: County: Miami
API No. 15 - API TO Capitain's Oil, Inc.	1500 feet from N / S Line of Section 2375 feet from Z E / W Line of Section
Logno. Cayot	2375 feet from / E / W Line of Section
Well Number: 9-07	Sec. 24 Twp. 16 S. R. 21 ✓ East Wes
Field: Paola Rantoul	Is Section: 🗸 Regular or 🔲 Irregular
Number of Acres attributable to well:	<del>_</del>
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		· · · · · · · · · · · · · · · · · · ·		!
				!
	•			. •
•		'		' i
		1		
• • •			• • • • • • • •	1
١ .				. •
· ·	· ·			
	•	· i		
-		· l		
١.	•		-	
	_	. 1	•	. •
1	-			
	•	•	-	-
1				
1 .			•	•
l .			•	
l .	_	. !	•	
	•			
1 '	•	•		
	•		•	
	_	_		
	•	-		
	•	•	•	•
1 .		. 1	•	
1		.	•	
1		·		
		٠ ا		
1				
			-	•
			•	
		_	•	
	•	-		
	- <b>-</b>		-	•
Ĭ		•	•	•
1			•	•
	_			
			L	



NOTE: in all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION


Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

· · · · · · · · · · · · · · · · · · ·				
Operator Name: Captain's Oil, Inc.			License Number: 32272	
Operator Address: 30805 Cold Water Road, Louisburg, KS 66053				
Contact Person: Bob Eberhart			Phone Number: ( 913 ) 837 - 2823	
Lease Name & Well No.: Cayot 9-07			Pit Location (QQQQ):	
Type of Pit:	Pit is:		SW SW NW SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 24 Twp. 16 R. 21	
Settling Pit  Drilling Pit	If Existing, date constructed:		1500 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			2375 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:		Miami	
	60 (bbls)		County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	<b>N</b> o	native clay	
Pit dimensions (all but working pits):	30 Length (fe	et) 15	Width (feet) N/A: Steel Pits	
Depth f	from ground level to de	epest point: 3	(feet)	
material, thickness and installation procedur				
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		west fresh water37feet.		
		meası	measured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY	:	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of ma		f	al utilized in drilling/workover: drilling mud	
1		l.	king pits to be utilized: 2	
Barrels of fluid produced daily: Abai		Abandonment	procedure: suck out and backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
September 20, 2007  Date  Date			Manda Signature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 9/20/07 Permit Num	nber:	Perm	it Date: 9/20/07 Lease Inspection: Yes P.No.	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 KANSAS CORPORATION COMMISSION





#### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.