For KCC Use: For KCC Use: 9-29-07
Effective Date: 9-39-07
District # 3 SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

October 1, 2007	Spot ✓ I	East
Expected Spud Date October 1, 2007  month day year	NO OF NOW 30 30 16	Nest
11074	3490 feet from N / ✓ S Line of Section	
OPERATOR: License# 33074 / Name: Dart Cherokee Basin Operating Co. LLC	3300feet from ✓ E / W Line of Section	
Name: Dart Cherokee Basin Operating Co. LLC  Address: 211 W. Myrtle  City/State/Zip: Independence KS 67301	Is SECTION ✓ Regular Irregular?	
Independence KS 67301		
City/State/Zip: Tony Williams	(Note: Locate well on the Section Plat on reverse side)  County: Wilson	
Contact Person: Tony Williams Phone: 620-331-7870	Lease Name: B Neill et al Well #: B2-30	
_	Field Name: Cherokee Basin Coal Gas Area	
CONTRACTOR: License# 5675	Is this a Prorated / Spaced Field? Yes   Yes   Yes   ✓	/ No
Name: McPherson Drilling	Target Information(s): Mississippian	_ NO
	Nearest Lease or unit boundary: 660 Feet	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation; 940feet	MSI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ▼	
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	= -
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 1750	
Seismic;# of Holes Other	Depth to bottom of usable water: 2004 /SD	
Other	Surface Pipe by Alternate: 1 2 2	- •
	Length of Surface Pipe Planned to be set: 40'	
If OWWO: old well information as follows:	Length of Conductor Pipe required:	
Operator:	Projected Total Depth: 1612	
Well Name:	Formation at Total Depth: Mississippian	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	<u>-</u>
KCC DKT #:	Will Cores be taken? Yes ▼	No
	RECEIVED	¬'
	MANSAS CORPORATION C	OMMISSION
	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq. SEP 2 4 200	<b>17</b>
It is agreed that the following minimum requirements will be met:		
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> </ol>	CONSERVATION DIVI	SION
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each	ch drilling rig; WICHITA, KS	
<ol><li>The minimum amount of surface pipe as specified below snall be set through all unconsolidated materials plus a minimum of 20 feet into the</li></ol>	et by circulating cement to the top; in all cases surface pipe shall be set	
4 If the well is dry hole, an agreement between the operator and the d	is underlying formation.	
	istrict office on plug length and placement is necessary prior to pluggit	
5. The appropriate district office will be notified before well is either plug	listrict office on plug length and placement is necessary prior to plugginged or production casing is cemented in;	ng;
<ol> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE    COMPLETION, production pipe shall be cement</li> </ol>	listrict office on plug length and placement is necessary prior to plugginged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date	<b>ng;</b> e.
<ol> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	listrict office on plug length and placement is necessary prior to plugginged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme	<i>ng;</i> e. nting
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing	<i>ng;</i> e. nting
<ol> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing	<i>ng;</i> e. nting
<ol> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the dest of</li> </ol>	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing from the movement of the following series of the first of the fi	ng; e. nting J.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing	ng; e. nting J.
<ol> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the dest of</li> </ol>	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing from the movement of the following series of the first of the fi	ng; e. nting J.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: September 21, 2007  Signature of Operator or Agent:  For KCC Use ONLY  For KCC Use ONLY	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing from the work of the many cemental from the plugged.  Title: Safety & Environmental Many Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	ng; e. nting J.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: September 21, 2007  Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 205 - 273/0-0000	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing from the within 120 days of Environmental Management Telescompletion (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	ng; e. nting J.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the dest of Date: September 21, 2007  Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 205 - 27310-0000	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing from the within 120 days of spud date;  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ng; e. nting J.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: September 21, 2007 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 205 - 27310-0000 Conductor pipe required More feet	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: Safety & Environmental Man Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;	ng; e. nting J.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: September 21, 2007 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 205 - 27310-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2)	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing from the within 120 days of spud date;  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ng; e. nting J.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: September 21, 2007 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 205 - 27310-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. 12 Approved by: 1444 9-24-07	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemebe plugged. In all cases, NOTIFY district office prior to any cementing from which may be plugged. In all cases, NOTIFY district office prior to any cementing from the plugged and belief.  Title: Safety & Environmental Man Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	ng; e. nting J.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: September 21, 2007 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 205 - 27310-000 Conductor pipe required feet Minimum surface pipe required feet per Alt. 12 Approved by: 144 9-24-07 This authorization expires: 3-34-08	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: Safety & Environmental Man Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	ng; e. nting J.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: September 21, 2007 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 205 - 27310-000 Conductor pipe required	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemebe plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: Safety & Environmental Man Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ng; e. nting J.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: September 21, 2007 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27310-000  Conductor pipe required feet  Minimum surface pipe required feet per Alt. (2)  Approved by: ### 9-24-07  This authorization expires: 3-24-08  (This authorization void if drilling not started within 6 months of effective date.)	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief.  Title: Safety & Environmental Man Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	ng; e. nting J.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of Date: September 21, 2007 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 205 - 27310-000 Conductor pipe required	listrict office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemebe plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.  Title: Safety & Environmental Man Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	ng; e. nting J.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-273/0-0000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	3490 feet from N / ✓ S Line of Section
Lease: B Neilt et al	3300 feet from ✓ E / W Line of Section
Well Number: B2-30	Sec. 30 Twp. 30 S. R. 15 VEast West
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40  QTR / QTR of acreage: N2 SE NW	Is Section:   Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used:  NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.) **T30S** 



WICHITA, KS

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number:		
Operator Address: 211 W. Myrtle Inde			ependence KS 67301	
Contact Person:Tony Williams		Phone Number: ( 620 ) 331 - 7870		
Lease Name & Well No.: B Neill et al	B2	2-30	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>N2</u> SE <u>NW</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec30 Twp30 R15	
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:			
(II WE Supply AFTNO. OF teal Diffied)	926	(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water Area? Yes V No		∤ No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  ✓ Yes 🌅 No	Artificial Liner?  Yes   ✓	No	How is the pit lined if a plastic liner is not used?	
			Natural Clays	
Pit dimensions (all but working pits): 35 Length (feet) 30 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 5 (feet)				
		:		
		Depth to shallo Source of infor	west fresh waterfeet.	
N/A feet Depth of water well	N/A feet Depth of water well feet		measuredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Air		
			Number of working pits to be utilized: One Abandonment procedure: Air dry, fill	
Barrels of fluid produced daily: Abandonmen		procedure: All diy, all		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must	be closed within 365 days of spud date. RECEIVED  KANSAS CORPORATION COMMISSION OF THE PROPERTY OF THE PROPERT	
I hereby certify that the above state  September 21, 2007  Date	ements are true and	Sony	t of my knowledge and belief.  SEP 2 4 2007  CONSERVATION DIVISION  WICHITA, KS	
KCC OFFICE USE ONLY				
Date Received: 9/24/07 Permit Number: Permit Date: 9/24/07 Lease Inspection: Yes v No				