

For KCC Use:		9-30-07
Effective Date:		9-3001
District # _	4	
ec. 1	Voc	<b>⊠</b> Ne

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 November 2005 Form must be Typed Form must be Signed

## NOTICE OF INTENT TO DRILL

Expected Spud Date: 10/19/2007	Spot Description:	
month day year	SW _ NE Sec. 29 Twp. 5 S	s. R. 29 ☐E XW
30606	(0/0/0/0) 1,980 feet from X N	/ S Line of Section
OPERATOR: License#	1,980 feet from X E	/ W Line of Section
Address 1: 250 N WATER STE 300	is SECTION: Regular Irregular?	_
Address 2:	(Note: Locate well on the Section Plat on re	worse side)
City: WICHITA State: KS Zip: 67202 + 1216	County: Decatur	70.30 3140)
Contact Person: Shauna Gunzelman	Lease Name: Shuler	Well #: 2-29
Phone: 316-267-3241	Field Name: unknown	
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field?	Yes X No
Name: Murfin Drilling Co., Inc.	Target Formation(s): Lansing Kansas City	
<del></del>	Nearest Lease or unit boundary line (in footage): 660	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2791	feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	X Yes No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 150	
Seismic; # of Holes Other	Depth to bottom of usable water: 150	
Other:	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300	<u></u>
Occupation	Length of Conductor Pipe (if any): 0	
Operator:	Projected Total Depth: 4200	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Marmaton	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: haul	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes X No
	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of means.	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  in drilling rig; by circulating cement to the top; in all cases surface pipe a e underlying formation.  trict office on plug length and placement is necessary prior ged or production casing is cemented in; did from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an my knowledge and belief.	shall be set or to plugging; S of spud date. nate II cementing ny cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be	FIDAVIT  Ungging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe is e underlying formation.  Underlying formation.  Underlying formation is cemented in; in the complete of production casing is cemented in; in the complete of the complete	shall be set or to plugging; S of spud date. nate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of material plus in the statements of the operator of Agent:  2-21-260 Signature of Operator or Agent:	FIDAVIT  Ungging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe is e underlying formation.  Unitrict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAY:  133,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an any knowledge and belief.  Manual	shall be set or to plugging; S of spud date. hate If cementing hy cementing.  for Aperator.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of notice.  Date: 9-21-2007 Signature of Operator or Agent: Manual  For KCC Use ONLY	FIDAVIT  Ungging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe is e underlying formation.  It file: Underlying formation in all cases, NOTIFY district office prior to an any knowledge and belief.  Underlying formation.  Title: Underlying formation.  Femember to:  File Drill Pit Application (form CDP-1) with Intent to Drill  Femember to:	shall be set or to plugging; S of spud date. nate Il cementing ny cementing.  for Operator ill; date:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of materials and the statements of the complete of the spud date of the well shall be a complete of the complete of th	FIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe and enderlying formation.  Itrict office on plug length and placement is necessary priority of from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an any knowledge and belief.  Title:  **Remember to:*  - File Drill Pit Application (form CDP-1) with Intent to Dried Title Completion Form ACO-1 within 120 days of spud - File acreage attribution plat according to field proration.	shall be set or to plugging; S of spud date. hate Il cementing hy cementing.  So Operator.  We date; horders;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice and the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice and the complete of the spud date of the plant of the plant of the details and the plant of the pl	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe and enderlying formation.  United office on plug length and placement is necessary prices of production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an any knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to worke	shall be set or to plugging; S of spud date. hate Il cementing hy cementing.  So Operator.  We date; horders; hover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice of the completed within 30 days of the spud date of the well shall be 1 hereby certify that the statements made herein are true and to the best of notice of the complete of	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation.  United office on plug length and placement is necessary priority of from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an any knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drive File completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to worker.  Submit plugging report (CP-4) after plugging is completed.	shall be set or to plugging; Sof spud date. hate Il cementing hy cementing.  Apperator iii; date; horders; over or re-entry; eted (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice and the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice and the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice and the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice of the spud date or the well shall be 1 hereby certified the notice of the spud date or the well shall be 1 hereby certified the notice of the no	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation.  United office on plug length and placement is necessary priority of from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an any knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drive File completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting service.	shall be set or to plugging; S of spud date. hate Il cementing hy cementing.  Apperator iii; date; h orders; over or re-entry; eted (within 60 days); alt water.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the district of the statements of the spud date or Agent:    Post CC Use ONLY	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe and enderlying formation.  United office on plug length and placement is necessary price ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an any knowledge and belief.  Tittle:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Dried to File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to worker.  Submit plugging report (CP-4) after plugging is completed.  If this permit has expired (See: authorized expiration of the completion	shall be set or to plugging; S of spud date. hate Il cementing hy cementing.  Apperator  iii; date; h orders; over or re-entry; eted (within 60 days); alt water.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the district office of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the district office of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the statement of the district of the district of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the statement of the district of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the spud date or the well shall be 1 hereby certify that the statement of the spud date or the well shall be 1 hereby certify that the statement of the spud date or the well shall be 1 hereby certify that the statement of the spud date or the well shall be 1 hereby certified the spud date or the spu	FIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe and enderlying formation.  Itrict office on plug length and placement is necessary price and or production casing is cemented in; and from below any usable water to surface within 120 DAY:  133,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an any knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drille acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to work.  Submit plugging report (CP-4) after plugging is comple.  Obtain written approval before disposing or injecting services.  If this permit has expired (See: authorized expiration of check the box below and return to the address below.	shall be set or to plugging; S of spud date. hate Il cementing hy cementing.  Apperator iii; date; h orders; over or re-entry; eted (within 60 days); alt water.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of notice and the district office will be operator or Agent:  For KCC Use ONLY  API # 15 - Q39 - Q1027 - OCCOO feet per required 0 feet per ALT. I III Approved by: 449 - 25 - 07 This authorization expires: 3-25-08	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe and enderlying formation.  United office on plug length and placement is necessary price ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an any knowledge and belief.  Tittle:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Dried to File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to worker.  Submit plugging report (CP-4) after plugging is completed.  If this permit has expired (See: authorized expiration of the completion	shall be set or to plugging; S of spud date. hate Il cementing hy cementing.  Apperator iii; date; h orders; over or re-entry; eted (within 60 days); alt water.



### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 039-21027-0000	
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Decatur
Lease: Shuler	1,980 feet from N / S Line of Section
Well Number: 2-29	1,980 feet from X E / W Line of Section
Field: unknown	Sec. <u>29 Twp. 5</u> S. R. <u>29</u> E 🔀 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



### KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Murfin Drilling Co., In	^	License Number: 30606				
Operator Address: 250 N WATER						
Contact Person: Shauna Gunzelma	in .	Phone Number: 316-267-3241				
Lease Name & Well No.: Shuler	2-2	29	Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>SW NE</u>			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 29 Twp. 5 R. 29 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		1,980 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit			1,980 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity: 600	(bbls)	Decatur County			
	42 DV DV		Chloride concentration: mg/!			
Is the pit located in a Sensitive Ground Water	Area?res	No	(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	<del></del>	How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	Bentonite and solids from drilling operation self seal pits.			
Pit dimensions (all but working pits):1	00 Length (fe	eet)100	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	4 (feet) No Pit			
If the pit is lined give a brief description of the			dures for periodic maintenance and determining			
material, thickness and installation procedure	).	liner integrity, i	ncluding any special monitoring.			
1.000.000.000.000			0.5			
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh water <u>35</u> feet. mation:			
1012 feet Depth of water well	105 feet	measu				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haui-Off Pits ONLY:			
Producing Formation:		Type of materia	al utilized in drilling/workover: Bentonite			
Number of producing wells on lease:			king pits to be utilized: 4			
			procedure: Allow pits to evaporate until dry then			
Does the slope from the tank battery allow all	spilled fluids to	backfill when conditions allow				
flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
		4				
9-21-2007 Maura Amelman, agent for operator						
Date Signature of Applicant or Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 9/24/07 Permit Num	ber:	Perm	it Date: 9/24/07 Lease Inspection: Yes XNo			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 SAS CORPORATION COMMISSION

and the second