For KCC Use:	9-30-07
Effective Date:	73001
District #	٠
0040 []	. IX No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

pected Spud Date September 29, 2007	Spot East
month day year	SWSE SW SE Sec. 18 Twp. 22 S. R. 22 West
5556	50 feet from feet from S Line of Section
RATOR: License# 5556	1765feet from/ E /W Line of Section
ne: Viva International, Inc.	Is SECTION RegularIrregular?
Iress: 8357 Meirose Drive	(Note: Locate well on the Section Plat on reverse side)
//State/Zip: Lenexa, KS 66214	On the Line
ntent Person. Rubert Bukay	Lease Name: Wright Well #: 29-W
one: (913) 859-0438	Field Name: Blue Mound
NTRACTOR: License# 33734	
ne: Hat Drilling, LLC	Is this a Prorated / Spaced Field? Target Formation(s): Bartlesville
me.	Nearest Lease or unit boundary: 50'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1,305 feet MSL
Oil Enh Rec Infield Mud Rotary	The Cha
Gas Storage Pool Ext. Air Rotary	114407 11441 1144 11441 1
OWO Disposal Wildcat Cable	· ·
Seismic;# of Holes Other	Depth to bottom of fresh water: 150'
Other	Depth to bottom of usable water: 150'
- Outel	Surface Pipe by Alternate: 1 2 2
DWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 900' Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Pomiation at total depth.
	Water Source for Drilling Operations:
restinget Deviated or Marizantal wellhars?	Well ✓ Farm Pond Other
	THE TAIL OIL OIL
	DWR Permit #:
rectional, Deviated or Horizontal wellbore? Yes, true vertical depth: Ottom Hole Location:	DWR Permit #:
Yes, true vertical depth:	DWR Permit #:
Yes, true vertical depth:	DWR Permit #:
AFI The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e. 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the spuddate of the spuddate or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spuddate or the well shall be completed.	OWR Permit #:
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the spuddate of the computation of the computation of the computation of the computation of the spuddate or the well shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: Bartlesville FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. sach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. Ber #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? Will Cores be taken? Bartlesville FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. seach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
AFI The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 fe	Will Cores be taken? Will Cores be taken? Yes No
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the shall be posted on the strongh all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strength of the well is dry hole, an agreement between the operator and the strength of the shall be come. 5. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before and the strength of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be spetched to the strength of the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the well shall be spetched to the spund date or the spetched to the spund date or the	Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Bartlesville FIDAVIT
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the complete of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30	Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Will Cores be taken? Bartlesville
AFROM Hole Location: AFROM Hole Location: CO DKT #: AFROM Hole Location: CO DKT #: AFROM Hole Location: AFROM Hole Location: CO DKT #: AFROM Hole Location: AFROM Hole Hole Hole Hole Hole Hole Hole Hole	Will Cores be taken? If Yes, proposed zone: Bartlesville FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Bach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. In district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. Ber #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFI the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shamereby certify that the statements made herein are true and to the best sate: September 24, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107-23903-0000 Conductor pipe required 100 feet per Alt. 102	Will Cores be taken? If Yes, proposed zone: Bartlesville FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. seach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AF te undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be cereby certify that the statements made herein are true and to the best are: September 24, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107-23903-0000 Conductor pipe required None feet Minimum surface pipe required feet Approved by: Put 9-2507	Will Cores be taken? If Yes, proposed zone: Bartlesville FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Back drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anded from below any usable water to surface within 120 days of spud date. Ber #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the well is drived and intent to drill shall be posted on each of the well is drived and intent to drill shall be posted on each of the well is drived an agreement between the operator and the state of the well is drived to the well is drived to the well is drived to the well of the well is drived to the state of the well of the well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate d	Will Cores be taken? If Yes, proposed zone: Bartlesville FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Back drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ander from below any usable water to surface within 120 days of spud date. File plugged. In all cases, NOTIFY district office prior to any cementing. Bernember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFI The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: September 24, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: Bartlesville FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Back drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. I district office on plug length and placement is necessary prior to plugging; unted from below any usable water to surface within 120 days of spud date. Ber #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the shall be posted on the shall be through all unconsolidated materials plus a minimum of 20 feet into the shall be shall be through all unconsolidated materials plus a minimum of 20 feet into the shall be come. 5. The appropriate district office will be notified before well is either plushed. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. September 24, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107-23903-0000 Conductor pipe required North feet Minimum surface pipe required feet Approved by: \$\int \text{MH 9-2507}\$ This authorization expires: 3-2508	Will Cores be taken? If Yes, proposed zone: Bartlesville FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Bach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. In district office on plug length and placement is necessary prior to plugging; ungged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. Ber #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

SEP 24 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 107-23903-0000	Location of Well: County: Linn
Operator: Viva international, Inc.	feet from Feet from S Line of Section
Lease: Wright	
Well Number: 29-W	_ Sec. 18 Twp. 22 S. R. 22 ✓ East Wes
Field: Blue Mound	_
Number of Acres attributable to well:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

l .			
	=		
	•	•	•
1			
1 .			•
1			
1 .			•
i			
	-	•	-
1			
i			
	•		•
1 .			
		•	
			•
1			
1			
-			
· •			•
l .			
1 '	•	• •	
1 .		•	•
_			
	·		
•		• •	•
•		• •	•
•		• •	•
		: :	•
	· · · ·	• •	•
		: :	•
		: :	•
		: :	•
	: :		· ·
		: :	· ·
	: :		:
	: :		
	: :		:
	: :		:
	: :		:
			:
			:
	: :		:
			:
			:



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Viva International, Inc.			License Number: 5556			
Operator Address: 8357 Melrose Drive, Lenexa, KS 66214						
Contact Person: Robert Bukay			Phone Number: (913) 859 - 0438			
Lease Name & Well No.: Wright 29-W	/		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW SE SW SE			
Emergency Pit Burn Pit	Proposed Existing		Sec. 18 Twp. 22 R. 22 ✓ East West			
Settling Pit	If Existing, date constructed:		50 Feet from ✓ North / 🗷 South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:	· · · · · · · · · · · · · · · · · · ·	1785 Feet from 🗸 East / 🗌 West Line of Section			
(If WP Supply API No. or Year Drilled)	250 (bbls)		Linn County			
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 📝	∱ No	Chloride concentration: mg/l			
Is the bottom below ground level?	Additional Lines		(For Emergency Pits and Settling Pits only)			
Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? Native Clay			
Pit dimensions (all but working pits):	pits): 40 Length (feet) 8		Width (feet)N/A: Steel Pits			
Depth from ground level to deepest point: 5 (feet)						
" " " " " " " " " " " " " " " " " " "			odures for periodic maintenance and determining including any special monitoring.			
material, thickness and installation procedure	5.	inter integray, i	induting any special monitoring.			
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water 150 feet. Source of information:				
N/A feet Depth of water wellfeet		measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover: Fresh Mud				
Number of producing wells on lease:		Number of working pits to be utilized: 1				
Barrels of fluid produced daily:		Abandonment procedure: Allow fluid to evaporate and				
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED						
September 24, 2007	(,)	nna / i	KANSAS CORPORATION COMMISSION			
Date	(100	S	ignature of Applicant or Agent SEP 2 4 2007			
KCC OFFICE USE O			CONSERVATION DIVISION NLY WICHTA, KS			
Date Received: 9/24/07 Permit Num	ber:	Perm	if Date: $\frac{9/24/a7}{2}$ Lease Inspection: \square Yes \square No			





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.