For KCC Use:
Effective Date:
District #
SGA? [ Yes | X|No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date 9 29 07	Spot <b>N/E</b> _ X East
month day year	S/E. N/E S/E Sec. 3 Twp. 20 S. R. 23 West
OPERATOR: License# 6157	2310 feet from N / X S Line of Section
Name: J & J Oil Company	330feet from XXE / W Line of Section
Address: 15518E 850TH Road	Is SECTION X Regular Irregular?
City/State/Zip: Mound City Kansas 66056	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Paul Jackson	County: Linn
Phone: 913 795 2586	Lease Name: Teagarden Well #: 0-3
	Field Name: Lacygne Cadmus
CONTRACTOR: License# 6157	Is this a Prorated / Spaced Field?
Name: Company Tools	Target Formation(s): Peru
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330!
Oil X Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: 900 ' . feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWO   Disposal   Wildcat   Cable	Public water supply well within one mile: Yes X No
Seismic; # of Holes   Other	Depth to bottom of fresh water: 130
Other	Depth to bottom of usable water: 150'
	Surface Pipe by Alternate:   1   X  2  Length of Surface Pipe Planned to be set: 20!
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator: Well Name:	Projected Total Depth: 300'
Original Completion Date: Original Total Depth:	Formation at Total DepthPeru
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Return Water
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR [_])
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone: Peru RECEIVED
AFFIC	If Yes, proposed zone: Peru RECEIVED
	If Yes, proposed zone: Peru RECEIVED  KANSAS CORPORATION COMMISS  Period of this well will comply with K.S.A. 55 et. seg
The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: Peru RECEIVED  KANSAS CORPORATION COMMISS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:	If Yes, proposed zone: Peru RECEIVED  KANSAS CORPORATION COMMISS  gging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each	If Yes, proposed zone: Peru RECEIVED  AVIT  Aping of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  Adrilling rig:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone: Peru RECEIVED  AVIT  ASSIGNMENT SEP 2 4 2007  drilling rig;  by circulating cement to the top; in all cases surface pipe shall the Set
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: Peru RECEIVED  KANSAS CORPORATION COMMISS  gging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig; by circulating cement to the top; in all cases surface pipe Shall be Set underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugger	AVIT  KANSAS CORPORATION COMMISS  gging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig; by circulating cement to the top; in all cases surface pipe with the feet underlying formation.  trict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugging 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: Peru RECEIVED  KANSAS CORPORATION COMMISS  gging of this well will comply with K.S.A. 55 et. seq.  Grilling rig; by circulating cement to the top; in all cases surface pipe in the property of the production casing is cemented in; of the production casing is ce
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #:	If Yes, proposed zone: Peru RECEIVED  KANSAS CORPORATION COMMISS  aging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig;  over circulating cement to the top; in all cases surface pipe with be set underlying formation.  underlying formation.  rict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  I from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	AVIT  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Brict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugits agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and to the best of many contents.	AVIT  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Brict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	AVIT  KANSAS CORPORATION COMMISS  gging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  trict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugits agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and to the best of many contents.	AVIT  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Brict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugits agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and to the best of many contents.	AVIT  KANSAS CORPORATION COMMISS  gging of this well will comply with K.S.A. 55 et. seq.  Grilling rig;  by circulating cement to the top; in all cases surface pipe in all be set underlying formation.  Intercritical office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; of from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Fine Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugging 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of motion of the post of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of motion of the specific plants.	AVIT  KANSAS CORPORATION COMMISS  gging of this well will comply with K.S.A. 55 et. seq.  Grilling rig;  by circulating cement to the top; in all cases surface pipe in all be set underlying formation.  Intict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; if from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Fine Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of motion of the position of the po	AVIT  KANSAS CORPORATION COMMISS  gging of this well will comply with K.S.A. 55 et. seq.  Grilling rig;  by circulating cement to the top; in all cases surface pipe in all be set underlying formation.  Intercritical office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; if from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Fine Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of motion of the post of the conductor pipe required	AVIT  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  Grilling rig;  by circulating cement to the top; in all cases surface pipe whall be set underlying formation.  Intict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugging. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of module. P- 20 O7 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 107-23909-0000  Conductor pipe required	AVIT  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  trict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the statements of the conductor pipe required	AVIT  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig;  by circulating cement to the top; in all cases surface pipe whall be set underlying formation.  Inict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the production pipe required	AVIT  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  trict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the statements of the conductor pipe required	AVIT  KANSAS CORPORATION COMMISS  Gring of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Incit office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 days of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the completion form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the production pipe required	AVIT  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  SEP 2 4 2007  drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Incit office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  I from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

West

API No. 15	107-	2390	2000	0			<b>L</b> e	ocation of \	Well: Count	y:		
										feet from	[ N / [	S Line of Section
Lease:				<u></u>						feet from	L	W Line of Section
Well Numb	er:						S	ec	Twp	S. R		East We
Field:							-					
Number of	Acres att	rihutable t	lo well:					Section:	Regul	ar or [] Irre	gular	
							· If			locate well from		corner boundary. SW
		t	Show loc						or prorated oundary line	or spaced well	's.)	
					ı				1			
				•		•		•				
					•							
			•	•		•	•	•				•
	1							·				
				•								
	]	•										
			•									
		,				•			] [	EXAMPLE		
		•				•	•			•	•	
							•		'			-1980
										:		-1960
	]		,	•				•	.		10	
								. , ,		:	. ( . 3390' ·	
						•				•		
								•	.			
			-				•				· . · · · ·	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: J & J Oil Comp	any		License Number: 6157				
Operator Address: 15518E 850TH Road Mound city Kansas 66056							
Contact Person: Paul Jackson			Phone Number: (913 ) 795 2586				
Lease Name & Well No.: Teagarden 0-3			Pit Location (QQQQ):				
Type of Pit:	Pit is:		<del>S/E</del> . N/E S/E				
Emergency Pit X Burn-Pit	X Proposed	[ ] Existing	Sec. 3 Twp. 20 R. 23 X East   West				
Settling Pit K Drilling Pit	If Existing, date of	onstructed:	2310 Feet from [ ] North / X South Line of Section				
Workover Pit   Haul-Off Pit	Pit capacity:		330 Feet from   x   East /				
(If WP Supply API No. or Year Drilled)	60	(bbls)	Linn County				
Is the pit located in a Sensitive Ground Water Area? Yes			Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)				
Is the bottom below ground levet?	Artificial Liner?		How is the pit lined if a plastic liner is not used?				
X Yes No	Yes X No		Clay & Shale				
Pit dimensions (all but working pits): 20	nensions (all but working pits): 20 Length (feet) 10		Width (feet) N/A: Steel Pits				
Depth fr	Depth from ground level to deepest point:5(feet)						
			Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION SEP 2 4 2007				
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh water feet.					
NA feet Depth of water well	feet	Source of information: measured well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover: Water					
Number of producing wells on lease:		Number of working pits to be utilized: One					
Barrets of fluid produced daily:		Abandonment procedure: Put water into injection					
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	system. Put mud on lease roads.  Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
9-20-07 Tack Jackson Signature of Applicant or Agent							
KCC OFFICE USE ONLY							
Date Received: 9/24/c7 Permit Number: Permit Date: 9/25/07 Lease Inspection: Yes   No							



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.