For KCC Use: Effective Date:	10-2-07
District #	
SGA? Yes	X No

# KANSAS CORPORATION COMMISSION SEP 2 7 2007 OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL CASERVATION DIVISION Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date October 5, 2007	Spot	✓ East
month day year	W2 - SE NE Sec. 9 Twp. 30 S.	R. <u>14</u> West
OPERATOR: License# 33074		Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	750 FELfeet from ✓ E / V	V Line of Section
211 W Myrtle	Is SECTION ✓ Regular Irregular?	
Address: Endependence KS 67301	(Note: Locate well on the Section Plat on reve	rse side)
Contact Person: Tony Williams	County: Wilson	
Phone: 620-331-7870	Lease Name. B Neill et al	Well #: B4-9
	Field Name: Cherokee Basin Coal Gas Area	
CONTRACTOR: License# 5675	Is this a Prorated / Spaced Field?	Yes ✓ No
Name McPherson Drilling	Target Information(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660 Feet	
	Ground Surface Elevation: 896	feet MSL
	Water well within one-quarter mile:	Yes ✓ No
✓ Gas Storage ✓ Pool Ext. ✓ Air Rotary  OMMO Disposal Wildcat Cable	Public water supply well within one mile:	Yes ✓ No
Seismic; # of Holes Other	Depth to bottom of fresh water: 175'+-	
Other	Depth to bottom of usable water:	
- Contraction of the contraction	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1520 Feet Formation at Total Depth: Mississippian	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Wall  Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	)
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
ACE		
	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the specific to the specific state of the specific to the specific state of the specific state o	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pine underlying formation.  district office on plug length and placement is necessary aged or production casing is cemented in;  ted from below any usable water to surface within 120 date #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to	pe shall be set prior to plugging; sys of spud date. Iternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be su</i> through all unconsolidated materials plus a minimum of 20 feet into the total the well is dry hole, an agreement between the operator and the control of	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; ef by circulating cement to the top; in all cases surface pi he underlying formation.  district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief.	pe shall be set  prior to plugging;  sys of spud date.  Iternate II cementing to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plus that a LTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; ef by circulating cement to the top; in all cases surface pi he underlying formation.  district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 de #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to fi my knowledge and belief.  Title: Safety & Env	pe shall be set prior to plugging; sys of spud date. Iternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set.  5. The appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the set of the s	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  ef by circulating cement to the top; in all cases surface pi he underlying formation.  district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 de #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to if my knowledge and belief.  Title: Safety & Env	pe shall be set prior to plugging; sys of spud date. Iternate II cementing o any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into tall.  4. If the well is dry hole, an agreement between the operator and the composition of the surface of the spropriate district office will be notified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemen.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of	ch drilling rig; et by circulating cement to the top; in all cases surface pi he underlying formation. district office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to if my knowledge and belief.  Title: Safety & Env  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Dri File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proratic Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is completed.	pe shall be set prior to plugging; sys of spud date. Iternate II cementing of any cementing.  prironmental Manager II; date; on orders; sover or re-entry; leted;
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the second shall be surfaced to the second shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be ceremented to the surfaced surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the surfaced surfaced shall be surfaced to the spud date or the well shall.  Date: September 26, 2007 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27314-0000  Conductor pipe required feet feet per Alt.  Approved by: Put 9-27-07	ch drilling rig; In the second	pe shall be set  prior to plugging;  bys of spud date.  Iternate II cementing of any cementing.  prironmental Manager  II;  date; on orders; cover or re-entry; leted; salt water.
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second second shall be sufficient to the second shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the spud shall be second shal	ch drilling rig; et by circulating cement to the top; in all cases surface pi he underlying formation. district office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 da #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to if my knowledge and belief.  Title: Safety & Env  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Dri File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proratic Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is completed.	pe shall be set  prior to plugging;  bys of spud date.  Iternate II cementing of any cementing.  prironmental Manager  II;  date; on orders; cover or re-entry; leted; salt water.  date) please
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be surthrough all unconsolidated materials plus a minimum of 20 feet into the second shall be surfaced in the surface pipe as specified below shall be surfaced in the surfaced materials plus a minimum of 20 feet into the surfaced state of the surfaced in the surfaced state of the surfac	ch drilling rig; et by circulating cement to the top; in all cases surface pine underlying formation. district office on plug length and placement is necessary good or production casing is cemented in; ted from below any usable water to surface within 120 de #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to fine my knowledge and belief.  Title: Safety & Env.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Dring the Completion Form ACO-1 within 120 days of spudding a completion form to the completion form according to field proration. Notify appropriate district office 48 hours prior to work a Submit plugging report (CP-4) after plugging is completed in this permit has expired (See: authorized expiration of the completion of the completion of the plugging of injecting the complete spurity of the co	pe shall be set  prior to plugging;  bys of spud date.  Iternate II cementing of any cementing.  prironmental Manager  II;  date; on orders; cover or re-entry; leted; salt water.  date) please
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second	ch drilling rig; In this well will comply with K.S.A. 55 et. seq.  In the underlying formation. It is trict office on plug length and placement is necessary good or production casing is cemented in; It is trown below any usable water to surface within 120 de #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to make the plugged. In all cases, NOTIFY district office prior to make the plugged. In all cases, NOTIFY district office prior to make the plugged in the plugged.  In all cases, NOTIFY district office prior to make the plugged in the plugged in the plugged.  Title: Safety & Env.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Driden in the plugged in the plugging is completed in the plugging report (CP-4) after plugging is completed in the plugging is completed in the plugging of injecting in the plugging in the plugging of injecting in the plugging in the plugging in the plugging is completed in the plugging in the plugging in the plugging in the plugging is completed in the plugging in t	pe shall be set  prior to plugging;  bys of spud date.  Iternate II cementing of any cementing.  prironmental Manager  II;  date; on orders; cover or re-entry; leted; salt water.  date) please

SEP 2 7 2007

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DEVISION
WHICH TAIL TO

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 205-27314-0000	Location of Well: County: Wilson		
Operator: Dart Cherokee Basin Operating Co. LLC	3300 FSL feet from N / ✓ S Line of Section  750 FEL feet from ✓ E / W Line of Section		
Lease: B Neill et al	750 FEL feet from 🗸 E / W Line of Section		
Well Number: B4-9	Sec. 9 Twp. 30 S. R. 14 VEast Wes		
Field: Cherokee Basin Coal Gas Area			
Number of Acres attributable to well: 40	ls Section: ✓ Regular or Irregular		
QTR / QTR / QTR of acreage: W2 - SE - NE	If Section is irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

T30S



NOTE: In all cases locate the spot of the proposed drilling locaton.

Wilson Co.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

SEP 2 7 2007

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit in Duplicate

CEPIT MAGRICADE LA SIDA

Operator Name: Dart Cherokee Basin Operating Co. LLC			License Number: 33074			
Operator Address: 211 W. Myrtle Inde			ependence KS 67301			
Contact Person: Tony Williams		Phone Number: ( 620 ) 331 - 7870				
Lease Name & Well No.: B Neill et al	B4-9		Pit Location (QQQQ):			
Type of Pit:	Pit is:		W2 SE NE			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 9 Twp. 30 R. 14 📝 East 🗍 West			
Settling Pit	If Existing, date constructed:		3300 FSL Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		750 FEL Feet from ✓ East / West Line of Section			
(If WP Supply API No. or Year Drilled)	926	(bbis)	Wilson County			
Is the pit located in a Sensitive Ground Water	located in a Sensitive Ground Water Area? Yes Vo		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  ✓ Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
, , , , , , , , , , , , , , , , , , , ,	Yes ✓		Natural Clays			
	Pit dimensions (all but working pits): 35 Length (feet) 30 Width (feet) N/A: Steel Pits					
Depth fr	om ground level to de	epest point: 5	(feet)			
The first of the control of the cont			edures for periodic maintenance and determining ncluding any special monitoring.			
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:				
NAfeet Depth of water wellfeet		. meası	red well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Air				
Number of producing wells on lease:		Number of working pits to be utilized: One				
Barrels of fluid produced daily:		Abandonment	procedure: Air dry, fill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
September 26, 2007  September 26, 2007						
Date Signature of Applicant or Agent						
KCC OFFICE USE ONLY						
Date Received: 9/27/07 Permit Num	nber:	Perm	it Date: 9/27/07 Lease Inspection: Yes 🔀 No			