

For KCC Use:	10-2-07
Effective Date: _	100.01
District #1	
SGA? XYes	No No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC tive	
xpected Spud Date: 10/01/2007	Spot Description:
month day year	SESESESec. 3 Twp. 22 S. R. 13 FE W
30606	(0/0/0/0) 330 feet from N / X S Line of Section
ERATOR: License#	330 teet from E / W Line of Section
dress 1: 250 N WATER STE 300	is SECTION: Regular Irregular?
dress 2:	(Note: Locate well on the Section Plat on reverse side)
y: WICHITA State: KS Zip: 67202 + 1216	County: Stafford
ntact Person: Shauna Gunzelman	Lease Name: Fischer Well #: 2-3
one: 316-267-3241	Field Name: GATES
NTRACTOR: License# 30606	Is this a Prorated / Spaced Field?
ne: Murfin Drilling Co., Inc.	Target Formation(s): Lansing Kansas City, Arbuckle
	Nearest Lease or unit boundary line (in footage): 330
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1886feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 220
Seismic ; # of Holes Other	Depth to bottom of usable water: 220
Other:	Surface Pipe by Alternate: XII III
If OWWO: old well information as follows:	Length of Surface Pine Planned to be set: 700
Operator:	Length of Conductor Pipe (if any): 0
Well Name:	Projected Total Depth: 3850
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	Well Farm Pond Other: haul
es, true vertical depth:	
·	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR
ottom Hole Location:	(Note: Apply for Permit with DWR)  Will Cores be taken?
AFF  e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the states. It the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	(Note: Apply for Permit with DWR   )  Will Cores be taken?   Yes   No If Yes, proposed zone:     Yes   No If Yes, proposed zone:     Yes   No If Yes, proposed zone:     Yes   Yes   No If Yes, proposed zone:     Yes
AFF  e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be sereby certify that the statements made herein are true and to the best of metals.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  If drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; after or production casing is cemented in; after or plug length and placement is necessary prior to plugging; and or production casing is cemented in; after or plugging; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate il cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  In we knowledge and belief.
AFF e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the set in the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugg for the appropriate district office will be notified before well is either plugg for pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of materials.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  If drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; after or production casing is cemented in; after or plug length and placement is necessary prior to plugging; and or production casing is cemented in; after or plugging; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate il cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  In we knowledge and belief.
AFF e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of means.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  If Ves, proposed zone:  Figure of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set enderlying formation.  In the original complete of the complete of
AFF e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of materials.  Signature of Operator or Agent:  **Description**  **AFF**  **AFF**  **AFF**  **AFF**  **AFF**  **AFF**  **AFF**  **ACTION**  *	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  If drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In this well ength and placement is necessary prior to plugging;  ged or production casing is cemented in;  d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  In which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:
AFF e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of welt;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the set of th	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Intrict office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
AFF e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of welt;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the set of th	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In it office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  after the following is cemented in;  after the following is cemented in;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In it office on plug length and placement is necessary prior to plugging;  and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  The plugged in the following plugged.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
AFF e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of materials and the statements of the operator of Agent:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 185-23477-0000	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  regging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set  e underlying formation.  First office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  of from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  a plugged. In all cases, NOTIFY district office prior to any cementing.  In knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
AFF e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface of the surface of the surface of the surface of the surface casing order and the district office will be notified before well is either plugg for pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of materials and the statements of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of materials and the statements of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of materials and the statements of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of materials and the statements of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of materials and the statements of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of materials and the statements are true and to the best of materials and the statements are true and to the best of materials and the statements are true and to the best of materials and the statements are true.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  regging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Intercritic office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  of from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  In Knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
AFF e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statements of the district office will be notified before well is either plugg for the appropriate district office will be notified before well is either plugg for pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of materials.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 185-23477-000  Conductor pipe required 0 feet  Minimum surface pipe required 240 feet per ALT. In Interpretation in the statement in the plus of the policy of the spud date of the statement in the plus of the pl	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  regging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set  e underlying formation.  Interior office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  of from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  a plugged. In all cases, NOTIFY district office prior to any cementing.  In knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.
AFF e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the distriction of the appropriate distriction office will be notified before well is either plugg.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of materials.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 185-23477-000  Conductor pipe required 0 feet  Minimum surface pipe required 240 feet per ALT. Image feet	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  regging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  First office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  of from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.  - It this permit has expired (See: authorized expiration date) please
AFF e undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of mater.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 185-23477-000  Conductor pipe required 0 feet  Minimum surface pipe required 440 feet per ALT. I III  Approved by: 449-27-07  This authorization expires: 3-27-08	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In dril
AFF  the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugg for pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the best of materials.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 185-23477-0000  Conductor pipe required 0 feet  Minimum surface pipe required 240 feet per ALT. Image in the provided in the provided by: 11 must be provided in the pipe required 240 feet per ALT. Image is a provided by: 11 must be pipe required 240 feet per ALT. Image is a provided by: 11 must be pipe required 240 feet per ALT. Image is a provided by: 11 must be	Will Cores be taken?  If Yes, proposed zone:  PIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In dril
AFF ne undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the dist of the surface propriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the best of mate:    Signature of Operator or Agent:   S	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In dril



#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 185-23477-0000	
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Stafford
Lease: Fischer	330 feet from N / X S Line of Section
Well Number: 2-3	330 feet from X E / W Line of Section
Field: GATES	Sec. 3 Twp. 22 S. R. 13 E X W
Number of Acres attributable to well:  OTR/QTR/QTR/QTR of acreage:  SE SE SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1012400

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit In Duplicate

Operator Name: Murfin Drilling Co., Inc.		License Number: 30606			
Operator Address: 250 N WATER STE 300		WICHITA KS 67202			
Contact Person: Shauna Gunzelman		Phone Number: 316-267-3241			
Lease Name & Well No.: Fischer	2-3		Pit Location (QQQQ):		
Type of Pit:    Emergency Pit	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity: 600 (bbls)		SE SE SE  Sec. 3 Twp. 22 R. 13 East West  330 Feet from North / South Line of Section  330 Feet from East / West Line of Section  Stafford County		
Is the pit located in a Sensitive Ground Water	Area? Yes No		Chloride concentration:mg/l		
Is the bottom below ground level?  Yes No	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?  Bentonite and solids from drilling operations self seal pits		
Pit dimensions (all but working pits): 100 Length (feet) 100 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 4 (feet) No Pit					
			dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit  658 feet Depth of water well 88 feet		Depth to shallowest fresh water 8 feet.  Source of information: electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
		Type of material utilized in drilling/workover: Bentonite			
		Number of working pits to be utilized:4			
Barrels of fluid produced daily:		Abandonment procedure: Allow pits to evaporate until dry ten backfill when conditions allow			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
9/25/2007 Ahaung Gynt for Operator  Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 9/26/07 Permit Number: Permit Date: 9/26/07 Lease Inspection: X Yes No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 and a second second

5 7 7 7 20 7



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

September 25, 2007

Shauna Gunzelman Murfin Drilling Co., Inc. 250 N WATER STE 300 WICHITA, KS67202-1216

Re: Drilling Pit Application Fischer Lease Well No. 2-3 SE/4 Sec.03-22S-13W Stafford County, Kansas

### Dear Shauna Gunzelman:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.