For KCC Use: 10-3-07
Effective Date: District #\_ SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date		ast
month day year		est
PERATOR: License# 03113	2475 feet from N / VS Line of Section	
lame. Christian L. Martin dha Martin Oil Properties	Teet from VE / W Line of Section	
ddress: 6421 Avondale Drive, Suite 212	Is SECTION Regular Irregular?	
city/State/Zip: Oklahoma City, OK 73116	(Note: Locate well on the Section Plat on reverse side)	
ontact Person: Chris Martin	County: Anderson	
hone: (405) 810-0900	Lease Name: East Hastert Well #: 31-E	
ONTRACTOR: License# 8509	Field Name: Garnett Shoestring	1
lame: Evans Energy Development, Inc.	Is this a Prorated / Spaced Field?	No
allie:	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 165'	401
✓ Oil / Enh Rec ✓ Infield Mud Rotary	Ground Surface Elevation: n/afeet M	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓	
OWWO Disposal Wildcat Cable	Public water supply well within one mile:    Yes   ✓	No
Seismic: # of Holes Other	Depth to bottom of fresh water: 50'	
Other	Depth to bottom of usable water: 125'	
	Surface Pipe by Alternate: 1 2 2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none Projected Total Depth: 900'	
Well Name:	On attack the	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Darrussyme  Water Source for Drilling Operations:	
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other X	
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR )	
CC DKT #: NE	Will Cores be taken?	No
00 DAT #.		1140
	If Yes, proposed zone:	
	RECEIV	/En
	RECEIV IDAVIT KANSAS CORPORATIO	ED
	IDAVII KANSAS CORPORATIO	ED N COMM
he undersigned hereby affirms that the drilling, completion and eventual pl	KANSAS CORPORATIO lugging of this well will comply with K.S.A. 55 et. seq.	N COMM
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	RANSAS CORPORATIO	и соми 2007
the undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;  2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each and the approved notice of intent to drill <b>shall be</b> posted on each and the approved in the search and the approved in the search and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the same appropriate to the shall the same appropriate to the shall the same appropriate to the same appropriate to the shall the same appropriate to the same appropriate	tugging of this well will comply with K.S.A. 55 et. seq.  SEP 2 7  ch drilling rig;  CONSERVATION  to by circulating cement to the top; in all cases surface pipe shall with his in a underlying formation.  listrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate if cemented plugged. In all cases, NOTIFY district office prior to any cementing.	OMM 2007 DIVISION (S
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the posted on the properties of the second of the properties of the second of the properties of the second of the properties of the properties of the properties of the properties of the plug of the properties of the plug of the properties of the properties of the plug of the properties of the properties of the plug of the plug of the properties of the plug of t	tugging of this well will comply with K.S.A. 55 et. seq.  SEP 2 7  ch drilling rig;  CONSERVATION  to by circulating cement to the top; in all cases surface pipe shall with his in a underlying formation.  listrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate if cemented plugged. In all cases, NOTIFY district office prior to any cementing.	OMM 2007 DIVISION (S
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the post of the approved notice of intent to drill shall be posted on each at the post of the state of the second of the post of the second of the second of the post of the second of the	ch drilling rig;  CONSERVATION  The underlying formation.  Conservation  Conservation  Conservation  Conservation  Conservation  It is underlying formation.  Conservation  Conservation	OMM 2007 DIVISION (S
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each at the second of the approved notice of intent to drill <i>shall be</i> posted on each at the second of the	ch drilling rig;  CONSERVATION  The underlying formation.  Conservation  Conservation  Conservation  Conservation  Conservation  Conservation  Conservation  Conservation  It cases surface pipe shall with the underlying formation.  Conservation  Conservat	OMM 2007 DIVISION (S
the undersigned hereby affirms that the drilling, completion and eventual plates agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the post of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the statements of the statement of the post of the spuddate or the well is either plug at the appropriate district office will be notified before well is either plug at the appropriate district office will be notified before well is either plug at the appropriate district office will be notified before well is either plug at the appropriate district office will be notified before well is either plug at the appropriate district office will be notified before well is either plug at the statement of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the september 27, 2007.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 003-24400-0000	ch drilling rig;  CONSERVATION  To by circulating cement to the top; in all cases surface pipe shall will comply with K.S.A. 55 et. seq.  CONSERVATION  To by circulating cement to the top; in all cases surface pipe shall will complete to the underlying formation.  Sistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate if cemen be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	DIVISION (S)
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the second of the provided states and the provided shall be second of the se	ch drilling rig;  CONSERVATION  The underlying formation.  Conservation  Conservation  Conservation  Conservation  Conservation  Conservation  Conservation  Conservation  It cases surface pipe shall with the underlying formation.  Conservation  Conservat	OMM 2007 DIVISION (S
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statement and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified	ch drilling rig;  CONSERVATION  To by circulating cement to the top; in all cases surface pipe shall will he underlying formation.  Sistinct office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	DIVISION (S)
The undersigned hereby affirms that the drilling, completion and eventual plats agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the posted on the post of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the post of the spud is either plus of the spud propriate district office will be notified before well is either plus of the spud date or the well is either plus of the present to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the propriate of the post of the	ch drilling rig;  CONSERVATION  To by circulating cement to the top; in all cases surface pipe shall will he underlying formation.  Identifying the underlying to pipe shall within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate it cemen be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	2007 DIVISION (S g; ting
The undersigned hereby affirms that the drilling, completion and eventual plats agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the intent and the post of the provent of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of th	ch drilling rig;  CONSERVATION  To by circulating cement to the top; in all cases surface pipe shall be underlying formation.  Identifying the underlying to pipe shall be underlying formation.  In the underlying formation.  In the underlying formation and placement is necessary prior to plugging in the underlying form to plugging is completed;  CONSERVATION  CONSERVATION  CONSERVATION  120 days of spud date.  It is a prior to any cementing in the plugging is completed;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;	2007 DIVISION (S g; ting
The undersigned hereby affirms that the drilling, completion and eventual plats agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the september 27, 2007.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO3 - 24466-0000  Conductor pipe required	ch drilling rig;  ch drilling rig;  ch by circulating cement to the top; in all cases surface pipe shall will comply with K.S.A. 55 et. seq.  CONSERVATION by circulating cement to the top; in all cases surface pipe shall will case, he underlying formation.  listrict office on plug length and placement is necessary prior to pluggling ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate if cemen be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	DIVISION (S)
The undersigned hereby affirms that the drilling, completion and eventual plats agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the second of the prior to spudding of well;  3. The minimum amount of surface pipe as specified below shall be second of the second of the prior to surface pipe as specified below shall be second of the second of the prior to surface pipe as specified before well is either plug of the well is dry hole, an agreement between the operator and the dots. The appropriate district office will be notified before well is either plug of the surface and the dots. The appropriate district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall inhereby certify that the statements made herein are true and to the best of the september 27, 2007.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO3 - 24440 - OOO  Conductor pipe required	ch drilling rig;  CONSERVATION  The underlying formation.  Selection or plug length and placement is necessary prior to plugging ged or production casing is cemented in;  selection below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate it cements be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	2007 DIVISION (S g; ting
The undersigned hereby affirms that the drilling, completion and eventual plats agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the september 27, 2007.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO3 - 24466-0000  Conductor pipe required	lugging of this well will comply with K.S.A. 55 et. seq.  SEP 2 7  ch drilling rig;  CONSERVATION  It by circulating cement to the top; in all cases surface pipe shall with the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  red from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate if cemente be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2007 DIVISION (S g; ting

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003 - 24466-0000	Location of Well: County: Anderson
Operator: Christian L. Martin dba Martin Oil Properties	2475feet from N / ✓ S Line of Section
Lease: East Hastert	165 feet from VE / W Line of Section
Well Number: 31-E	Sec. 13 Twp. 20 S. R. 20 ✓ East Wes
Field: Garnett Shoestring	
Number of Acres attributable to well:  QTR / QTR / QTR of acreage: NENE - NE - SE	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

																•		
	•	•		-									•					
							ì											
	-			•			l			•						•		
i							l											
	_						l									-		
							١.	-										
							l											
	•	•		•			l			•		•	•			•		
				•			l			•			•			•		
ì							l									•		
Ī																		
		 -	-	 •	٠		١.	•	•	•	•	•	•	•	•		•	
İ	•	٠					1			-		•	•					
1	•	٠		•			1			•			•			•		
		-		٠			i			•			•			•		
				•														
		 		 		_												_
		 		 <u>.                                    </u>		_				•			· ·			•		1
.,		<u>:</u>		 <u>.                                    </u>		_										•		Ţ
	:	•				_	I			•			· · · · ·					-
	:	•				_							· · · · ·			•		<b>L</b>
	:	•				_	.			•			· · · · ·					
		•						•		•			· · · · ·					
	:	•			•			•		•			· · · · ·					
		•			•	<u> </u>		•		•			· · · · ·					
			•		•			•		•			· · · · ·				-	
										•			· · · · ·					
		 . :		 · · · · · · · · · · · · · · · · · · ·		- 		-	•						•	· · ·		
		. :					-		•	•					•			
		 . :		 · · · · · · · · · · · · · · · · · · ·			-		•						•	· · ·		
		 . :		 · · · · · · · · · · · · · · · · · · ·					•						•	· · ·		
		 . :		 · · · · · · · · · · · · · · · · · · ·					•						•	· · ·		
		 . :		 · · · · · · · · · · · · · · · · · · ·					•						•	· · ·		
		 . :		 · · · · · · · · · · · · · · · · · · ·					•						•	· · ·		
		 . :		 · · · · · · · · · · · · · · · · · · ·					•						•	· · ·		
		 . :		 · · · · · · · · · · · · · · · · · · ·					•						•	· · ·		
		 . :		 · · · · · · · · · · · · · · · · · · ·					•						•	· · ·		
		 . :		 · · · · · · · · · · · · · · · · · · ·					•						•	· · ·		



NOTE: in all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Christian L. Martin								
	dba Martin Oil	License Number: 03113						
Operator Address: 6421 Avondale	Drive, Suite 2	oma City, OK 73116						
Contact Person: Chris Martin		Phone Number: ( 405 ) 810 - 0900						
Lease Name & Well No.: East Haster	t 31- <b>E</b>	Pit Location (QQQQ):						
Type of Pit:	Pit is:	NE NE SE						
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 13 Twp. 20 R. 20 Fast West					
Settling Pit  Drilling Pit	If Existing, date co	onstructed:	2475 Feet from North / ✓ South Line of Section					
Workover Pit Haul-Off Pit			165					
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from ✓ East / West Line of Section					
	120	(bbls)	Anderson County					
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	Chloride concentration: mg/l						
	T		(For Emergency Pits and Settling Pits only)					
Is the bottom below ground level?	Artificial Liner?	M-	How is the pit fined if a plastic liner is not used?					
✓ Yes No	Yes ✓	NO	native clay					
Pit dimensions (all but working pits):1	Length (fe	et)10	Width (feet) N/A: Steel Pits					
Depth fo	rom ground level to de	epest point: 5	(feet)					
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, i	conservation Division WICHITA. Ks					
Distance to nearest water well within one-mile	•	Depth to shallowest fresh water						
4498 feet Depth of water well	170 feet							
Emergency, Settling and Burn Pits ONLY:								
Producing Formation:								
More has all applications with the Arrest		Number of working pits to be utilized: 1						
Number of producing wells on lease:		Number of wor						
Number of producing wells on lease:  Barrels of fluid produced daily:								
		Abandonment	king pits to be utilized: 1					
Barrels of fluid produced daily:	spilled fluids to	Abandonment  Drill pits must	king pits to be utilized: 1  procedure: air dry and backfill  be closed within 365 days of spud date.					
Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes  No	spilled fluids to	Abandonment  Drill pits must becomect to the besometers to the besometers are the second of the seco	king pits to be utilized: 1  procedure: air dry and backfill  be closed within 365 days of spud date.					
Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  September 27, 2007	spilled fluids to	Abandonment  Drill pits must becomect to the besometers to the besometers are the second of the seco	procedure: air dry and backfill  be closed within 365 days of spud date.  t of my knowledge and belief.  Analysis					