# For KCC Use: Effective Date: /0-3-07 District # No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

Secretary   Secr	Must be approved by KCC five	(5) days prior to commencing well
Section   Approved to   Appr	Expected Spud Date	·
Counties Prosons Sout Consair Pronons 786-398-2270  Contract Prosons Sout Consair Pronons 786-398-2270  Contractorial Contract C	Name: American Warrior, Inc.	feet from N / S Line of Section  2210  feet from Feet from E / W Line of Section
County Ness Prome. 785-989-2270  CONTRACTOR: Lecnse# 33323  CONTRACTOR: Lecnse# 3450  Contractor: The Lecnse# 33323  CONTRACTOR: Lecnse# 33323  CONTRACTOR: Lecnse# 3450  Contractor: The	City/State/Zip: Garden City, KS 67846	(Note: Locate well on the Section Plat on reverse side)
Second Contract Con	Contact Person: Scott Corsair	County: Ness
CONTRACTOR: Licenses 393.93  Name: Petromate Drilling, LLC  Well Drilled For:  Well Class: Type Equipment:    Ground Surface Elevation: 22.10 est.   feet MSL	<b>a</b>	
Nearest Lease or unit boundary, 450'   Security   Infield   Mud Rotary   Mud Starty   Infield   Mud Rotary   Mud Rotar	CONTRACTOR: License# 33323 V  Name: Petromark Drilling, LLC	Is this a Prorated / Spaced Field?
Ground Surface Elevation. 2210-98st. foet MSL Word Real Word Pool of Mst. Ground Surface Elevation. 2210-98st. foet MSL Ground Surface Elevation. 2210-98st. foet MSL Word well within one mule:	Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 450'
Gas   Storage   Pool Ext.   Air Rotary   Walfer west within one-quarter mile:   Yes   No   No   Disposal   Witlocat   Cable   Other   Depth to bottom of tresh water   180   Depth to bottom of usable water   800   Depth to the set		
Depth to bottom of fresh water_180'   Depth to bottom of fresh water_180'   Depth to bottom of fresh water_180'   Depth to bottom of usable water. Get Depth (Depth to bottom of usable water. Get Depth (Depth to bottom of usable water. Get Depth (Depth to Dottom of Usable water. Get Depth to Dottom of Usable value. The Water Depth to Dottom of Usable value. Depth to Dottom Office Depth to Dottom of Usable value. The Water Depth to		
Selsme:		
Work of the well information as follows:   Operator:		Depth to bottom of usable water: 690 600
Operator:  Well Name: Original Completion Date: Original Completion Da	Other	Surface Dine by Attempter 1 ( )
Operator:  Well Name: Original Completion Date: Original Completion Da	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'
Original Completion Date: Original Total Depth: Maississispipan  Original Completion Date: Original Total Depth: Mais Source for Drilling Operations: Water Source for Drilling Operations:   Water Source for Drilling Operation Commission   Water Source for Drilling Operation Operation Commission   Water Source for Drilling Operation Operation Commission   Water Source for Operation Operation Commission   Water Source for Operation Operation Commission   Water Sour	Operator:	Length of Conductor Pipe required:
Water Source for Drilling Operations:  Water Source for Source So		Projected Total Depth: 4450  Formation at Total Depth: Mississippian
Ves. true vertical depth:	Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
DWR Permit #:   DWR Permit #:     DWR Permit #:	Directional, Deviated or Horizontal wellbore?	
Will Cores be taken?   Yes   No   If Yes, proposed zone:   RECEIVED	If Yes, true vertical depth:	
AFFIDAVIT  RECEIVED  ARFIDAVIT  RANSAS CORPORATION COMMISSION  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface and complete set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the base of my-knowledge and belief.  Petroleum Engineer  For KCC Use ONLY API #15 - 135 - 24 714 - 000  Approved by: 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	Bottom Hole Location:	(Note: Apply for Permit with DWR
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  SEP 2 7 2007  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and to the base of my knowledge and belief.  Date: 09/26/2007 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 135 - 24 714 - 0000  Approved by 19 3 8 07  File acreage attribution plat according to field proration orders;  Notify appropriate district office above the vell shall be plugged. In all cases, NOTIFY district office prior to workover or re-entry;  Scott Corsair.  File Completion Form ACO-1 within 120 days of spud date:  File acreage attribution plat according to field proration orders;  Notify	KCC DKT #:	Will Cores be taken?
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface withough all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 99/26/2007  Signature of Operator or Agent:  Approved by: 13 5 - 24714-0000  Feet per Alt. 12  Approved by: 14 9 2 8 07  This authorization expires: 3 2 8 08  (This authorization expires: 3 2 8 08  Agent:  Section of the supplementation of production placement to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:  Well Not Drilled - Permit Expired  Signature of Operator or Agent:		
ti is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix *B* - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II comenting must be completed within 30 days of the spud date or the well shall be plugged. In all cases NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Pate: 09/26/2007 Signature of Operator or Agent:  Scott Corsair  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plaid according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: aut	AFFI	
ti is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix *B* - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II comenting must be completed within 30 days of the spud date or the well shall be plugged. In all cases NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Pate: 09/26/2007 Signature of Operator or Agent:  Scott Corsair  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plaid according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: aut	The undersigned hereby affirms that the drilling, completion and eventual plants	ugging of this well will comply with K.S.A. 55 et. seq.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Pate: O9/26/2007 Signature of Operator or Agent: Scott Corsair Remember to:  Conductor pipe required Nove feet per Alt. 122  Approved by: 114 9 28 07  This authorization expires: 22 08 (Feet per Alt. 122)  Approved by: 114 9 28 07  This authorization expires: 22 08 (Feet per Alt. 122)  Approved by: 114 9 28 07  This authorization void if drilling not started within 6 months of effective date.)  Spud date: Agent: Signature of Operator or Agent: Signature	It is agreed that the following minimum requirements will be met:	
Petroleum Engineer   Scott Corsair   Scott C	<ol> <li>A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.</li> </ol>	th drilling rig;  CONSERVATION DIVISION  If by circulating cement to the top; in all cases surface, the set be underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementin
For KCC Use ONLY  API # 15	I hereby certify that the statements made herein are true and to the best of	1-1-1
For KCC Use ONLY  API # 15		air
This authorization expires: 3-38-08  (This authorization void if drilling not started within 6 months of effective date.)  Spud date:Agent:	API # 15 - 135-24714-0000  Conductor pipe required None feet  Minimum surface pipe required 200 feet per Alt. (2)	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> </ul>
(This authorization void if drilling not started within 6 months of effective date.)  Spud date: Agent: Signature of Operator or Agent:	270/09	Ny indicate a second
Spud date: Agent: Signature of Operator or Agent:		- If this permit has expired (See: authorized expiration date) please
		check the box below and return to the address below.
	(This authorization void if drilling not started within 6 months of effective date.)	check the box below and return to the address below.  Well Not Drilled - Permit Expired

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 135-24714-0000	Location of Well: County: Ness
Operator: American Warrior, Inc.	
Lease: T Isern	450feet from
Well Number: 1-13	Sec. 13 Twp. 20 S. R. 21 ☐ East ✓ Wes
Field:	
Number of Acres attributable to well: 10	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NW - NE -	If Section is Irregular, locate well from nearest corner boundary.  Section corner used:NENWSESW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1	•	•	-	-	_		
1	•		•	•	•		•
• • •							
	•	•	•	•	•	•	•
							.
							ļ
	•		•				
1	, , ,						
	•	•	•	•	•	•	'
1	•	•					
• • •							
	•	•			•	•	
	•	•	•	•	•	•	•
							-
		•	•	•		•	
			1	2 ——		•	
			1:	2 ——		, ,	
	•		1:	2 ——			
	•	•	1	3 —	•		•
	:	•	1:	3 —		· ·	•
	•	•	1:	3 —	•	· · · ·	•
	•	•		3 —	•		
	:	•	· ·	3			
	:	•	· · · ·	3	•	· · · · · ·	
		•	· ·	3		· · · · ·	
	: 		· ·	3		· · · · ·	
	: 		· ·	3			
	: 	•	· ·	3			
	: 		· ·	3			
	: 		· · · · · · ·	3			
	: 		· · · · · · ·	3			
	: 		· · · · · · ·	3			
	: 		· · · · · · ·	3			
	: 		· · · · · · ·	3			
	: 		· · · · · · ·	3			
	: 		· · · · · · ·	3			
	: 		· · · · · · ·	3			
	: 		· · · · · · ·	3			
	: 		· · · · · · ·	3			
	: 		· · · · · · ·	3			



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

#### Submit in Duplicate

Operator Name: American Warrior, Inc			License Number: 4058		
Operator Address: P. O. Box 399, Garden City, KS 67846					
Contact Person: Scott Corsair			Phone Number: ( 785 ) 398 - 2270		
Lease Name & Well No.: T Isern #1-13			Pit Location (QQQQ):		
Type of Pit:	Pit is:	,	_NWNE		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 13 Twp. 20 S R. 21 ☐ East ✓ West		
Settling Pit	If Existing, date of	onstructed:	450 Feet from ✓ North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from ✓ East / West Line of Section Ness		
	A0 DV [7		County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	DO Length (fe	et) 100	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 4	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
material, thekings and installation procedure	•	inter integrity, in	lordering any special montesting.		
			i i		
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		west fresh waterfeet.			
			rredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Wo			over and Haul-Off Pits ONLY:		
Producing Formation: Type of mater		al utilized in drilling/workover: Fresh Mud			
' '		king pits to be utilized:			
Barrels of fluid produced daily: Abandoni		Abandonment	procedure: evaporate and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must I	pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KECEIVED  KANSAS CORPORATION COMMISSION					
		1	SEP 2 7 2007		
September 26, 2007  Date	_/	$\mathcal{I}$			
WICHITA, KS					
KCC OFFICE USE ONLY					
Date Received: 9/2フ/の Permit Num	ber:	Perm	it Date: 9/27/07 Lease Inspection: Yes		