# For KCC Use:

### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	Spot	✓ East
Expected Spud Date October 5, 2007	NE NW Sec. 9 Twp. 28	
_	660 sec Iwp \$	
OPERATOR: License# 33344	1980 feet from E / 🗸	
Name. Quest Cherokee LLC	Is SECTION ✓ RegularIrregular?	W EING OF GOODION
Address: 9520 North May Avenue, Suite 300	IS SECTION Regular megular:	
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on re	rerse side)
Contact Person. Richard Marlin	County: Wilson	Q <sub>-</sub> 1
Phone: (405) 463-6880	Lease Name: Mefferd, Georgann	_Well #: 9-1
CONTRACTOR: License# Will be licensed by the KCC	Field Name: Cherokee Basin CBM	
CONTRACTOR: License#  Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?	Yes ✓ No
Name:	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660	
Oit Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1016	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	∐Yes ✓ No
OWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes ✓ No
Seismic: # of Holes Other	Depth to bottom of fresh water:	
Seismic; # of notes Officer  ✓ Other Coalbed Methane	Depth to bottom of usable water: 200-150	
A Onei	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1300	<del></del>
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	•
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWA	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	RECEIVED
AFE	IDAVIT K	ANSAS CORPORATION COMM
The undersigned hereby affirms that the drilling, completion and eventual pl		
t is agreed that the following minimum requirements will be met:	agging at this trail will comply with them are an early	OCT 0 1 2007
or the magnetic forms and recognized communities to a description of the community of the c		
<del>-</del>		CONSERVATION DIVISION
Notify the appropriate district office <i>prior</i> to spudding of well;     A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ch drilling rig;	CONSERVATION DIVISION WICHITA, KS
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each.</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i>.</li> </ol>	of by circulating cement to the top; in all cases surface	WICHITA KG
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	of by circulating cement to the top; in all cases surface ne underlying formation.	WICHITA, KS pipe <b>shall be set</b>
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the d</li> </ol>	If by circulating cement to the top; in all cases surface ne underlying formation. listrict office on plug length and placement is necessary	WICHITA, KS pipe <b>shall be set</b>
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the d</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement</li> </ol>	If by circulating cement to the top; in all cases surface ne underlying formation. listrict office on plug length and placement is necessary aged or production casing is cemented in; ed from below any usable water to surface within 120 or	WICHITA, KS  pipe shall be set  prior to plugging;  days of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	If by circulating cement to the top; in all cases surface ne underlying formation. listrict office on plug length and placement is necessary aged or production casing is cemented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area,	WICHITA. KS pipe shall be set prior to plugging; tays of spud date. alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be sethology</i>.</li> <li>If the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I</li> </ol>	et by circulating cement to the top; in all cases surface the underlying formation. listrict office on plug length and placement is necessary aged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	WICHITA. KS pipe shall be set prior to plugging; tays of spud date. alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the d</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	et by circulating cement to the top; in all cases surface the underlying formation. listrict office on plug length and placement is necessary aged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	WICHITA. KS pipe shall be set prior to plugging; tays of spud date. alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be sethough</i> all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of</li> </ol>	It by circulating cement to the top; in all cases surface the underlying formation. Ilistrict office on plug length and placement is necessary used or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.	WICHITA. KS pipe shall be set prior to plugging; days of spud date. alternate II cementing to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be sethough</i> all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of</li> </ol>	et by circulating cement to the top; in all cases surface the underlying formation. listrict office on plug length and placement is necessary aged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	WICHITA. KS pipe shall be set prior to plugging; days of spud date. alternate II cementing to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be sethough</i> all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of</li> </ol>	but by circulating cement to the top; in all cases surface the underlying formation. Ilistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior from the knowledge and belief.  Title: VP	WICHITA, KS pipe shall be set start for to plugging; lays of spud date, alternate II cementing to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the specified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the second of the second of the second of the best of the second of the second of the second of the best of the second of the secon	et by circulating cement to the top; in all cases surface the underlying formation.  listrict office on plug length and placement is necessary used or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D	WICHITA. KS prior to plugging; tays of spud date. alternate II cementing to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the specified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the second of the second of the second of the best of the second of the second of the second of the best of the second of the secon	et by circulating cement to the top; in all cases surface the underlying formation.  listrict office on plug length and placement is necessary ged or production casing is cemented in;  ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area,  be plugged. In all cases, NOTIFY district office prior  from knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spun	wichita. KS prior to plugging; tays of spud date. alternate II cementing to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decoration of the second of the specified before well is either pluguage.  5. The appropriate district office will be notified before well is either pluguage.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the specified before the well shall be completed.  7. Date: September 28, 2007  8. Signature of Operator or Agent: The september 28, 2007  For KCC Use ONLY  API # 15 - 205-27330-0000	et by circulating cement to the top; in all cases surface ne underlying formation.  listrict office on plug length and placement is necessary  iged or production casing is cemented in;  ed from below any usable water to surface within 120 of  #133,891-C, which applies to the KCC District 3 area,  be plugged. In all cases, NOTIFY district office prior  from knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spu-	wichita. KS ippe shall be set in prior to plugging; tays of spud date. alternate II cementing to any cementing.  Till; d date; ion orders;
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on eac.</li> <li>The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description of the surface pipe well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plant. September 28, 2007</li> <li>Signature of Operator or Agent: Por KCC Use ONLY</li> <li>API # 15 - 205-27320-0000</li> <li>Conductor pipe required feet</li> </ol>	et by circulating cement to the top; in all cases surface ne underlying formation.  listrict office on plug length and placement is necessary  iged or production casing is cemented in;  ed from below any usable water to surface within 120 of  #133,891-C, which applies to the KCC District 3 area,  be plugged. In all cases, NOTIFY district office prior  from knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spu- File acreage attribution plat according to field prorati	wichita. KS  in prior to plugging;  tays of spud date. alternate II cementing to any cementing.  Till; d date; ion orders; kover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the specified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the specified page.  September 28, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-27320-0000  Conductor pipe required feet feet per Alt.  Minimum surface pipe required feet per Alt.	et by circulating cement to the top; in all cases surface ne underlying formation.  listrict office on plug length and placement is necessary  iged or production casing is cemented in;  ed from below any usable water to surface within 120 or  #133,891-C, which applies to the KCC District 3 area,  be plugged. In all cases, NOTIFY district office prior  from knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of sputh  File acreage attribution plat according to field prorated  Notify appropriate district office 48 hours prior to wo  Submit plugging report (CP-4) after plugging is com-	wichita. KS  ippe shall be set  ipprior to plugging;  tays of spud date. alternate II cementing to any cementing.  it any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug of the appropriate district office will be notified before well is either plug of the specified before well is either plug of the specified provided in the set of the specified provided within 30 days of the spud date or the well shall be the specified before well is either plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the spud date or the well shall be the spud date or the well shall be provided by the specified of the spud date or the well shall be described by the specified of the spud date or the well shall be described by the specified of the spud date or the well shall be described by the specified of the spud date or the well shall be described by the specified of the spud date or the well shall be described by the specified of the specified	et by circulating cement to the top; in all cases surface the underlying formation.  Ilistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Define the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion in the Completion Plat according to field prorated in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Plat according to field prorated in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Plat according to field prorated in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Plat according to field prorated in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Com	wichita. KS ippe shall be set in prior to plugging; stays of spud date. alternate II cementing to any cementing.  it date; ion orders; kover or re-entry; pleted; salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug of the appropriate district office will be notified before well is either plug of the specified before well is either plug of the specified provided in the set of the specified provided within 30 days of the spud date or the well shall be the specified before well is either plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the spud date or the well shall be the spud date or the well shall be provided by the specified of the spud date or the well shall be described by the specified of the spud date or the well shall be described by the specified of the spud date or the well shall be described by the specified of the spud date or the well shall be described by the specified of the spud date or the well shall be described by the specified of the specified	et by circulating cement to the top; in all cases surface the underlying formation.  Ilistrict office on plug length and placement is necessary used or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Define Completion Form ACO-1 within 120 days of sputhers.  Notify appropriate district office 48 hours prior to wo submit plugging report (CP-4) after plugging is come.  Obtain written approval before disposing or injecting.  If this permit has expired (See: authorized expiration)	WICHITA. KS  in prior to plugging;  tays of spud date. alternate II cementing to any cementing.  Till; d date; ion orders; kover or re-entry; pleted; salt water. date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the specified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the specified page.  September 28, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-27320-0000  Conductor pipe required feet feet per Alt.  Minimum surface pipe required feet per Alt.	et by circulating cement to the top; in all cases surface the underlying formation.  Ilistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Define the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion in the Completion Plat according to field prorated in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Plat according to field prorated in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Plat according to field prorated in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Plat according to field prorated in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Com	WICHITA. KS  in prior to plugging;  tays of spud date. alternate II cementing to any cementing.  Till; d date; ion orders; kover or re-entry; pleted; salt water. date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the spund to the population of the spund to the prior of the spund date or the well shall be completed within 30 days of the spund date or the well shall be thereby certify that the statements made herein are true and to the best of the prior of the spund of the spund to the set of the spetember 28, 2007.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-27320-0000  Conductor pipe required feet  Minimum surface pipe required feet per Alt. (2)  Approved by: (101-07)  This authorization expires: (9-1-08)	Per by circulating cement to the top; in all cases surface the underlying formation.  Ilistrict office on plug length and placement is necessary in the interest of the completion casing is cemented in; and production casing is cemented in; and it is easily the completion case within 120 and it is easily the completion of the completion form complet	WICHITA. KS  in prior to plugging;  tays of spud date. alternate II cementing to any cementing.  Till; d date; ion orders; kover or re-entry; pleted; salt water. date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the spund to the population of the spund to the prior of the spund date or the well shall be completed within 30 days of the spund date or the well shall be thereby certify that the statements made herein are true and to the best of the prior of the spund of the spund to the set of the spetember 28, 2007.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-27320-0000  Conductor pipe required feet  Minimum surface pipe required feet per Alt. (2)  Approved by: (101-07)  This authorization expires: (9-1-08)	Per by circulating cement to the top; in all cases surface the underlying formation.  Ilistrict office on plug length and placement is necessary in the interest of the complete or production casing is cemented in; and placement is necessary in the complete of the comple	WICHITA. KS  in prior to plugging;  tays of spud date. alternate II cementing to any cementing.  Till; d date; ion orders; kover or re-entry; pleted; salt water. date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 -205-27320-0000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	660 feet from V N / S Line of Section
Lease: Mefferd, Georgann	1980 Feet from E / V Line of Section
Well Number: 9-1	Sec. 9 Twp. 28 S. R. 17 ✓ East Wes
Field: Cherokee Basin CBM	<del>-</del> -
Number of Acres attributable to well:	Is Section: Regular or Irregular
a a	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

		<del></del>		
Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	/ Avenue, Sui	ite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880		
Lease Name & Well No.: Mefferd, Georgann #9-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE</u> - <u>NW</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 9 Twp. 28 R. 17 ✓ East West	
Settling Pit	If Existing, date constructed:		660 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit			1980 Feet from ☐ East / ✓ West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water		- No	Chloride concentration:mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	30 Length (fe	eet)10	Width (feet) N/A: Steel Pits	
Depth fo	rom ground level to de	eepest point:	10 (feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure	3.	liner integrity, i	edures for periodic maintenance and determining ncluding any special monitoring.  Operation lasting approx 3 days	
Source		Source of info	( , )	
1863 feet Depth of water well /95 feet		measured well owner electric log KDWR		
1 3 3		1	Drilling, Workover and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover: Air Drilled		
		Number of working pits to be utilized: One  Abandonment procedure: Air Dry, Back Fill and Cover		
		KANSAS CORPORATION COMMIS		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date. OCT 0 1 2007	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  CONSERVATION DIVISION WICHITALKS				
September 28, 2007 Date		) ( 1) ( 1) ( 1) ( S	Signature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 10/1/c1 Permit Nur	nber:	Perm	nit Date: 10/1/07 Lease Inspection: Yes 4 No	