For KCC Use: 10-7-07
Effective Date: 4
District #

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date Oct 8 2007	Spot	East
month day year	150'N - NW/NW SE Sec. 32 Twp. 15 S. R. 13	West
00005		
OPERATOR: License# 32325	2310feet from VE / W Line of	
Name: POPP OPERATING,INC	,	Section
Address: PO BOX 187	Is SECTION Regular Irregular?	
City/State/Zip: HOISINGTON, KS 67544	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: RICKEY POPP	County: RUSSELL	<del></del>
hone: 620-786-5514	Lease Name: MAI Well #: 3	
ONTRACTOR: License# 31548	Field Name: TRAPP	
ontractor: License#	Is this a Prorated / Spaced Field?	Yes 🗸 No
ame:	Target Formation(s): ARBUCKLE	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'	
✓ Oil	Ground Surface Elevation: EST 1868	feet MSL
Gas Storage Pool Ext. Air Rotary	•	Yes 🔽 No 🦯
OWWO Disposal Wildcat Cable		Yes 🗸 No
Seismic: # of Holes Other	Depth to bottom of fresh water:	
	Depth to bottom of usable water: 220 380	<del></del>
Other	Surface Pipe by Alternate:    √ 1  2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe required: NONE	
Well Name:	Projected Total Depth: 3390'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: ARBUCKLE	
Oliginal Completion DateOliginal Total Deptil	Water Source for Drilling Operations:	
irectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
Yes, true vertical depth:	······································	
100, dao velucai deput.	NWR Permit #:	
•	DWR Permit #:(Alate: Apply for Permit with DIMP	
Bottom Hole Location:	(Note: Apply for Permit with DWR [])	V [Z]N-
Sottom Hole Location:  KCC DKT #:  Class Attention (E/2 Sec. 32)	(Note: Apply for Permit with DWR ) Will Cores be taken? If Yes, proposed zone:	Yes ✓ No
Sottom Hole Location:  KCC DKT #:  AFF  The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR ) Will Cores be taken? If Yes, proposed zone:	Yes VNo
ottom Hole Location:  CC DKT #:  CC DKT #:  AFF  The undersigned hereby affirms that the drilling, completion and eventual p	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  In the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in;  Ited from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate II	be set  blugging;  d date.  cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either pluging the set of th	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in;  Ited from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cemented.	be set  blugging;  d date.  cementing
AFF the undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the appropriate district office will be notified before well is either plus if an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the statements made herein are true and to the statements are true and to the state	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Set by circulating cement to the top; in all cases surface pipe shall the underlying formation.  district office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	be set  blugging;  d date.  cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the set.  4. If the well is dry hole, an agreement between the operator and the construction of the strict office will be notified before well is either plug to the surface of the set o	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Sich drilling rig;  Set by circulating cement to the top; in all cases surface pipe shall the underlying formation.  Sistrict office on plug length and placement is necessary prior to paged or production casing is cemented in;  ted from below any usable water to surface within 120 days of sputh #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: PRESIDENT	be set  blugging;  d date.  cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the set of the well is dry hole, an agreement between the operator and the consolidated materials plus a minimum of 20 feet into to the set of the well is dry hole, an agreement between the operator and the consolidation pipe shall be coment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud state:  9/27/07  Signature of Operator or Agent:	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Such drilling rig;  In the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in;  Ited from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: PRESIDENT  Remember to:	be set  blugging;  d date.  cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into te 4. If the well is dry hole, an agreement between the operator and the centre of the statement of the complete of the statement of the specified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the specified of the specific prize of Operator or Agent:  Signature of Operator or Agent:	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Sich drilling rig;  Sich drilling rig;  Sich by circulating cement to the top; in all cases surface pipe shall in the underlying formation.  Idistrict office on plug length and placement is necessary prior to proged or production casing is cemented in; ted from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: PRESIDENT  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	be set  blugging;  d date.  cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the spund date or the well shall be completed within 30 days of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the we	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Sich drilling rig;  Sich by circulating cement to the top; in all cases surface pipe shall in the underlying formation.  Idistrict office on plug length and placement is necessary prior to proged or production casing is cemented in; ted from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: PRESIDENT  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	be set  blugging;  d date.  cementing
AFF  The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the construction of the state of the set of t	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  In the underlying formation.  Idistrict office on plug length and placement is necessary prior to paged or production casing is cemented in;  Ited from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: PRESIDENT  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	be set  olugging;  d date. cementing menting.
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spide of th	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  In the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in;  Ited from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of the plugged of the plugged of the sequence of the prior to any cement of the plugged of the prior to any cement of the plugged of the prior to any cement of the plugged of the prior to any cement of the plugged of the prior to any cement of the plugged of the prior to any cement of the plugged of the prior to any cement of the plugged of the prior to any cement of the plugged of the prior to any cement of the plugged of the prior to any cement of the plugged of the prior to any cement of the plugged of the prior to any cement of the plugged of the prior to any cement of the plugged of the	be set  olugging;  d date.  cementing henting.
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best potent.  For KCC Use ONLY  API # 15 - 167 - 23464 - 0000  Conductor pipe required feet per Alt. 1	(Note: Apply for Permit with DWR   )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall in the underlying formation.  Idistrict office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of the plugged and belief.  Title: PRESIDENT  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or resubmit plugging report (CP-4) after plugging is completed;	be set  blugging;  d date. cementing tenting.
AFF  The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set of the set of the statement of the statement of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set of th	(Note: Apply for Permit with DWR   )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  In the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in;  Ited from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: PRESIDENT  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or resubmit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	be set clugging; d date. cementing enting.
Bottom Hole Location:  KCC DKT #:  Pi Gas Lease Attached (E/2 Sec. 32)  AFF  The undersigned hereby affirms that the drilling, completion and eventual p  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second strict office will be notified before well is either plus for appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best poate:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 107 - 23464 - 0000  Conductor pipe required feet per Alt. 1	(Note: Apply for Permit with DWR   )  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall in the underlying formation.  Idistrict office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cement of the plugged and belief.  Title: PRESIDENT  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or resubmit plugging report (CP-4) after plugging is completed;	be set  blugging;  d date. cementing henting.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into table that well is dry hole, an agreement between the operator and the completed district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud state of Operator or Agent:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 167 - 23464 - 0000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Inch drilling	be set  clugging;  d date. cementing enting.
AFF The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface plug to the surfa	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Inch drilling rig;  Inch drilling	be set  blugging;  d date. cementing menting.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 167-23464-0000	Location of Well: County: RUSSELL
Operator: POPP OPERATING,INC	2460 feet from N / S Line of Section
Lease: MAI	2310 feet from VE / W Line of Section
Well Number: 3 Field: TRAPP	Sec. 32 Twp. 15 S. R. 13 East V Wes
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:150'N	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			•	
			1 '	•
		•	•	•
• • •				
	•		,	
	•			
				•
			1	
	•	•		
	•	•		
				•
			· .	•
	<del>-</del>			
			•	
1				
			• • • • • • •	
		•	•	
ļ			•	
		-		
			٠ .	
	•	•	•	
		1		
				;
		-	•	



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: POPP OPERATING,INC			License Number: 32325	
Operator Address: PO BOX187 H	OISINGTON,	KS 67544		
Contact Person: RICKEY POPP		Phone Number: ( 620 ) 786 - 5514		
Lease Name & Well No.: MAI #3			Pit Location (QQQQ):	
Type of Pit:	Pit is:		150'N _ NW _ NW _ SE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 32 Twp. 15 R. 13 ☐ East 🗸 West	
Settling Pit	If Existing, date constructed:		2460 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 4000 (bbls)		2310 Feet from Feast / West Line of Section RUSSELL County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?  native clay	
Pit dimensions (all but working pits):	60 Length (fo	_	Width (feet)N/A: Steel Pits(feet)	
		monitor to	dryness, then backfill as soon as possible	
Distance to nearest water well within one-mi	le of pit	Depth to shallo	west fresh water 40 feet.	
feet Depth of water wellfeet		Source of information:  measured well owner electric log KDWR  Drilling, Workover and Haul-Off Pits ONLY:		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
3. 3.		Type of materia	material utilized in drilling/workover: CHEMICAL MUD	
Number of producing wells on lease: Number of wo		rking pits to be utilized: 3		
Barrels of fluid produced daily:		Abandonment procedure: LET DRY, BACKFILL AS SOON AS POSSIBLE		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	tements are true and	correct to the bes	t of my knowledge and belief.  RECEIVED  KANSAS CORPORATION COMMIS	
9/27/07		Krekry	Type SEP 2 8 2007	
Date			ignature of Applicant or Agent  CONSERVATION DIVISION	
	ксс	OFFICE USE O	NLY WICHITA KS	
Date Received: 9/28/07 Permit Nu	mber:	Perm	it Date: 9/28/07 Lease Inspection: Yes No	