For KCC Use: Effective Date:\_ District #\_ SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

_	Spot SWNENWSec. 18Twp. 24_	East S. R. 14 West
33640	661 feet from V N	_
PERATOR: License# 33640 / me: Haas Petroleum, LLC		W Line of Section
dress: 800 West 47th St. Suite 409	Is SECTIONRegularIrregular?	_
dress: 600 West 47th St. Suite 403	-	
cy/State/Zip: Kansas City, MO 64112	(Note: Locate well on the Section Plat of	on reverse side)
ontact Person: Mark Haas	County: Woodson	Well #: 29
one: 816.531.5922	Lease Name: HO Kimbell	Well #: 25
ONTRACTOR: License# 33557	Field Name: Winterschied	
ame: Skyy Drilling, LLC	Is this a Prorated / Spaced Field?	Yes 🗸 No
ame: Otty Diaming, 120	Target Formation(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 661'	
Oil Finh Rec Infield Mud Rotary	Ground Surface Elevation: N/A	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes <b>⊻</b> No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes 🗸 No
Seismic;# of Holes Other	Depth to bottom of fresh water: 100+	
	Depth to bottom of usable water: 150	
Other	Surface Pipe by Alternate: 1 2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:  Length of Surface Pipe Planned to be set:  Length of Conductor Pipe Planned to N/A	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1700'	
Original Completion Date:Original Total Depth:	, Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other	
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DV	VR (1)
CC DKT #:	Will Cores be taken?	Yes <b>✓</b> No
	If Yes, proposed zone:	
AFE	IDAVIT 25	RICEIVED
The undersigned hereby affirms that the drilling, completion and eventual pl		MRAS CORPORATIO 4 COMMIS Id.
is agreed that the following minimum requirements will be met:		OCT 0.3 2007
		ULI 03 2007
Notify the appropriate district office prior to spudding of well;		
	et by circulating cement to the top; in all cases surf- ne underlying formation. listrict office on plug length and placement is neces- iged or production casing is cemented in; and from below any usable water to surface within the first surface	ssary <i>prior to plugging;</i> 120 days of spud date. urea, alternate II cementing
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on eac.</li> <li>The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the last office will be notified before well is either plug.</li> <li>If the well is dry hole, an agreement between the operator and the drop of the street of the last office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall bereby certify that the statements made herein are true and to the best of the statements.</li> </ol>	et by circulating cement to the top; in all cases surfine underlying formation.  listrict office on plug length and placement is necesiged or production casing is cemented in; ed from below any usable water to surface within:  #133,891-C, which applies to the KCC District 3 a be plugged. In all cases, NOTIFY district office of the first office	ssary <i>prior to plugging;</i> 120 days of spud date. urea, alternate II cementing
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on eac.</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.</li> <li>If the well is dry hole, an agreement between the operator and the description of the set of t</li></ol>	et by circulating cement to the top; in all cases surfine underlying formation.  listrict office on plug length and placement is necesiged or production casing is cemented in; ed from below any usable water to surface within #133,891-C, which applies to the KCC District 3 a be plugged. In all cases, NOTIFY district office	ssary <i>prior to plugging;</i> 120 days of spud date. urea, alternate II cementing
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either pluging the second of the surface casing order of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order.  Signature of Operator or Agent:	et by circulating cement to the top; in all cases surfine underlying formation.  listrict office on plug length and placement is necesiged or production casing is cemented in; ed from below any usable water to surface within #133,891-C, which applies to the KCC District 3 a be plugged. In all cases, NOTIFY district office of my knowledge and belief.  Title: Agent Remember to:	ssary <i>prior to plugging;</i> 120 days of spud date. trea, alternate II cementing prior to any cementing.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the decomposition of the set of the s	et by circulating cement to the top; in all cases surfine underlying formation.  listrict office on plug length and placement is necesiged or production casing is cemented in; ed from below any usable water to surface within #133,891-C, which applies to the KCC District 3 a be plugged. In all cases, NOTIFY district office of my knowledge and belief.  Title: Agent	ssary prior to plugging; 120 days of spud date. urea, alternate il cementing prior to any cementing.  It to Drill; If spud date;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either plug of the superior of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the superior of t	et by circulating cement to the top; in all cases surfine underlying formation.  listrict office on plug length and placement is necesiged or production casing is cemented in; ed from below any usable water to surface within:  #133,891-C, which applies to the KCC District 3 a be plugged. In all cases, NOTIFY district office of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent of File Completion Form ACO-1 within 120 days of the surface surface.	ssary prior to plugging; 120 days of spud date. urea, alternate II cementing prior to any cementing.  It to Drill; of spud date; proration orders; o workover or re-entry; completed;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	et by circulating cement to the top; in all cases surfine underlying formation.  listrict office on plug length and placement is necessiged or production casing is cemented in; ed from below any usable water to surface within #133,891-C, which applies to the KCC District 3 as the plugged. In all cases, NOTIFY district office of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intenting File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field production. Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is	ssary prior to plugging; 120 days of spud date. urea, alternate II cementing prior to any cementing.  It to Drill; If spud date; proration orders; o workover or re-entry; completed; potting salt water. ration date) please
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of t	et by circulating cement to the top; in all cases surfine underlying formation.  listrict office on plug length and placement is necesiged or production casing is cemented in; ed from below any usable water to surface within:  #133,891-C, which applies to the KCC District 3 a be plugged. In all cases, NOTIFY district office of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent in File Completion Form ACO-1 within 120 days or in File acreage attribution plat according to field provided in Notify appropriate district office 48 hours prior to submit plugging report (CP-4) after plugging is Obtain written approval before disposing or injectif this permit has expired (See: authorized expired).	ssary prior to plugging; 120 days of spud date. Lirea, alternate II cementing prior to any cementing.  It to Drill; If spud date; Lirearion orders; Lowerkover or re-entry; Lirearing salt water. Lirearing date; Lirearing da

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207-27286-0000	Location of Well: County: Woodson
Operator: Haas Petroleum, LLC	661 feet from V N / S Line of Section
Lease: HO Kimbell	1810 feet from E / 🗾 W Line of Section
Well Number: 29 Field: Winterschied	Sec. 18 Twp. 24 S. R. 14 East Wes
Number of Acres attributable to well:  QTR / QTR / QTR of acreage: SW - NE - NW	Is Section: Regular or Integular
William Control of the Control of th	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	_						
	-	' I					
	•	. [	•	٠ .		•	
		. i					
		<del>`</del>		<i>.</i>			
	•	•	•	· ·	•		
	•	-	•		•	•	
		•	•	l		•	
	•	-					
Į							
1	•					•	
						•	
	•		•				
			•	•	•		
					•	•	
					•		
					•	•	
					•	•	
	•		•				
			· · ·			· · · · · ·	
			· · ·			· · · · · ·	
			· · ·			· · · · · ·	
			· · ·			· · · · · ·	
			· · ·				
		· · · · · · ·					
	, , , , , , , , , , , , , , , , , , ,						
		· · · · · · · · · ·					
		· · · · · · · · · ·					
	, , , , , , , , , , , , , , , , , , ,	· · · · · · · · · ·					
		· · · · · · · · · ·					
		· · · · · · · · · ·					
		· · · · · · · · · ·					



NOTE: In all cases locate the spot of the proposed drilling locaton.

OCT 8 3 2007

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Haas Petroleum, LLC			License Number: 33640		
Operator Address: 800 West 47t		09, Kan			
Contact Person: Mark Haas			Phone Number: (816)531 -5922		
Lease Name & Well No.: HO Kimbell #29			Pit Location (QQQQ):		
Type of Pit: Pit is:			NE SW NE NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 18 Twp. 24 R. 14 Fast West		
Settling Pit  Drilling Pit	If Existing, date constructed:		661 Feet from V North / S	_	
Workover Pit Haul-Off Pit			1810 Feet from East / V W		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bble)	Woodson		
		(bbls)		County	
is the pit located in a Sensitive Ground Water	Area? Yes ✓ N	NO NO	Chloride concentration:(For Emergency Pits and Settling	•	
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not us		
✓ Yes No	Yes V No	)	Native Mud		
Pit dimensions (all but working pits):	Length (feet	8	Width (feet)	/A: Steel Pits	
Depth f	rom ground level to deep	pest point: 3	(feet)		
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:			
N/A feet Depth of water well _	feet	measu	red well owner electric log	KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:  Number of producing wells on lease:		Type of material utilized in drilling/workover: Drilling Mud  Number of working pits to be utilized: 2			
					Barrels of fluid produced daily:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and cor	rrect to the best	of my knowledge and belief.	SO VOLLABORATION OF	
		Ping	gnature of Applicant or Agent	OCT 0 3 200	
	KCC OF	FICE USE O	NLY		
Date Received: /6/3/c7 Permit Num	nber:	Perm	t Date: 10/3/07 Lease Inspection:	Yes 🔣 No	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.