For KCC Use: Yes 🗌 No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date October 9, 2007	Spot √ Ea:
month day year	SW NW Sec. 20 Twp. 28 S. R. 19 We
33344	1980 feet from VN / S Line of Section
OPERATOR: License#	660 feet from E / ✓ W Line of Section
Name: Quest Cherokee LLC	Is SECTION ✓ RegularIrregular?
Address: 9520 North May Avenue, Suite 300 City/State/Zip: Oklahoma City, Oklahoma 73120	•
City/State/Zip: Oklariona Gity, Oklariona 19129	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho  Lease Name: Swiler, Doris J. Well #: 20-2
Phone: (405) 463-6880	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?  Cherokee Coals
vallie.	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
Oil - Enh Rec / Infield / Mud Rotary	Ground Surface Elevation: 925feet MS
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic # of Holes Other	Depth to bottom of fresh water: 100
✓ Other Coalbed Methane	Depth to bottom of usable water 200 /50
	Surface Pipe by Alternate: 1  2 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300 Cherokee Coals
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  Well Farm Pond Other Air
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
100 DUT II	
CCC DKT #:	Will Cores be taken? Yes ✓
	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the d  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMP  CONSERVATION DUSTION  To by circulating cement to the top; in all cases surface pipe with K.S.  CONSERVATION DUSTION  WICHITA, KS  it by circulating formation.  iistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementic
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be	IDAVIT  RECEIVED  KANSAS CORPORATION COMM  OCT 0 5 2007  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe Wichita, KS  initiation of the complete of the comple
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of	RECEIVED  WANSAS CORPORATION COMP  CONSERVATION COMP  CONSERVATION COMP  CONSERVATION COMP  To by circulating cement to the top; in all cases surface pipe with K.S. and the underlying formation.  Sistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementic to plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the d  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMP  OCT 0 5 2007  The drilling rig;  If by circulating cement to the top; in all cases surface pipe with K.S. A. 55 et. seq.  CONSERVATION COMP  OCT 0 5 2007  The drilling rig;  If by circulating cement to the top; in all cases surface pipe with K.S. A. 55 et. seq.  CONSERVATION COMP  WICHTA, KS  instrict office on plug length and placement is necessary prior to plugging; in greater to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief  Title: VP
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date: October 3, 2007  Signature of Operator or Agent:	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMP  OCT 05 2007  The drilling rig;  If by circulating cement to the top; in all cases surface pipe with the underlying formation.  In initiation of the plugging is cemented in; is completed by the plugged. In all cases, NOTIFY district office prior to any cementing.  If yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMP  CONSERVATION COMP  WICHITA, KS  In all cases surface pipe right and placement is necessary prior to plugging; is cemented in; in the plugged or production casing is cemented in; in the plugged. In all cases, NOTIFY district 3 area, alternate II cementing in the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP
AFFI The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the district office will shall be seen through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the control of the place of the control of the district office will be completed.  Signature of Operator or Agent:  October 3, 2007  Signature of Operator or Agent:  For KCC Use ONLY	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMP  OCT 0 5 2007  The drilling rig;  If by circulating cement to the top; in all cases surface pipe with the complexity of the complexity
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the prior of the prior of the second of the prior of	IDAVIT  RECEIVED  KANSAS CORPORATION COMM  OCT 0 5 2007  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe Wichita, KS  interpretation of the complete on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
AFFI The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the district office will shall be seen through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the control of the place of the control of the district office will be completed.  Signature of Operator or Agent:  October 3, 2007  Signature of Operator or Agent:  For KCC Use ONLY	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMP  OCT 0 5 2007  The drilling rig;  If by circulating cement to the top; in all cases surface pipe with the complexity of the complexity
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set	IDAVIT  RECEIVED  KANSAS CORPORATION COMM  OCT 0 5 2007  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe Wichita, KS  In the underlying formation.  In the underlying formation assing is cemented in; are underlying formation in the plugging; and underlying form below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cemention be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set	RECEIVED  WANSAS CORPORATION COMP  CONSERVATION COM
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen of the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the seen o	RECEIVED  WANSAS CORPORATION COMP  CONSERVATION COM
The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search state of the well is dry hole, an agreement between the operator and the description of the spurition of the search state of the spurition of the well shall be completed within 30 days of the spurition of the well shall be completed within 30 days of the spurition of the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27230 0000  Conductor pipe required	RECEIVED  KANSAS CORPORATION COMP  Ugging of this well will comply with K.S.A. 55 et. seq.  OCT 0 5 2007  The drilling rig;  In the production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementic be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen that the well is dry hole, an agreement between the operator and the description of the specific self-benefit is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the conductor pipe required Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27230 0000  Conductor pipe required Mone feet per Alt. (2)  Approved by: 10 - 507	RECEIVED  WANSAS CORPORATION COMP  CONSERVATION COM
The undersigned hereby affirms that the drilling, completion and eventual plates agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall be conductor pipe required	RECEIVED  Waysing of this well will comply with K.S.A. 55 et. seq.  OCT 0 5 2007  The drilling rig;  The by circulating cement to the top; in all cases surface pipe with the underlying formation.  The instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  The effort below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementic be plugged. In all cases, NOTIFY district office prior to any cementing.  The many ways and belief  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-272300000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1980 feet from VN/ S Line of Section
Lease: Swiler, Doris J.	660 feet from E / V W Line of Section
Well Number: 20-2	Sec. 20 Twp. 28 S. R. 19 ✓ East Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well: SW _ NW	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344			
Operator Address: 9520 North Ma	y Avenue, Su	ite 300 Ok	lahoma City, Oklahoma	a 73120	
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880			
Lease Name & Well No.: Swiler, Doris J. #20-2		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>SW NW</u>		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 20 Twp. 28 R. 19 🗸 East 🗌 West		
Settling Pit	If Existing, date constructed:		1980 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity: 300 (bbls)			660 Feet from East / V West Line of Section		
		(bbls)	Neosho	County	
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes		Chloride concentration: mg/l		
		(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner	is not useu :	
Pit dimensions (all but working nits):	30 Length (fe	eet) 10	Width (feet)	N/A: Steel Pits	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 10 (feet)					
			Operation lasting approx 3	,	
		owest fresh waterfeet.			
			Source of information:  measured well owner electric log KDWR		
		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Air Drilled			
· · · · · · · · · · · · · · · · · · ·			Number of working pits to be utilized: One		
Barrels of fluid produced daily: Abandonme		Abandonment	procedure: Air Dry, Back Fill and Co	ver	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mus		Drill pits must I	be closed within 365 days of spud date. RECEIVE KANSAS CORPORATION		
I hereby certify that the above stat	ements are true and	correct to the bes		OCT 0 5 2037	
October 3, 2007 Date	<u> </u>	Gar)	Marlin Signature of Applicant or Agent	CONSERVATION DIVISION WICHITA MICHITA	
KCC OFFICE USE ONLY					
Date Received: 10/5/07 Permit Nur	nher:	Parm	it Date: 10/5 / 07 Lease Insp.	ection: Yes 🕻 No	