For KCC Use:	10-12-12
Effective Date:	10-13-07
District #	<u>3</u>
SCA2 Files	o V No

# Kansas Corporation Commission Oil & Gas Conservation Division

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five	e (5) days prior to commencing well  Alt blanks must be Filled
Expected Spud Date	0-u
month day year	Spot
	ne - ne - ne Sec. Z Twp. Z S. R. West  5115 feet from N / S Line of Section
OPERATOR: License# 32710	165 feet from VE / W Line of Section
Name: Laymon Oli II, LLC	Is SECTION ✓ Regular Irregular?
Address: 1998 Squirrel Road City/State/Zip: Neosho Falls, KS 66758	•
City/State/Zip: Kenneth Laymon	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Kenneth Laymon Phone: 620-963-2495	County: Woodson
	Lease Name: Alexander Well #: 92-07 Field Name: Vernon
CONTRACTOR: License# 32710	
Name: company tools	Is this a Prorated / Spaced Field?  Togget Formation(s): Squirrel  Yes ✓ No
	Target Formation(s): Squirrel  Nearest Lease or unit boundary: 165
Well Drilled For: Well Class: Type Equipment:	
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: Na feet MSL  Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:  Yes   No  Yes   No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water: 150
Other	Surface Bine by Alternate:
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 1120
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
CCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ΔFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	
t is agreed that the following minimum requirements will be met:	.,,
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into till.</li> </ol>	ich drilling rig; ef by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>	district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
<ul> <li>4. If the well is dry hole, an agreement between the operator and the c</li> <li>5. The appropriate district office will be notified before well is either plug</li> <li>6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ul>	district office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
4. If the well is dry hole, an agreement between the operator and the control of the appropriate district office will be notified before well is either plugible.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of th	district office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
4. If the well is dry hole, an agreement between the operator and the ope	district office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title:
4. If the well is dry hole, an agreement between the operator and the control of the appropriate district office will be notified before well is either plugible.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:    10/1/07   Signature of Operator or Agent:   Signature of Operator or Agent:   Signature of Operator or Agent   Si	district office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
4. If the well is dry hole, an agreement between the operator and the control of the second of the control of the second of the	district office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title:
4. If the well is dry hole, an agreement between the operator and the operator. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 207 - 27290 - 0000  Conductor pipe required	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting saft water.  If this permit has expired (See: authorized expiration date) please
4. If the well is dry hole, an agreement between the operator and the operator. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 207-27290-0000  Conductor pipe required  Minimum surface pipe required  Approved by:  While 10 - 5 - 07  This authorization expires:  (This authorization void if drilling not started within 6 months of effective date.)	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired
4. If the well is dry hole, an agreement between the operator and the operator. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the certification	district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting saft water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207 - 27290-0000	Location of Well: County: Woodson
Operator: Laymon Oil II, LLC	5115 feet from N / V S Line of Section
Lease: Alexander	165 feet from F E / W Line of Section
Well Number: 92-07	Sec. 2 Twp. 24 S. R. 16 ✓ East West
Field: Vernon	
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: ne ne ne ne	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

RECEIVED

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc. OCT 0 5 2007
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- The distance to the nearest lease or unit boundary line.
   If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for NOTION MICHITA, KS) CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Laymon Oil II, LLC			License Number: 32710	
Operator Address: 1998 Squirrel R	Road, Neosh	66758		
Contact Person: Kenneth Laymon		Phone Number: ( 620 ) 963 - 2495		
Lease Name & Well No.: Alexander #92-07			Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE NE NE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 2 Twp. 24 R. 16	șt
Settling Pit	If Existing, date of	onstructed:	5115 Feet from North / 🗸 South Line of S	ection
Workover Pit Haul-Off Pit	Pit capacity:		Feet from ✓ East / [_] West Line of S	ection
(If WP Supply API No. or Year Drilled)	040	(bbls)	Woodson	County
Is the pit located in a Sensitive Ground Water	1		n/a	mg/l
	T		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
v ies 140	Yes ✓		Native Clay	
Pit dimensions (all but working pits):	50 Length (fe	eet)8	Width (feet) N/A: Steel Pits	,
Depth fi	rom ground level to de	eepest point: 4	(feet)	
material, thickness and installation procedure	<b>e.</b>	liner integrity, ii	ncluding any special monitoring.	
		Depth to shallo Source of infor	west fresh waterfeet.	
N/A feet Depth of water well _	feet		red well owner electric log KDW	r R
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover: drilling gel	
			king pits to be utilized: one	
		Abandonment	procedure: backfill with dirt	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? [ ] Yes [ ] No			pe closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and o	correct to the best	of my knowledge and belief.	
10/1/07 Date	- F	) gua Lay	RECEIVED  mon, Qcyt, KANSAS CORPORATION CO ignature of Applicant or Agent	MMISSIC
		APPIAR 11AP A	OCT 0 5-200	
Date Received: 10/5/02 Permit Num		OFFICE USE OI	CONSERVATION DIVI	SION No