

For KCC Use:	10-13-07
Effective Date:	10 13 01
District #4	
SGA? Yes	⊠ N₀

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

012840

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description: 155' W
month day year	NW - SE - SW - SE Sec. 27 Twp. 13 S. R. 30 EXW
5316	(0/a/a/a) 500 feet from N / X S Line of Section
OPERATOR: License#	1,970 feet from E / W Line of Section
Name: Falcon Exploration, Inc.	Is SECTION: Regular Irregular?
Address 1: 125 N MARKET STE 1252	IS SECTION: Meguiar Inregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: WICHITA State: KS Zip: 67202 + 1719 Contact Person: RON SCHRAEDER/MIKE MITCHELL	County: Gove
Phone: 316-262-1378	Lease Name: R&M Well #: 7
	Field Name: GOVE WEST
CONTRACTOR: License#5822	Is this a Prorated / Spaced Field?
Name: Val Energy, Inc.	Target Formation(s): MISSISSIPPIAN
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 500
	Ground Surface Elevation: 2832 feet MSL
	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 180
Other:	Depth to bottom of usable water: 1300
	Surface Pipe by Alternate: I XII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 320
Operator:	Length of Conductor Pipe (if any): 0
Well Name:	Projected Total Depth: 4600
Original Completion Date: Original Total Depth:	Formation at Total Depth: MISSISSIPPIAN
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: TRUCKED
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
	(Note: Apply for Permit with DWR)
KCC DKT #:	
KCC DKT #:	
KCC DKT #:	Will Cores be taken? Yes No If Yes, proposed zone:
	Will Cores be taken? Yes No If Yes, proposed zone:
AFF	Will Cores be taken? If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: IDAVIT Signing of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	Will Cores be taken? If Yes, proposed zone: IDAVIT ANSAS CORPORATION COMMISSION OCT 0 8 2007
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2007 Conservation division by circulating cement to the top; in all cases surface pipe shall be MENTALES.
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2007 drilling rig; by circulating cement to the top; in all cases surface pipe shall be with HITA, KS underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	Will Cores be taken? If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION Out of 8 2007 Identifying formation. In the complete of the sequence of the complete o
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	Will Cores be taken? If Yes, proposed zone: IDAVIT ANSAS CORPORATION COMMISSION OCT 0 8 2007 drilling rig; Procirculating cement to the top; in all cases surface pipe shall be WiCHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: IDAVIT ANSAS CORPORATION COMMISSION OCT 0 8 2007 drilling rig; Py circulating cement to the top; in all cases surface pipe shall be WiCHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: CANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: CANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISSION OCT 0 8 2007 drilling rig; or circulating cement to the top; in all cases surface pipe shall be with HITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: CANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISSION OCT 0 8 2007 drilling rig; Octrolating cement to the top; in all cases surface pipe shall beyen. HITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Engineer Engineer
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: COS OS OS OS	Will Cores be taken? If Yes, proposed zone: RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: COS OS OS OS	Will Cores be taken? If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISSION OCT 0 8 2007 drilling rig; Octrolating cement to the top; in all cases surface pipe shall bewind-HITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Ye knowledge and belief. Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the vest of minimum of the product of the completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 d	Will Cores be taken? If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISSION OCT 0 8 2007 drilling rig; Octrulating cement to the top; in all cases surface pipe shall be with ITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Engineer Remember 10: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the destroin model. For KCC Use ONLY API # 15 - OU3 - ZIU8 3 COUO Conductor pipe required 0 Gonductor pipe required 0	Will Cores be taken? If Yes, proposed zone: RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the vest of minimum surface pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OLG 3 - Z LG 8 3 COCCO Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT II	Will Cores be taken? If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISSION OCT 08 2007 drilling rig; Py circulating cement to the top; in all cases surface pipe shall be WithITA, KS underlying formation. Introduction casing is cemented in: If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Yes Notify appropriate district Office 12007 CONSERVATION DIVISION 10 ONSERVATION DIVISION 11 ONSERVATION DIVISION 12 ONSERVATION DIVISION 13 ONSERVATION DIVISION 14 ONSERVATION DIVISION 15 ONSERVATION DIVISION 16 or plugging; 17 or plugging; 18 or plugging; 29 or prior to plugging; 20 plugging is completed (within 60 days): 21 Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the destroit must be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OLG 3 - ZIU8 3 COUCO Conductor pipe required 0 Gonductor pipe required 0 For feet	Will Cores be taken? If Yes, proposed zone: RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the vest of minimum surface pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OLG 3 - Z LG 8 3 COCCO Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT II	Will Cores be taken? If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISSION OCT 0 8 2007 drilling rig; Procirculating cement to the top; in all cases surface pipe shall be with HITA, KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If knowledge and belief. Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the test of minimum. Date: For KCC Use ONLY API # 15 - OLG 3 - Z U 8 3 COUCO	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2007 drilling rig; Py circulating cement to the top; in all cases surface pipe shall be with HITA, KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If knowledge and belief. Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the test of minimum surface pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OLG 3 - Z U 8 3 CCCO Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. I I III Approved by: III Approved by: IIII Approved by: IIII Approved by: IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Will Cores be taken? If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISSION OCT 0 8 2007 drilling rig; Octroulating cement to the top; in all cases surface pipe shall bewitchita, KS underlying formation. It office on plug length and placement is necessary prior to plugging; in the original plugged. In all cases, NOTIFY district office prior to any cementing. If which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If knowledge and belief. Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the vest of minimum certification. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OLG 3 - Z U 8 3 OWO Conductor pipe required 0 feet Minimum surface pipe required 2000 feet per ALT. I I I I III Approved by: Why IIII Approved by: Why IIII Approved by: Why IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. OCT 0 8 2007 drilling rig; Py circulating cement to the top; in all cases surface pipe shall be with HITA, KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If knowledge and belief. Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API NO. 15 - 003-21683 - 000	
Operator: Falcon Exploration, Inc.	Location of Well: County: Gove
Lease: R&M	500 feet from N / X S Line of Section
Well Number: 7	1,970 feet from X E / W Line of Section
Field: GOVE WEST	Sec. <u>27 Twp. 13 S. R. 30 E X</u> W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		:					:	
	:	:	:		:	:		
:	:	:	:		•	:	:	
•••••	•••••							
	:	:	÷		:	:		
	:	:	:		•	:		
:	:	:	:		:	:	;	
	******				*******			
	:	:	:		:	:	:	
:	:	:	:		:	:		
	:	:	:		:	:	:	
;	:	:	:		:	:	:	
3	:	:	:		:	:	:	
	:	:	;		:	:	:	EXAMPLE
	•	•	2	7	·	•		
		:	-	•	:	-	:	
	:	:	:	ı	:	:	:	
:	:	:	:		:	:	•	1980
		• • • • • • • •						
3	:	:	:		:	:	:	
	;	:	:		:	:	:	10
	:	:	:		:	:	:	
• • • • • • • • • • • • • • • • • • • •		*******			*******			3390'
	:	:	:		:	:	:	
	:	:	:		:	:	:	
	:	:	:		:	:	:	. : .
								10-0 5
;	:	:	:	(<u> </u>	<u>: </u>	!	− 1970 ft.
	:	:	:	`	ĭ	:	:	
	:	:	:			:	:	SEWARD CO.
	•		•	1	1	•	•	

NOTE: In all cases locate the spot of the proposed drilling locaton.

500 ft.

In plotting the proposed location of the well, you must show:

RECEIVED KANSAS CORPORATION COMMISSION

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).

CONSERVATION DIVISION

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells, KS CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1012840

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Falcon Exploration, In	nc.	License Number: 5316			
Operator Address: 125 N MARKET	STE 1252	WICHITA KS 6	7202		
Contact Person: RON SCHRAEDE	R/MIKE MITC	Phone Number: 316-262-1378			
Lease Name & Well No.: R&M	7	Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW _ SE _ SW _ SE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 27 Twp. 13 R. 30 East We	est	
Settling Pit	If Existing, date co	onstructed:	500 Feet from North / South Line of	Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of	Section	
(If WP Supply API No. or Year Drilled)	5,600	(bbls)	Gove	County	
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration:	_ mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	NATIVE CLAY AND MUD		
Pit dimensions (all but working pits):	DO Length (fe	et) 100	Width (feet) N/A: Steel Pits	5	
Depth fr	om ground level to de	epest point:	4 (feet) No Pit		
If the pit is lined give a brief description of the		•	edures for periodic maintenance and determining		
material, thickness and installation procedure	•	iner integrity, ii	ncluding any special monitoring.	ECEIVED	
			KANSAS CORF	PORATION COMMISS	
			ОСТ	0 8 2007	
Distance to nearest water well within one-mile	of pit		west fresh waterfeet. CONSER	VATION DIVISION	
NAfeet Depth of water well	feet	Source of information: WICHITA, KS WICHITA, WICHITA, WS WS WS WS WS WS WS WS			
Emergency, Settling and Burn Pits ONLY:	- , <u>uar</u> - , , , , , , ,			/ ¥ (\	
Producing Formation: Type of m			over and Haul-Off Pits ONLY:		
Producing Formation:		<u>.</u>	over and Haul-Off Pits ONLY: al utilized in drilling/workover: CHEMICAL MUD	IS.	
Producing Formation: Number of producing wells on lease:		Type of materia	al utilized in drilling/workover: CHEMICAL MUD king pits to be utilized: 3	S-00	
		Type of materia	al utilized in drilling/workover: CHEMICAL MUD king pits to be utilized: 3 procedure: ALLOW TO DRY COMPLETELY. THE	S-063	
Number of producing wells on lease:		Type of materia Number of work Abandonment	al utilized in drilling/workover: CHEMICAL MUD king pits to be utilized: 3	S-063-	
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	spilled fluids to	Type of materia Number of work Abandonment Drill pits must t	al utilized in drilling/workover: CHEMICAL MUD king pits to be utilized: procedure: ALLOW TO DRY COMPLETELY. THE BACKFILL WHEN CONDITIONS ALLO pe closed within 365 days of spud date,	S-063-	
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Type of material Number of work Abandonment Drill pits must be correct to the best	al utilized in drilling/workover: CHEMICAL MUD king pits to be utilized: procedure: ALLOW TO DRY COMPLETELY. THE BACKFILL WHEN CONDITIONS ALLO pe closed within 365 days of spud date,	S-063	
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to ments are true and c	Type of material Number of work Abandonment Drill pits must be correct to the best	al utilized in drilling/workover: CHEMICAL MUD king pits to be utilized: procedure: ALLOW TO DRY COMPLETELY. THE BACKFILL WHEN CONDITIONS ALLO pe closed within 365 days of spud date. It of my knowledge and belief.	15-063-21683-000	