For KCC Use: 10-14-07
Effective Date: 10-14-07
District # 3

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

	SENW - NE - SE Sec. 13 Twp. 20 S. R. 2	20 West
03113	2300 feet from N / V S L	
PERATOR: License# 03113 larne: Christian L. Martin dba Martin Oil Properties	865 feet from VE / W L	ine of Section
ddress: 6421 Avondale Drive, Suite 212	Is SECTION Regular Irregular?	
ity/State/Zip: Oklahoma City, OK 73116	(Note: Locate well on the Section Plat on reverse a	side)
ontact Person. Chris Martin	County: Anderson	
none: (408) 810-0900	Lesse Name. East Hastert Wei	#: 15-EIW
	Field Name: Gamett Shoestring	
ONTRACTOR: License# 8509	Is this a Prorated / Spaced Field?	Yes 🗸 No
arne: Evans Energy Development, Inc.	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 340'	
Oil  Enh Rec  Infield  Mud Rotary	Ground Surface Elevation: n/a	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes V No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes VNo
Seismic;# of Holes Other	Depth to bottom of fresh water: 50'	····
Other	Depth to bottom of usable water:	
	Surface Pipe by Alternate: 1 2	
OWWO: old well information as follows:		
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 900'	<del> </del>
Original Total Depth:	Formation at Total Depth: Bartiesville Water Source for Drilling Operations:	
rectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  Well Farm Pond Other X	
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR	
CC DKT #:	Will Cores be taken?	Yes V No
VV U(1) π	If Yes, proposed zone:	1.60
	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.	,
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe a	shali be set
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement of the drilling of the set of the well is dry hole, an agreement between the operator and the drilling of the statement of the statement of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe a the underlying formation.  district office on plug length and placement is necessary prior toged or production casing is cemented in; ted from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an firmy knowledge and belief.	or to plugging; of spud date. nate II cementing
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement of the drilling of the set of the well is dry hole, an agreement between the operator and the drilling of the statement of the statement of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of	ch drilling rig;  In the content of the top; in all cases surface pipe and the content of the top; in all cases surface pipe and the content of the content	or to plugging; of spud date. nate II cementing
the undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill chall be posted on each of the minimum amount of surface pipe as specified below chall be active through all unconsolidated materials plus a minimum of 20 feet into the second of the s	ch drilling rig;  In the content of the top; in all cases surface pipe and the content of the top; in all cases surface pipe and the underlying formation.  Identification of the content of the content of the cases surface pipe and the content of the cases of the ca	or to plugging; of spud date. nate II cementing
ne undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the driving of the set of the well is dry hole, an agreement between the operator and the driving of the superprized district office will be notified before well is either plug of it an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall be completed.  Signature of Operator or Agent:  **Doctober 9, 2007**  Signature of Operator or Agent:  **Doctober 9, 2007**  Signature of Operator or Agent:  **Doctober 9, 2007**  **Doctober 9	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe a the underlying formation.  district office on plug length and placement is necessary prior aged or production casing is cemented in; ted from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an firmy knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	or to plugging; of spud date. nate II cementing y cementing.
the undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill chall be posted on each of the minimum amount of surface pipe as specified below chall be active through all unconsolidated materials plus a minimum of 20 feet into the second of the s	ch drilling rig;  In the complex with K.S.A. 55 et. seq.  In the complex complex with K.S.A. 55 et. seq.  In the complex compl	or to plugging; of spud date. nate II cementing y cementing.
ne undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the driving of the set of the well is dry hole, an agreement between the operator and the driving of the superprized district office will be notified before well is either plug of it an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall be completed.  Signature of Operator or Agent:  **Doctober 9, 2007**  Signature of Operator or Agent:  **Doctober 9, 2007**  Signature of Operator or Agent:  **Doctober 9, 2007**  **Doctober 9	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe a the underlying formation.  district office on plug length and placement is necessary prior aged or production casing is cemented in; ted from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an firmy knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	or to plugging; of spud date. nate II cementing y cementing.
ne undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the strongth all unconsolidated materials plus a minimum of 20 feet into the strongth all is dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall be completed.  Signature of Operator or Agent:  **DOCTORS ONLY**  A LAA ***  **DOCTORS ONLY**  **A LAA ***  **The appropriate district office prior to spudding of well; and the statements made herein are true and to the best of the spudding of the	ch drilling rig;  at by circulating cement to the top; in all cases surface pipe at the underlying formation.  Illistrict office on plug length and placement is necessary prior aged or production casing is cemented in; ted from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternibe plugged. In all cases, NOTIFY district office prior to an firmy knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat.  File acreage attribution plat according to field proration of	or to plugging; of spud date. hate II cementing. y cementing. e; rders; or or re-entry;
ne undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear through all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet per Alt.  5. The appropriate district office will be notified before well is either plug of the strongh and the	ch drilling rig;  at by circulating cement to the top; in all cases surface pipe at the underlying formation.  district office on plug length and placement is necessary prior aged or production casing is cemented in; ted from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternibe plugged. In all cases, NOTIFY district office prior to an firmy knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud daternia.  Notify appropriate district office 48 hours prior to workover.	or to plugging; of spud date. nate II cementing. e; e; rders; or re-entry; l; water.
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the	ch drilling rig;  at by circulating cement to the top; in all cases surface pipe at the underlying formation.  Illistrict office on plug length and placement is necessary prior aged or production casing is cemented in; ted from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an firmy knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.  Notify appropriate district office 48 hours prior to workover.  Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting salt.	e; or re-entry; l; water.
ne undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as pecified below shall be as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface plus as the propriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall intereby certify that the statements made herein are true and to the best of late:  1. October 9, 2007  1. Signature of Operator or Agent:  1. October 9, 2007  2. October 9, 2007  2. October 9, 2007  3. Signature of Operator or Agent:  4. October 9, 2007  4. October 9, 2007  4. October 9, 2007  5. October 9, 2007  4. October 9, 2007  5. October 9, 2007  6. Oc	ch drilling rig;  In the complete will comply with K.S.A. 55 et. seq.  In the underlying cement to the top; in all cases surface pipe a set by circulating cement to the top; in all cases surface pipe a set by circulating cement to the top; in all cases surface pipe a set of the complete of the cases and placement is necessary prior good or production casing is cemented in; ted from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an firmy knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date.  File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workover.  Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting salt	e; re-entry; l; water.
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the	ch drilling rig;  at by circulating cement to the top; in all cases surface pipe at the underlying formation.  Illistrict office on plug length and placement is necessary prior aged or production casing is cemented in; ted from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an firmy knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.  Notify appropriate district office 48 hours prior to workover.  Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting salt.	e; re-entry; l; water.
ne undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface pipe as specified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall intereby certify that the statements made herein are true and to the best of the second of the spud date or the well shall intereby certify that the statements made herein are true and to the best of the second of the spud date or the well shall intereby certify that the statements made herein are true and to the best of the second of the spud date or the well shall intereby certify that the statements made herein are true and to the best of the second of the spud date or the well shall intereby certify that the statements made herein are true and to the best of the second of the spud date or the well shall intereby certify that the statements made herein are true and to the best of the spud date or the well shall intereby certify that the statements made herein are true and to the best of the spud date or the well shall intereby certify that the statements made herein are true and to the best of the spud date or the well shall intereby certified before well is either plug date.  For KCC Use ONLY  API # 15 - OO3 - 2446 9-0000  Signature of Operator or Agent:  Minimum surface pipe required	ch drilling rig; In the complete with K.S.A. 55 et. seq.  In the complete complete with K.S.A. 55 et. seq.  In the underlying coment to the top; in all cases surface pipe a the underlying formation.  Idistrict office on plug length and placement is necessary priority in the plug of the complete was an experience of the complete of the complete prior to an interpretation of the complete of the co	e; or re-entry; l; water.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API NO. 15 - 003-24469-000	Location of Well: County: Anderson
Operator: Christian L. Martin dba Martin Oil Properties	2300 feet from N / S Line of Section
Lease: East Hastert	865 feet from ✓ E / W Line of Section
Well Number: 15-EfW	Sec. 13 Twp. 20 S. R. 20 ✓ East Wes
Field: Garnett Shoestring	
Number of Acres attributable to well:	Is Section: Fegular or Irregular
QTR / QTR / QTR of acreage: SENW - NE - SE	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		•		•		
					•	
						<b>.</b> .
				•		
}		•				
			.			· · · ·
		•		•		
	•		}	•	•	•
	• •			•		
	• ,				:	
				•	•	
				-		•
				•		•
					1	
		•		•	. 1	-
			.			
				· · · · · · · · · · · · · · · · · · ·		
				· · · · · · · · · · · · · · · · · · ·		
				· · · · · · · · · · · · · · · · · · ·		
	· · · · ·			· :		
				· · · · · · · · · · · · · · · · · · ·	· · · · ·	
					· · · · ·	



NOTE: In all cases locate the spot of the proposed drilling locaton.

### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# 15-003-241469-0000

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Christian L. Martin dba Martin Oil Properties			License Number: 03113			
Operator Address: 6421 Avondale Drive, Suite 212, Oklahoma City, OK 73116						
Contact Person: Chris Martin			Phone Number: ( 405 ) 810 - 0900			
Lease Name & Well No.: East Hastert 15-EIW		Pit Location (QQQQ):				
Type of Pit:	Pit is:		SE NW NE SE			
Emergency Pit Burn Pit	Proposed Existing		Sec. 13 Twp. 20 R. 20			
Settling Pit	If Existing, date constructed:		2300 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		865 Feet from 🗸 East / 🗌 West Line of Section			
(If WP Supply API No. or Year Drilled)	, ,	(bbls)	Anderson County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No No	Chloride concentration: mg/i			
			(For Emergency Pits and Settling Pits only)			
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
✓ Yes No	Yes 🗸	No	native clay			
Dit dimensions (all but working alts):	0 Langth (fe	net) 10	Width (feet) N/A: Steel Pits			
	om ground level to de					
Cepuii	On ground lever to de	<del>,,</del>	dures for periodic maintenance and determining			
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh waterfeet. mation:			
N/Afeet Depth of water well	feet	measu	red well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:			
		Type of materia	rial utilized in drilling/workover: drilling mud			
		orking pits to be utilized: 1				
		procedure: air dry and backfill				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
October 9, 2007  Date  October 9, 2007  Date  October 9, 2007  Anna Randa  Signature of Applicant or Agent						
KCC OFFICE USE ONLY						
Date Received: 10/9/07 Permit Number: Permit Date: 10/9/07 Lease Inspection: Yes 🗷 No						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED KANSAS CORPORATION COMMISSION