For KCC Use: Effective Date:	10-16-07		
District #	X No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date October 15, 2007	Spot 26 13	East
montn day year	W2NW NE NE Sec. 36 Twp. 13 S. F	
OPERATOR: License# 34017	330 feet from VN / S	
Name: National Guit Production, Inc.	1881 BOW A E 1	Line of Section
Address: P.O. Box 186	is SECTIONRegularIrregular?	
Address: Giddings, Texas 78942	(Nate: Locate well on the Section Plat on revers	se side)
Contact Person, Iom Hollingsworth	County: Trego	Vell #: 7
Phone: (979) 542-3614		Vell #:
CONTRACTOR: License# 33237	Field Name: wildcat	
Name: Anderson Drilling	Is this a Prorated / Spaced Field?	Yes ✓ No
TRAINE,	Target Formation(s): Arbuckle Nearest Lease or unit boundary: 330'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2,362	feet MSL
✓ Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes V No
OWNO Disposal Vildcat Cable	Depth to bottom of fresh water: 150'	
Seismic;# of Holes Other	Depth to bottom of usable water: 800'	
Other	Surface Pipe by Alternate: 1 2	
If CIARALC: and well information as follows:	Length of Surface Pipe Planned to be set: 200'+	
If OWWO: old well information as follows: Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 4,000'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle	
	, Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	·
Bottom Hole Location:	(Note: Apply for Permit with DWR 📋)	
KCC DKT #:	Will Cores be taken?	Yes √ No
	If Yes, proposed zone:	
AFF	IDAVIT S	ECEIVE
		RECEIVER) RPORATION OF MAINS SI
The undersigned hereby affirms that the drilling, completion and eventual p		
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	lugging of this well will comply with K.S.A. 55 ef. ^A 황당은 COF	
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the summary of the second of	lugging of this well will comply with K.S.A. 55 et. Sec. S COF Ch drilling rig; of by circulating cement to the top; in all cases surface with the underlying formation. Sistrict office on plug length and placement is necessary paged or production casing is cemented in; ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to	T 10 2007 Refinition and missing a company and a company and a company are a company and a company are a company
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second	lugging of this well will comply with K.S.A. 55 et. Sec. S COF Ch drilling rig; of by circulating cement to the top; in all cases surface with the underlying formation. Sistrict office on plug length and placement is necessary paged or production casing is cemented in; ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to	T 10 2007 Refinition and missing a company and a company and a company are a company and a company are a company
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the static office will be notified before well is either plus than ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reported to the statements made herein are true and to the best of the spud date.	lugging of this well will comply with K.S.A. 55 et. Sec. Confidence of the complex of the comple	T 10 2007 Refinition and missing a company and a company and a company are a company and a company are a company
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the static office will be notified before well is either plus than ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reported to the statements made herein are true and to the best of the spud date.	lugging of this well will comply with K.S.A. 55 et. Sec. Confidence of the complex of the comple	T 10 2007 Refinition and missing a company and a company and a company are a company and a company are a company
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the posted on each and the proof of the proof of the proof of the proof of the posted on each and the proof of the p	ch drilling rig; to by circulating cement to the top; in all cases surface that underlying formation. district office on plug length and placement is necessary proged or production casing is cemented in; led from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked. Submit plugging report (CP-4) after plugging is completed.	T 10 2007 Retail be; set Wichita, Kis who of spud date. ernate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the completed with the statement between the operator and the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall be completed. 2 Codober 10, 2007 Signature of Operator or Agent: For KCC Use ONLY	Ingging of this well will comply with K.S.A. 55 et. Seq.S COFE ch drilling rig; et by circulating cement to the top; in all cases surface the he underlying formation. district office on plug length and placement is necessary proged or production casing is cemented in; led from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worke	T 1 0 2007 Refletion commiss T 1 0 2007 Refletion; set Without to plugging; vs of spud date. Pernate II cementing any cementing. Idate; Porders; Porders
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the time well is dry hole, an agreement between the operator and the constitution of the set in the set of the well is dry hole, an agreement between the operator and the constitution of the well is either plus to the set of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be retired that the statements made herein are true and to the best of Date: October 10, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 22497 - 00 - 00 Conductor pipe required	Ingging of this well will comply with K.S.A. 55 et. Seq.S COFE ch drilling rig; at by circulating cement to the top; in all cases surface the beautiful formation. district office on plug length and placement is necessary proged or production casing is cemented in; ted from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked. Submit plugging report (CP-4) after plugging is compled. Obtain written approval before disposing or injecting set.	T 1 0 2007 Refletion commiss T 1 0 2007 Refletion; set Without to plugging; vs of spud date. Pernate II cementing any cementing. Idate; Porders; Porders

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 195 - 22497 - 00-00	Location of Well: County: Trego
Operator: National Gulf Production, Inc.	
Lease: CBN	1,060 feet from VN/S Line of Section
Well Number: 7	Sec. 36 Twp. 13 S. R. 23 ☐ East
Field: wildcat	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: W2NW - NE - NE	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			•	•		•
}	•		•		. 1	•
	• • • •				. •	•
					•	
			•	•	•	•
		•	•	•	•	•
	• • • •	•	•	•	•	•
ŀ	•	•		•	•	
1	•		•	•	•	•
}		•		•	•	•
		•	•	•	•	•
!						
1					•	
ı			•		-	•
			•	•	:	•
			•		-	•
			· ·			
			· ·		-	
			· ·			
			· ·			
			· ·			•
			· ·			
			· ·			
			· ·			:
			· ·		: : :	:
			· ·		: : :	:
			· ·		: : :	:
			· ·		: : :	:
			· ·		: : :	:



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

April 2004

Form must be Typed

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: National Gulf Production, Inc.			License Number: 34017		
Operator Address: P.O. Box 186, Giddings, Texas 78942					
Contact Person: Torn Hollingsworth			Phone Number: (979) 542 - 3614		
Lease Name & Well No.: CBN #7			Pit Location (QQQQ):		
Type of Pit:	Pit is:		W2 NW NE NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 Twp. 13 R. 23 East		
Settling Pit Drilling Pit	If Existing, date constructed:		330 Feet from V North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,060 Feet from 📝 East / West Line of Section		
(If WP Supply API No. or Year Drilled)			Trego County		
Is the pit located in a Sensitive Ground Water	Area? Yes 🗸].No	Chloride concentration: mg/l		
	, · · · · · · · · · · · · · · · · · · ·		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Clay type soil		
Pit dimensions (all but working pits):	0 Length (fe	set) 60	Width (feet)N/A: Steel Pfts		
Depth from ground level to despest point: 5(feet)					
material, thickness and installation procedure		liner integrity, li	octiding any special monitoring. OCT 1 9 2007 CONSERVATION DI. WICHITA, KS		
		Depth to shallowest fresh waterfeet. Source of information:			
feet Depth of water wellfeet		measu	red well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: drilling mud			
Number of producing wells on lease:		Number of working pits to be utilized: 1 Abandonment procedure: let fluid evaporate and fill with			
Barrels of fluid produced dally:		excavated dirt			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Dritt pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
October 10, 2007 Date	ω	onna s) Ahanda ignature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 10/10/07 Permit Num	ber:	Permi	it Date: 10/10/07 Lease Inspection: Yes 🔣 No		