For KCC Use: 11 12.07	
Effective Date:	_
District #	
SGA? Yes X No	

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Supported Sourd Date October 20 2007		
Expected Spud Date October 20 2007	Spot	✓ East
month day year	NE - SW - SW Sec. 31 Two. 23 S. R.	
OPERATOR: License#_6227	/	Line of Section
Name: Arnold E. Kraft	930 feet from E / _ W	Line of Section
434 Iris Rd Sw	Is SECTION ✓ Regularirregular?	
City/State/Zip: Gridley, Kansas 66852	(Note: Locate well on the Section Plat on reverse	side)
Contact Person: Arnold E. Kraft	County: Woodson	,
Phone: 620 836-4570	Lease Name: Browne /	ell #: 8 /
CONTRACTOR: License# 33557	Field Name: Winterschied -	
Name: Skyy Drilling	Is this a Prorated / Spaced Field?	Yes ✓ No
Name.	Target Formation(s): Mississippi Lime	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 930	
✓ Oil ✓ Enh Rec ✓ Infield ✓ ✓ Mud Rotary	Ground Surface Elevation: 1070	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes ✓ No •
CWWO Disposal Wildcat Cable	Public water supply well within one mile:  Depth to bottom of fresh water 25 180	Yes ✓ No •
Seismic; # of Holes Other	Depth to bottom of usable water 20 700	
Other	Surface Pipe by Alternate: 1 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1700 "	
Original Completion Date:Original Total Depth:	Formation at Total Depth: 1700	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well ✓ Farm Pond Other	
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Nate: Apply for Permit with DWR ) Will Cores be taken?	<u></u>
	If Yes, proposed zone:	Yes Mo
•	DAVIT	
	Carrier of Alice 11 10 10 to the second of the	
	ugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be see</i>	th drilling rig; If by circulating cement to the top; in all cases surface nine.	shall be set
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	th drilling rig; If by circulating cement to the top; in all cases surface pipe are underlying formation.	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the definition of the well is dry hole, an agreement between the operator and the definition.	th drilling rig; If by circulating cement to the top; in all cases surface pipe to underlying formation.  Strict office on plug length and placement is necessary as in	
<ol> <li>It is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ead</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the desired that the well is dry hole, an agreement between the operator and the desired that the plus of the appropriate district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	th drilling rig; If by circulating cement to the top; in all cases surface pipe to underlying formation.  Strict office on plug length and placement is necessary prices of production casing is cemented in;  and from below any usable water to surface within 120 days.	or to plugging;
<ol> <li>It is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ead</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the descri</li></ol>	th drilling rig; If by circulating cement to the top; in all cases surface pipe to underlying formation.  Strict office on plug length and placement is necessary price ged or production casing is cemented in;  and from below any usable water to surface within 120 days  #133.891-C. which applies to the KCC District 3 area altern	of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the description of the set of	th drilling rig; If by circulating cement to the top; in all cases surface pipe to be underlying formation.  Strict office on plug length and placement is necessary prices or production casing is cemented in;  and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alterning the plugged. In all cases, NOTIFY district office prior to ar	of spud date.
<ol> <li>It is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ead</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the through all unconsolidated materials plus a minimum of 20 feet into the description of the descri</li></ol>	th drilling rig; If by circulating cement to the top; in all cases surface pipe to be underlying formation.  Strict office on plug length and placement is necessary prices or production casing is cemented in;  and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alterning the plugged. In all cases, NOTIFY district office prior to ar	of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the de 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to be the statements made herein are true and to the best of the spud date.	th drilling rig; If by circulating cement to the top; in all cases surface pipe to be underlying formation.  Strict office on plug length and placement is necessary price ged or production casing is cemented in;  and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to an my knowledge and belief.	or to plugging; of spud date. nate II cementing ny cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the de 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to be the statements made herein are true and to the best of the spud date.	th drilling rig; If by circulating cement to the top; in all cases surface pipe to be underlying formation.  Strict office on plug length and placement is necessary price ged or production casing is cemented in;  and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, altern the plugged. In all cases, NOTIFY district office prior to an amy knowledge and belief.	or to plugging; of spud date. nate II cementing ny cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the transportation of the well is either plug to the appropriate district office will be notified before well is either plug to If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to I hereby certify that the statements made herein are true and to the best of the place of	th drilling rig; If by circulating cement to the top; in all cases surface pipe to be underlying formation.  Strict office on plug length and placement is necessary price ged or production casing is cemented in;  and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alterning the plugged. In all cases, NOTIFY district office prior to an amy knowledge and belief.	or to plugging; of spud date. nate II cementing ny cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to be the spud to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certify that the statements made herein are true and to the best of the plug certification.  1. For KCC Use ONLY	th drilling rig; If by circulating cement to the top; in all cases surface pipe to be underlying formation.  Strict office on plug length and placement is necessary price ged or production casing is cemented in;  and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, altern to plugged. In all cases, NOTIFY district office prior to an my knowledge and belief.  Title:	or to plugging; of spud date. nate II cementing ny cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the surface of the well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the well shall be completed.  7. Signature of Operator or Agent:  8. For KCC Use ONLY  API # 15 - 207 - 27 295 - 2000	th drilling rig; If by circulating cement to the top; in all cases surface pipe is the underlying formation.  Strict office on plug length and placement is necessary pricinged or production casing is cemented in;  and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alterning the plugged. In all cases, NOTIFY district office prior to an my knowledge and belief.  Title:	or to plugging; of spud date. nate II cementing ny cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the decomposition of the sequence of the well is either plug to the surface of the surface of the well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall the later of the well shall the statements made herein are true and to the best of the plug to the surface of the well shall the later of the	th drilling rig; If by circulating cement to the top; in all cases surface pipe are underlying formation.  Strict office on plug length and placement is necessary price ged or production casing is cemented in; and from below any usable water to surface within 120 days 133,891-C, which applies to the KCC District 3 area, alterniate plugged. In all cases, NOTIFY district office prior to army knowledge and belief.  Title: Completion Form ACO-1 with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration on Notify appropriate district office 48 hours prior to workover	or to plugging; of spud date. nate II cementing ny cementing.  e; ders; or re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet per Alt. The seed through all through all through all through a consolidated materials plus a minimum of 20 feet per Alt. The seed through all through all through all through all through a consolidated materials plus a minimum of 20 feet per Alt. The seed through all through a consolidated materials plus a minimum of 20 feet per Alt. The seed through all through a consolidated materials plus a minimum of 20 feet per Alt. The seed through a consolidated materials plus a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet per Alt. The seed through a consolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through a specified below shall be seen through a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified b	th drilling rig; If by circulating cement to the top; in all cases surface pipe to underlying formation.  Strict office on plug length and placement is necessary price ged or production casing is cemented in; and from below any usable water to surface within 120 days 133,891-C, which applies to the KCC District 3 area, altern the plugged. In all cases, NOTIFY district office prior to army knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workover.  Submit plugging report (CP-4) after plugging is completed.	e; or to plugging; of spud date. nate II cementing ny cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the driving appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to be the hereby certify that the statements made herein are true and to the best of the plug to the spud date of the well shall to be completed.  For KCC Use ONLY  API # 15 - 207 - 27 295 - COCC  Conductor pipe required	th drilling rig; If by circulating cement to the top; in all cases surface pipe is the underlying formation.  Strict office on plug length and placement is necessary pricing of or production casing is cemented in;  and from below any usable water to surface within 120 days  #133,891-C, which applies to the KCC District 3 area, alterning the plugged. In all cases, NOTIFY district office prior to an amy knowledge and belief.  Title:	e; or re-entry; water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the decomposition of the sequence of the sequ	th drilling rig; If by circulating cement to the top; in all cases surface pipe are underlying formation.  Strict office on plug length and placement is necessary price ged or production casing is cemented in; and from below any usable water to surface within 120 days at 133,891-C, which applies to the KCC District 3 area, altern the plugged. In all cases, NOTIFY district office prior to are my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.  File acreage attribution plat according to field proration on Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting salt.  If this permit has expired (See: authorized expiration date)	e; or re-entry; water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the driving appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to be the hereby certify that the statements made herein are true and to the best of the plug to the spud date of the well shall to be completed.  For KCC Use ONLY  API # 15 - 207 - 27 295 - COCC  Conductor pipe required	th drilling rig; If by circulating cement to the top; in all cases surface pipe is underlying formation.  It is production casing is cemented in; It is defined any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface prior to are my knowledge and belief.  It is a seen any usable water to surface prior to are my knowledge and belief.  It is a seen any usable water to surface prior to Drill; It is a seen any usable water to surface any usable prior to workover.  Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting salt.  If this permit has expired (See: authorized expiration date) check the box below and return to the address below.	e; ror re-entry; water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the decomposition of the sequence of the sequ	th drilling rig; If by circulating cement to the top; in all cases surface pipe are underlying formation.  Strict office on plug length and placement is necessary price ged or production casing is cemented in; and from below any usable water to surface within 120 days at 133,891-C, which applies to the KCC District 3 area, altern the plugged. In all cases, NOTIFY district office prior to are my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.  File acreage attribution plat according to field proration on Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting salt.  If this permit has expired (See: authorized expiration date)	e; ror re-entry; water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the well is either plug and the driving appropriate district office will be notified before well is either plug and the driving and the minimum surface pipe required and the driving and the dri	th drilling rig; If by circulating cement to the top; in all cases surface pipe is underlying formation.  It is production casing is cemented in; It is defined any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface within 120 days It is a seen any usable water to surface prior to are my knowledge and belief.  It is a seen any usable water to surface prior to are my knowledge and belief.  It is a seen any usable water to surface prior to be prior to surface.  It is a seen any usable water to surface any injection of the seen and usable prior to workover.  Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting salt of this permit has expired (See: authorized expiration date) check the box below and return to the address below.  Well Not Drilled - Permit Expired	e; ror re-entry; water.

Rational Reports

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15-207-27295-0000	Location of Well: County: Woodson	
Operator: Arnold E. Kraft		
Lease: Browne	1250 feet from N / ✓ S Line of Section  930 feet from E / ✓ W Line of Section	
Well Number: 8 Field: Winterschied	Sec. 31 Twp. 23 S. R. 15 ✓ East West	
Number of Acres attributable to well:  QTR / QTR / QTR of acreage: NE - SW - SW	Is Section: 🔽 Regular or 🗌 Irregular	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	

**PLAT** 

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

007 1 1 2007

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Arnold E. Kraft			License Number: 6227		
Operator Address: 434 Iris Rd Sw Gridley, Ks 66852					
Contact Person: Arnold E. Kraft			Phone Number: ( 620 ) 836 - 4570		
Lease Name & Well No.: Browne 8		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE_SW_SW_		
Emergency Pit Burn Pit	✓ Proposed		Sec. 31 <sub>Twp.</sub> 23 <sub>R.</sub> 15		
Settling Pit	If Existing, date constructed:		1250 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		930 Feet from East / 🗸 West Line of Section		
(If WP Supply API No. or Year Drilled)	100	(bbls)	<u>Woodson</u> County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓	No	Clay		
Pit dimensions (all but working pits):5	O Length (fe	eet) 10	Width (feet)N/A: Steel Pits		
Depth fro	om ground level to de	eepest point: 5	(feet)		
If the pit is lined give a brief description of the liner  Describe procedures for periodic maintenance and determining					
Drilling c			ncluding any special monitoring.  Apany will mud up the pits and monitor the		
		Depth to shallo Source of infor	west fresh water unkkown feet.		
		measu	ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	at utilized in drilling/workover: Drilling Mud		
Number of producing wells on lease: Number of producing wells on lease in the producing well well well well well well well wel		i .	king pits to be utilized: 1		
Barrels of fluid produced daily: Aband		Abandonment	procedure: Owner will dispose of drilling materials and		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Close the pits.  Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
10-9-07 Date		and Si	ALE KASE gnature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 10/11/67 Permit Number: Permit Date: 10/11/67 Lease Inspection: Yes No					