For KCC Effective		10-20-07
District #		3
SGA?	X Yes	☐ No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date October 17, 2007	Spot	East
month day year	<u>NW</u> - <u>NW</u> Sec. 9 Twp. 28 S. R. 19	West
23344	660 feet from N / S Line of Sec	
DPERATOR: License# 33344	660 feet from E / V W Line of Sec	
Name: Quest Cherokee LLC	Is SECTION ✓ RegularIrregular?	,,,,,,,,
Address: 9520 North May Avenue, Suite 300	·	
Address:	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Neosho	
Phone: (405) 463-6881	Lease Name: King Farms Well #: 9-1	
Will be licensed by the KCC	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?	√ No
lame: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
W 45 W 45	Nearest Lease or unit boundary: 388 (from river); 660 unit boundary	
Well Drilled For: Well Class: Type Equipment:		et MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile:	√ No
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:	√ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100	
Seismic; # of Holes Other	Depth to bottom of usable water: 200-150	
✓ Other Coalbed Methane		
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required: Projected Total Depth: 1300	
Well Name:		
Original Completion Date:Original Total Depth:	Formation at Total Depth.	-
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
	Well Farm Pond Other Air	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
12 2 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1		/ N.
(CC DKT #:	Will Cores be taken?	√No
	If Yes, proposed zone:RECEIN	/ED
	If Yes, proposed zone: RECEIN CDAVIT KANSAS CORPORATION ugging of this well will comply with K.S.A. 55 et. seq.	/ED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: RECEIN RANSAS CORPORATION ugging of this well will comply with K.S.A. 55 et. seq. OCT 15	/ED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	RECEIVE CONSERVATION is the underlying formation. istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud d#133,891-C, which applies to the KCC District 3 area, alternate II ce	ZOO7 DIVISION Session aging; ate. menting
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the sear	RECEIVE CANSAS CORPORATION CONSERVATION CONSERVATION Is trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce pe plugged. In all cases, NOTIFY district office prior to any cemented to the low any cemented in the low and	ZOO7 DIVISION Session aging; ate. menting
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the formulation of the strict office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	RECEIVE CANSAS CORPORATION CONSERVATION CONSERVATION Is trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce pe plugged. In all cases, NOTIFY district office prior to any cemented to the low any cemented in the low and	ZOO7 DIVISION Session aging; ate. menting
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	RECEIVE KANSAS CORPORATE ugging of this well will comply with K.S.A. 55 et. seq. OCT 15 ch drilling rig; th by circulating cement to the top; in all cases surface pipe state in a construction. istrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief.	ZOO7 DIVISION Session aging; ate. menting
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the specified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the proposed of the spud date or the well shall be completed. Date: October 12, 2007 Signature of Operator or Agent: Signature of Operator or Age	RECEIVE KANSAS CORPORATION Willing rig; CONSERVATION of by circulating cement to the top; in all cases surface pipe state in a construction of plug length and placement is necessary prior to plug ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce plugged. In all cases, NOTIFY district office prior to any cement my knowledge and belief. Title: VP	ZOO7 DIVISION Session aging; ate. menting
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the triple of the surface will be notified before well is either plug to the appropriate district office will be notified before well is either plug to figure and the triple of the surface casing order must be completed within 30 days of the spud date or the well shall the threby certify that the statements made herein are true and to the best of the complete of the complete of the plate. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27240-0000	RECEIVE KANSAS CORPORATION (ANSAS CORPORATION CONSERVATION CONSERVATIO	ZOO7 DIVISION Session aging; ate. menting
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the description of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27240-0000 Conductor pipe required None feet	RECEIVE KANSAS CORPORATION With K.S.A. 55 et. seq. OCT 15 Ch drilling rig; CONSERVATION by circulating cement to the top; in all cases surface pipe state in a underlying formation. istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	ZOO7 DIVISION RS aging; ate. menting ing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office <i>prior</i> to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for a paperopriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the control of the plate: October 12, 2007	RECEIVE KANSAS CORPORATE ugging of this well will comply with K.S.A. 55 et. seq. OCT 15 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shaft the underlying formation. is trict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement finy knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ent- Submit plugging report (CP-4) after plugging is completed;	ZOO7 DIVISION RS aging; ate. menting ing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the decision of the approved notice of intent to drill shall be posted on each as the decision of the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the decision of the well is dry hole, an agreement between the operator and the decision of the surface well is either plug for the must be completed within 30 days of the spud date or the well shall the best of the plus of the spud date or the well shall the statements made herein are true and to the best of the plus of the spud date or the well shall the plate. For KCC Use ONLY API # 15 - 133 27240-0000 Conductor pipe required 1000 feet per Alt. (2)	RECEIV KANSAS CORPORATE ugging of this well will comply with K.S.A. 55 et. seq. OCT 15 ch drilling rig;	ZOO7 DIVISION RS aging; ate. menting ing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the search of the approved notice of intent to drill shall be posted on each as the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the properties of the spud date or the well shall be the properties of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 2 7346-0000 Conductor pipe required None feet Minimum surface pipe required feet per Aft. (2) Approved by: Put 1015-07	RECEIVE KANSAS CORPORATE ugging of this well will comply with K.S.A. 55 et. seq. OCT 15 ch drilling rig; th by circulating cement to the top; in all cases surface pipe shaft the underlying formation. is trict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement finy knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ent- Submit plugging report (CP-4) after plugging is completed;	ZOO7 DIVISION RS aging; ate. menting ing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the search of the approved notice of intent to drill shall be posted on each at the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the properties of the spud date or the well shall be the properties of the properties of the post of the properties of the spud date or the statements made herein are true and to the best of the post of the spud date of the post of the properties of t	RECEIVE KANSAS CORPORATE ugging of this well will comply with K.S.A. 55 et. seq. OCT 15 ch drilling rig; ch by circulating cement to the top; in all cases surface pipe share in a underlying formation. istrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement if my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ent. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	ZOO7 DIVISION RS aging; ate. menting ing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the search of the approved notice of intent to drill shall be posted on each as the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the properties of the spud date or the well shall be the properties of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 2 7346-0000 Conductor pipe required None feet Minimum surface pipe required feet per Aft. (2) Approved by: Put 1015-07	RECEIVE KANSAS CORPORATION In drilling rig; In the drilling rig; In the underlying formation. In the underlying formation as surface pipe shall be underlying for the underlying formation casing is cemented in; In the underlying formation. In the underlying formation to the underlying formation unders; In this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ZOO7 DIVISION RS aging; ate. menting ing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the search of the approved notice of intent to drill shall be posted on each at the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the properties of the spud date or the well shall be the properties of the properties of the post of the properties of the spud date or the statements made herein are true and to the best of the post of the spud date of the post of the properties of t	RECEIVE KANSAS CORPORATE ugging of this well will comply with K.S.A. 55 et. seq. OCT 15 ch drilling rig; th by circulating cement to the top; in all cases surface pipe share in a underlying formation. istrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud days and plugged. In all cases, NOTIFY district 3 area, alternate II ce be plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ent. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ZOO7 DIVISION RS aging; ate. menting ing.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27246-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	660 feet from VN / S Line of Section
Lease: King Farms	660 feet from ☐ E / ✓ W Line of Section
Well Number: 9-1	Sec. 9 Twp. 28 S. R. 19 Vest West
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NW NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

OCT 15 2007

CONSERVATION DIVISION
RECEMBLING



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: King Farms	#9-1	Pit Location (QQQQ):		
Type of Pit:	Pit is:		NWNW	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 9 Twp. 28 R. 19 📝 East 🗌 West	
Settling Pit		onstructed:	Feet from 📝 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from ☐ East / ✓ West Line of Section Neosho County	
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l	1
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fe	eet) 10	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point:	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		,	edures for periodic maintenance and determining noluding any special monitoring.	
	1	Air Drilling Operation lasting approx 3 days RECEIVED		
		Air Drilling	Operation lasting approx 3 days RECEIVED	
		Air Drilling	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMI	ISSIC
		Air Drilling	Operation lasting approx 3 days RECEIVED KANSAS CORPORATION COMMI	ISSIC
Distance to nearest water well within one-mile	∍ of pit		West fresh waterfeet. CONSERVATION DIVISION	
Distance to nearest water well within one-mile	·	Depth to shallo Source of infor	West fresh waterfeet. CONSERVATION DIVISION	
/	feet	Depth to shallo Source of infor measu	West fresh waterfeet. CONSERVATION DIVISION WICHTA, KS	15-13
N/A feet Depth of water well	feet	Depth to shallo Source of infor measu Drilling, Work	West fresh waterfeet. CONSERVATION DIVISION WICHITA, KS	123
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet	Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor	west fresh waterfeet. CONSERVATION DIVISION WICHITA, KS ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Drilled king pits to be utilized: One	15-133-27
Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor	west fresh water feet. CONSERVATION DIVISION WICHITA, KS ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Drilled	15-13
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Depth to shalld Source of informeast Drilling, Work Type of materia Number of wor Abandonment	west fresh waterfeet. CONSERVATION DIVISION WICHITA, KS ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Drilled king pits to be utilized: One	15-133-27
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet fluids to	Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	west fresh waterfeet. CONSERVATION DIVISION WICHITA, KS ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover one closed within 365 days of spud date.	15-133-27
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet fluids to	Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	west fresh waterfeet. CONSERVATION DIVISION WICHITA, KS ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover one closed within 365 days of spud date.	15-133-27
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state October 12, 2007	feet fluids to	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the besite of the besite of the source of the sou	west fresh waterfeet. CONSERVATION DIVISION WICHITA, KS ared well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover oe closed within 365 days of spud date. It of my knowledge and belief.	15-133-27
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	feet fluids to	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the besite of the besite of the source of the sou	west fresh waterfeet. CONSERVATION DIVISION WICHITA, KS ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover one closed within 365 days of spud date.	15-133-27
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state October 12, 2007	spilled fluids to	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the besite Source of the besite Source of the sou	west fresh water	15-133-27