For KCC Use: Effective Date: SGA? XYes No

# Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date October 17, 2007	Spot   ✓ East
month day year	NE NW Sec. 1 Twp. 28 S. R. 18 West
DPERATOR: License# 33344 /	700 feet from VN / S Line of Section
Jame. Quest Cherokee LLC	feet fromE / V W Line of Section
9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
ity/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Richard Marlin	County: Neosho
hone: (405) 463-6880	Lease Name: Leslie, Robert Weil #: 1-1
and the second s	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
lame; Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 905 feet MSL
Oil Enh Rec 🗸 Infield Mud Rotary	Water well within one-quarter mile: Yes   ✓ No.
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water:
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 / 2
	Length of Surface Pipe Planned to be set: 25
OWWO: old well information as follows:	Length of Sandyatar Bina required:
Operator:	Length of Conductor Pipe required:
Well Name:	Ot
Original Completion Date:Original Total Depth:	Formation at Total Depth.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:  Well Farm Pond Other Air
——————————————————————————————————————	
Yes, true vertical depth:	DWR Permit #:
Notion Hole Location:	(Note: Apply for Permit with DWR )
(CC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	RECEIVED
	IDAVIT RECEIVED
he undersigned hereby affirms that the drilling, completion and eventual p	RECEIVED KANSAS CORPORATION COMMIS lugging of this well will comply with K.S.A. 55 et. seq.
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:	TDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual parties is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	RECEIVED KANSAS CORPORATION COMMIS lugging of this well will comply with K.S.A. 55 et. seq.  OCT 15 2007
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	RECEIVED KANSAS CORPORATION COMMIS lugging of this well will comply with K.S.A. 55 et. seq.  OCT 15 2007  ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the surface price of the surface price as specified below.	RECEIVED KANSAS CORPORATION COMMIS  OCT 15 2007  ch drilling rig; of by circulating cement to the top; in all cases surface pipe WiCHIA, KS  RECEIVED KANSAS CORPORATION COMMIS  CONSERVATION DIVISION the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description.	RECEIVED KANSAS CORPORATION COMMIS  OCT 15 2007  ch drilling rig;
the undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plus	RECEIVED KANSAS CORPORATION COMMIS  OCT 15 2007  ch drilling rig;
the undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement	RECEIVED KANSAS CORPORATION COMMISSION COMPOSITION COMMISSION CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION CO
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	RECEIVED KANSAS CORPORATION COMMIS  OCT 15 2007  ch drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	RECEIVED KANSAS CORPORATION COMMIS  lugging of this well will comply with K.S.A. 55 et. seq.  OCT 15 2007  ch drilling rig;  conservation division  conservation
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best to	RECEIVED KANSAS CORPORATION COMMISSING CONSERVATION COMMISSING CONSERVATION DIVISION CONSERVATION DIVISION the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
the undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constant of the surface will be notified before well is either pluging the surface casing order must be completed within 30 days of the spud date or the well shall be the post of the spud that the statements made herein are true and to the best to the statements made herein are true and to the statements.	RECEIVED KANSAS CORPORATION COMMISSION COMMISSION CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION CONSER
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into te 4. If the well is dry hole, an agreement between the operator and the constitution of the strength of the properties of the strength of the str	RECEIVED KANSAS CORPORATION COMMISSING CONSERVATION COMMISSING CONSERVATION DIVISION CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe with K.S.A. 55 et. seq.  CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe with the construction of the underlying formation. The district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: VP
The undersigned hereby affirms that the drilling, completion and eventual pet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into t.  4. If the well is dry hole, an agreement between the operator and the c.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of the contro	RECEIVED KANSAS CORPORATION COMMIS  OCT 15 2007  The drilling rig;  The properties of the top; in all cases surface pipe with K.S.A. 55 et seq.  CONSERVATION DIVISION of the underlying formation.  The underlying formation.  The drilling rig;  The properties of the top; in all cases surface pipe with the underlying formation.  The underlying formation of the underlying formation.  The underlying formation of the underlying formation of the underlying formation.  The underlying formation of the underlying formation of the underlying formation.  The underlying formation of the underlying formation of the underlying formation of the underlying formation.  The underlying formation of the underlying formation of the underlying formation of the underlying formation.  The underlying formation of the underlying formation of the underlying formation of the underlying formation.  The underlying formation of the underlying formation of the underlying formation.  The underlying formation of the underlying formation of the underlying formation of the underlying formation.  The underlying formation of the underlying for
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the state of the set of the spuddate of the well is either plus of the set	RECEIVED KANSAS CORPORATION COMMIT  OCT 15 2007  The drilling rig;  The property of the top; in all cases surface pipe with K.S.A. 55 et. seq.  CONSERVATION DIVISION of the underlying formation.  The underlying formation.  The underlying formation of the top; in all cases surface pipe with K.S.A. 55 et. seq.  The underlying formation of the underlying formation.  The underlying formation of the underlying formation of the underlying formation.  The underlying formation of the
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the district office will be notified before well is either pluging 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the	RECEIVED KANSAS CORPORATION COMMIS  OCT 15 2007  ch drilling rig; et by circulating cement to the top; in all cases surface pipe with K.S.A.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the state of the set of the spuddate of the well is either plus of the set	RECEIVED KANSAS CORPORATION COMMIS  OCT 15 2007  ch drilling rig;
the undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the cost of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cerement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the cost of the cos	RECEIVED KANSAS CORPORATION COMMIT  Jugging of this well will comply with K.S.A. 55 et. seq.  OCT 15 2007  Ch drilling rig; Fit by circulating cement to the top; in all cases surface pipe with the underlying formation.  Jugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  CONSERVATION DIVISION  The underlying formation.  Jugging of this well will comply living formation.  Jugging of this well will comply living formation.  Jugging of this well will comply living formation.  Jugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  The underlying formation of seq.  CONSERVATION DIVISION  CONSERVATION DIVISION  To plugging;  CONSERVATION DIVISION  To pluggi
The undersigned hereby affirms that the drilling, completion and eventual per tipe to a agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea and the complete an	RECEIVED KANSAS CORPORATION COMMIS  OCT 15 2007  ch drilling rig; et by circulating cement to the top; in all cases surface pipe with K.S.A.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the state of the spudding of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spudding of the spuddi	RECEIVED KANSAS CORPORATION COMMISSION of this well will comply with K.S.A. 55 et. seq.  OCT 15 2007  The drilling rig;  The property of the top; in all cases surface pipe with the complexity of the underlying formation. The underlying formation of the underlying formation. The underlying formation of the underlying formation of the underlying formation of the underlying formation. The underlying formation of the underlying formation of the underlying formation of the underlying formation. The underlying formation of the underlying form below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea and the continuum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be supported. If the well is dry hole, an agreement between the operator and the continuum of 20 feet into the surface pursuant to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best contact.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-27244-0000  Conductor pipe required None feet  Minimum surface pipe required feet  Approved by: Math 10-1507  This authorization expires: 415-08	RECEIVED KANSAS CORPORATION COMMIS  OCT 15 2007  ch drilling rig; et by circulating cement to the top; in all cases surface pipe with K.S.A.  district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the determinant of the surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the surface appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the place of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.  For KCC Use ONLY  API # 15	RECEIVED KANSAS CORPORATION COMMIT  CONSERVATION DIVISION The underlying formation.  district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the state of the plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the plus of the shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the statements of the plus of the plus of the shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-27244-0000  Conductor pipe required None feet  Minimum surface pipe required feet per Alt.  Approved by:  While the following minimum requirements will be met:  1. Notify the appropriate of the spud date or the well shall be set to the plus of the shall be set to the post of the shall be set to the plus of the shall be set to the post of the shall be set to the shall be	RECEIVED KANSAS CORPORATION COMMIS  OCT 15 2007  ch drilling rig;

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-27244-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	
Lease: Leslie, Robert	700 feet from V N / S Line of Section  1980 feet from E / V W Line of Section
Well Number: 1-1 Field: Cherokee Basin CBM	Sec. 1 Twp. 28 S. R. 18 Ves
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:	Is Section:  Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used:  NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880		
Lease Name & Well No.: Leslie, Robert #1-1			Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NE</u> - <u>NW</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 1 Twp. 28 R. 18	
Settling Pit	If Existing, date constructed:		700 Feet from 🗸 North / 🗌 South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		1980 Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Water	Area? →Yes ✓	Ne	Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner? ☐ Yes ☑ No		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point:(feet)				
, , , , , , , , , , , , , , , , , , , ,		edures for periodic maintenance and determining any special monitoring.		
		Operation lasting approx 3 days		
		/ Drilling	RECEIVED	
			KANSAS CORPORATION COMMISS	
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		west fresh waterfeet. OCT 1 5 2007		
l			CONSERVATION DIVISION redwell owner electric logwichinapkar	
		over and Haul-Off Pits ONLY:		
Producing Formation: Type of materi		al utilized in drilling/workover: Air Drilled		
		king pits to be utilized: One		
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must l		pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
October 10, 2007  Date  Signature of Applicant or Agent				
Date / Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
	KCC	OFFICE USE OI	NLY	