| For KCC Use: | (0.20/17) |
|-----------------|---------------------|
| Effective Date: | 10-2007 |
| District # | 3 |
| COAD TVos | . (32 *) N = |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

| xpected Spud Date | Spot | ✓ East |
|---|--|--|
| month day year | NW SE SW Sec. 29 Twp. 15 | - |
| PERATOR: License# 32834 | 955 feet from N / | |
| ame: JTC Oil, Inc. | ieet Rolli V | W Line of Section |
| ddroos: P.O. Box 910 | Is SECTION <u>√</u> Regularirregular? | |
| ity/State/Zip: Louisburg, KS. 66053 | (Note: Locate well on the Section Plat on | reverse side) |
| ontact Person: Tom Cain | County: Franklin | |
| hone: 913-208-7914 | Lease Name: Moldenhauer | Well #: 45 |
| 33715 | Field Name: Paola-Rantoul | |
| ONTRACTOR: License# 33715 ame: Town Oilfield Service, Inc. | Is this a Prorated / Spaced Field? | Yes V |
| ame: Town Omicia Col vice, ma | Target Formation(s): Squirrel | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 330' | |
| ✓ Oil Enh Rec ✓ Infield Mud Rotary | Ground Surface Elevation: | |
| Gas Storage Pool Ext. ✓ Air Rotary | Water well within one-quarter mile: | Yes ✓ No |
| OWWO Disposal Wildcat Cable | Public water supply well within one mile: | Yes V |
| Seismic; # of Holes Other | Depth to bottom of fresh water: 100 Depth to bottom of usable water: 200 | |
| Other | | _ |
| | Surface Pipe by Alternate: 1 2 Length of Surface Pipe Planned to be set: 20' | |
| OWWO: old well information as follows: | Length of Conductor Pipe required: None | |
| Operator: | Projected Total Depth: 800' | |
| Well Name: Original Completion Date: Original Total Depth: | Formation at Total Depth: Squirrel | |
| Original Completion Date:Original lotal Depth: | Water Source for Drilling Operations: | • |
| irectional, Deviated or Horizontal wellbore? | | |
| Yes, true vertical depth: | DWR Permit #: | |
| ottom Hole Location: | (Note: Apply for Permit with DWF | ; □) |
| CC DKT #: | Will Cores be taken? | Yes ✓ No |
| | If Yes, proposed zone: | |
| ACE | | |
| | DAVIT | |
| he undersigned hereby affirms that the drilling, completion and eventual plais is agreed that the following minimum requirements will be met: | DAVIT | |
| the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall the same transfer of the shall be completed within 30 days of the spud date or the well shall the same transfer of the s | be plugged. In all cases, NOTIFY district office pro | ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of | be plugged. In all cases, NOTIFY district office pro | ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the notified before well is either plug of the notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall the surface of the surface casing order must be completed within 30 days of the spud date or the well shall the surface of the | be plugged. In all cases, NOTIFY district office pro | ce pipe shall be set sary prior to plugging; 20 days of spud date. ea, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug for the well is dry hole, an agreement between the operator and the dry hole. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the case of the spud shall the statements of the spud shall shall the statements of the spud shall shall the statements of the spud shall | ch drilling rig: In the production casing is cemented in; In the plugged. In all cases, NOTIFY district office production and belief. File Drill Pit Application (form CDP-1) with Intent to File acreage attribution plat according to field production. | ce pipe shall be set sary prior to plugging; to days of spud date, ea, alternate II cementin cior to any cementing. To Drill; spud date; pration orders; workover or re-entry; completed; |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug for the specified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete of the specified before well shall the statements made herein are true and to the best of the complete of the specified before the well shall the statements of the specified before well shall the statements of the specified before well shall be set through the specified before well is either plug for the specified before well | ch drilling rig: In this well will comply with K.S.A. 55 et. sequents of this well will comply with K.S.A. 55 et. sequents of the drilling rig: In the production can be underlying formation. It is included any usable water to surface within 12 and from below any usable water to surface within 12 and from below any usable water to surface within 12 and from below any usable water to surface within 12 and from below any usable water to surface within 12 be plugged. In all cases, NOTIFY district office profession of the KCC District 3 are to be plugged. In all cases, NOTIFY district office profession of the KCC District 3 are to be plugged. In all cases, NOTIFY district office profession of the KCC District 3 are to be plugged. In all cases, NOTIFY district office profession of the completion form ACO-1 within 120 days of a file acreage attribution plat according to field profession. Notify appropriate district office 48 hours prior to submit plugging report (CP-4) after plugging is continuously of the profession of the continuously of the plugging is continuously of the profession of the continuously of the profession of the continuously of the conti | ce pipe shall be set sary prior to plugging; to days of spud date, ea, alternate II cementing. o Drill; spud date; pration orders; workover or re-entry; ompleted; ting salt water. |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the state of the well is either plug to the state of the well is either plug to the state of the state of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall thereby certify that the statements made herein are true and to the best of the state | ch drilling rig; In the production casing is cemented in; In the production are producted in the production of the prod | ce pipe shall be set sary prior to plugging; to days of spud date, ea, alternate II cementing. o Drill; spud date; pration orders; workover or re-entry; ompleted; ting salt water. |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 059-25242-0000 | Location of Well: County: Franklin |
|---|--|
| Operator: JTC Oil, Inc. | 955 feet from N / S Line of Section |
| Lease: Moldenhauer | 3760 feet from F E / W Line of Section |
| Well Number: 45 | Sec. 29 Twp. 15 S. R. 21 ✓ East West |
| Field: Paola-Rantoul | Is Section: ✓ Regular or ☐ Irregular |
| Number of Acres attributable to well: QTR / QTR / QTR of acreage: NW - SE - SW | If Section is irregular, locate well from nearest corner boundary. |
| | Section comer used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| | : | | |
|---|---|---------------------------------------|------------|
| | | | |
| | | | EXAMPLE |
| : ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; | | : : : : : : : : : : : : : : : : : : : | 1980 |
| · | | · · · · · · · · · · · · · · · · · · · | 3390' |
| | | | SEWARD CO. |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-Z for oil wells: RECEIVED CG-8 for gas wells).

 KANSAS CORPORATION COMMISSION

OCT 12 2007

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: JTC Oil, Inc. | | | License Number: 32834 | |
|--|--------------------------------|---|---|--|
| Operator Address: P.O. Box 910 Louisburg, KS. 66053 | | | | |
| Contact Person: Tom Cain | | | Phone Number: (913) 208 - 7914 | |
| Lease Name & Well No.: Moldenhauer #45 | | | Pit Location (QQQQ): | |
| Type of Pit: | Pit is: | | SW NW SE SW | |
| Emergency Pit Burn Pit | ✓ Proposed Existing | | Sec. 29 Twp. 15 R. 21 | |
| Settling Pit | If Existing, date constructed: | | 955 Feet from North / 🗸 South Line of Section | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 3760 Feet from ✓ East / West Line of Section | |
| (If WP Supply API No. or Year Drilled) | 100 | (bbls) | Franklin County | |
| Is the pit located in a Sensitive Ground Water | Area? Yes ✓ | No | Chloride concentration: mg/l | |
| be the best of the | Artificial Liner? | | (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? | |
| Is the bottom below ground level? Yes No | Yes 🗸 | No | Pits not lined unless not holding fluid | |
| Pit dimensions (all but working pits): | B Longth # | nat) 12 | Width (feet) N/A: Steel Pits | |
| | om ground level to de | | (feet) | |
| If the pit is lined give a brief description of the liner De | | | edures for periodic maintenance and determining ncluding any special monitoring. | |
| Distance to nearest water well within one-mile | e of pit | Depth to shallo Source of infor | west fresh water | |
| | | | riedwell owner electric log KDWR | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: | |
| Producing Formation: | | 1 | al utilized in drilling/workover: Fresh Water | |
| Number of producing wells on lease: | | | king pits to be utilized: 2 | |
| Barrels of fluid produced daily: | | Abandonment | procedure: Pits filled as soon as well is completed | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | |
| 10-10-07 Signature of Applicant of Agent | | | | |
| KCC OFFICE USE ONLY | | | | |
| Date Received: 10/12/07 Permit Number: Permit Date: 10/12/07 Lease Inspection: Yes A No | | | | |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED KANSAS CORPORATION COMMISSION